

© Copyright SEK. Reproduction in any form without permission is prohibited.

Gränssnitt för seriebuss för datakommunikation (USB) – Del 1-3: Gemensamma komponenter – Specifikation för kabel och anslutningsdon USB Type-C™

*Universal serial bus interfaces for data and power –
Part 1-3: Universal Serial Bus interfaces –
Common components –
USB Type-C™ cable and connector specification*

Som svensk standard gäller europastandarden EN 62680-1-3:2016. Den svenska standarden innehåller den officiella engelska språkversionen av EN 62680-1-3:2016.

Nationellt förord

Europastandarden EN 62680-1-3:2016

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 62680-1-3, First edition, 2016 - Universal serial bus interfaces for data and power - Part 1-3: Universal Serial Bus interfaces - Common components - USB Type-C™ cable and connector specification**

utarbetad inom International Electrotechnical Commission, IEC.

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

ICS 33.120.20; 33.120.30; 35.200

English Version

Universal serial bus interfaces for data and power - Part 1-3:
Universal Serial Bus interfaces - Common components - USB
Type-C™ cable and connector specification
(IEC 62680-1-3:2016)

Interfaces de bus universel en série pour les données et
l'alimentation électrique - Partie 1-3 : Interfaces de bus
universel en série - Composants communs - Spécification
des câbles et connecteurs de type C™ de bus universel en
série
(IEC 62680-1-3:2016)

Universelle serielle Bus Schnittstellen für Daten und
Energie - Teil 1-3: Universelle serielle Bus Schnittstellen -
Gemeinsame Komponenten - USB-Typ-C™ Kabel und
Steckverbinder Spezifikation
(IEC 62680-1-3:2016)

This European Standard was approved by CENELEC on 2016-09-21. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

European foreword

The text of document 100/2587/CDV, future edition 1 of IEC 62680-1-3, prepared by Technical Area 14 "Interfaces and methods of measurement for personal computing equipment" of IEC/TC 100 "Audio, video and multimedia systems and equipment" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62680-1-3:2016.

The following dates are fixed:

- latest date by which the document has to be (dop) 2017-06-21
implemented at national level by
publication of an identical national
standard or by endorsement
- latest date by which the national (dow) 2019-09-21
standards conflicting with the
document have to be withdrawn

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62680-1-3:2016 was approved by CENELEC as a European Standard without any modification.

INTERNATIONAL ELECTROTECHNICAL COMMISSION

UNIVERSAL SERIAL BUS INTERFACES FOR DATA AND POWER –

**Part 1-3: Universal Serial Bus interfaces –
Common components – USB Type-C™
cable and connector specification**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62680-1-3 has been prepared by technical area 14: Interfaces and methods of measurement for personal computing equipment, of IEC technical committee 100: Audio, video and multimedia systems and equipment.

The text of this standard was prepared by the USB Implementers Forum (USB-IF). The structure and editorial rules used in this publication reflect the practice of the organization which submitted it.

The text of this standard is based on the following documents:

CDV	Report on voting
100/2587/CDV	100/2681/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

A list of all parts in the IEC 62680 series, published under the general title *Universal serial bus interfaces for data and power*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

The IEC 62680 series is based on a series of specifications that were originally developed by the USB Implementers Forum (USB-IF). These specifications were submitted to the IEC under the auspices of a special agreement between the IEC and the USB-IF.

This standard is the USB-IF publication USB Type-C™ Cable and Connector Specification Revision 1.1.

The USB Implementers Forum, Inc.(USB-IF) is a non-profit corporation founded by the group of companies that developed the Universal Serial Bus specification. The USB-IF was formed to provide a support organization and forum for the advancement and adoption of Universal Serial Bus technology. The Forum facilitates the development of high-quality compatible USB peripherals (devices), and promotes the benefits of USB and the quality of products that have passed compliance testing.

ANY USB SPECIFICATIONS ARE PROVIDED TO YOU "AS IS, "WITH NO WARRANTIES WHATSOEVER, INCLUDING ANY WARRANTY OF MERCHANTABILITY, NON-INFRINGEMENT, OR FITNESS FOR ANY PARTICULAR PURPOSE. THE USB IMPLEMENTERS FORUM AND THE AUTHORS OF ANY USB SPECIFICATIONS DISCLAIM ALL LIABILITY, INCLUDING LIABILITY FOR INFRINGEMENT OF ANY PROPRIETARY RIGHTS, RELATING TO USE OR IMPLEMENTATION OR INFORMATION IN THIS SPECIFICATION.

THE PROVISION OF ANY USB SPECIFICATIONS TO YOU DOES NOT PROVIDE YOU WITH ANY LICENSE, EXPRESS OR IMPLIED, BY ESTOPPEL OR OTHERWISE, TO ANY INTELLECTUAL PROPERTY RIGHTS.

Entering into USB Adopters Agreements may, however, allow a signing company to participate in a reciprocal, RAND-Z licensing arrangement for compliant products. For more information, please see:

http://www.usb.org/developers/docs/http://www.usb.org/developers/devclass_docs#approved

IEC DOES NOT TAKE ANY POSITION AS TO WHETHER IT IS ADVISABLE FOR YOU TO ENTER INTO ANY USB ADOPTERS AGREEMENTS OR TO PARTICIPATE IN THE USB IMPLEMENTERS FORUM.”

Universal Serial Bus Type-C Cable and Connector Specification

**Revision 1.1
April 3, 2015**

**Copyright © 2014-2015, USB 3.0 Promoter Group:
Hewlett-Packard Company, Intel Corporation, Microsoft Corporation,
Renesas, STMicroelectronics, and Texas Instruments**

All rights reserved.

NOTE Adopters may only use the USB Type-C™ cable and connector to implement USB or third party functionality as expressly described in this Specification; all other uses are prohibited.

LIMITED COPYRIGHT LICENSE: The USB 3.0 Promoters grant a conditional copyright license under the copyrights embodied in the USB Type-C Cable and Connector Specification to use and reproduce the Specification for the sole purpose of, and solely to the extent necessary for, evaluating whether to implement the Specification in products that would comply with the specification. Without limiting the foregoing, use of the Specification for the purpose of filing or modifying any patent application to target the Specification or USB compliant products is not authorized. Except for this express copyright license, no other rights or licenses are granted, including without limitation any patent licenses. In order to obtain any additional intellectual property licenses or licensing commitments associated with the Specification a party must execute the USB 3.0 Adopters Agreement. NOTE: By using the Specification, you accept these license terms on your own behalf and, in the case where you are doing this as an employee, on behalf of your employer.

INTELLECTUAL PROPERTY DISCLAIMER

THIS SPECIFICATION IS PROVIDED TO YOU “AS IS” WITH NO WARRANTIES WHATSOEVER, INCLUDING ANY WARRANTY OF MERCHANTABILITY, NON-INFRINGEMENT, OR FITNESS FOR ANY PARTICULAR PURPOSE. THE AUTHORS OF THIS SPECIFICATION DISCLAIM ALL LIABILITY, INCLUDING LIABILITY FOR INFRINGEMENT OF ANY PROPRIETARY RIGHTS, RELATING TO USE OR IMPLEMENTATION OF INFORMATION IN THIS SPECIFICATION. THE PROVISION OF THIS SPECIFICATION TO YOU DOES NOT PROVIDE YOU WITH ANY LICENSE, EXPRESS OR IMPLIED, BY ESTOPPEL OR OTHERWISE, TO ANY INTELLECTUAL PROPERTY RIGHTS.

All implementation examples and reference designs contained within this Specification are included as part of the limited patent license for those companies that execute the USB 3.0 Adopters Agreement.

USB Type-C™ and USB-C™ are trademarks of the Universal Serial Bus Implementers Forum (USB-IF). All product names are trademarks, registered trademarks, or service marks of their respective owners.

CONTENTS

FOREWORD.....	2
INTRODUCTION.....	4
Specification Work Group Chairs / Specification Editors.....	15
Specification Work Group Contributors.....	15
Pre-Release Draft Industry Reviewing Companies That Provided Feedback.....	17
Revision History.....	17
1 Introduction.....	18
1.1 Purpose.....	18
1.2 Scope.....	18
1.3 Related Documents.....	19
1.4 Conventions.....	19
1.4.1 Precedence.....	19
1.4.2 Keywords.....	19
1.4.3 Numbering.....	20
1.5 Terms and Abbreviations.....	21
2 Overview.....	22
2.1 Introduction.....	22
2.2 USB Type-C Receptacles, Plugs and Cables.....	23
2.3 Configuration Process.....	25
2.3.1 DFP-to-UFP Attach/Detach Detection.....	25
2.3.2 Plug Orientation/Cable Twist Detection.....	25
2.3.3 Initial DFP-to-UFP (host-to-device) and Power Relationships Detection.....	25
2.3.4 USB Type-C VBUS Current Detection and Usage.....	26
2.3.5 USB PD Communication.....	27
2.3.6 Functional Extensions.....	27
2.4 Vbus.....	27
2.5 Vconn.....	28
2.6 Hubs.....	28
3 Mechanical.....	28
3.1 Overview.....	28
3.1.1 Compliant Connectors.....	28
3.1.2 Compliant Cable Assemblies.....	28
3.1.3 Compliant USB Type-C to Legacy Cable Assemblies.....	29
3.1.4 Compliant USB Type-C to Legacy Adapter Assemblies.....	29
3.2 USB Type-C Connector Mating Interfaces.....	30
3.2.1 Interface Definition.....	30
3.2.2 Reference Designs.....	45
3.2.3 Pin Assignments and Descriptions.....	52
3.3 Cable Construction and Wire Assignments.....	54
3.3.1 Cable Construction (Informative).....	54
3.3.2 Wire Assignments.....	55
3.3.3 Wire Gauges and Cable Diameters (Informative).....	57
3.4 Standard USB Type-C Cable Assemblies.....	58
3.4.1 USB Full-Featured Type-C Cable Assembly.....	58
3.4.2 USB 2.0 Type-C Cable Assembly.....	60

Copyright © 2015 USB 3.0 Promoter Group. All rights reserved.

3.4.3	USB Type-C Captive Cable Assemblies	60
3.5	Legacy Cable Assemblies.....	60
3.5.1	USB Type-C to <i>USB 3.1</i> Standard-A Cable Assembly	61
3.5.2	USB Type-C to <i>USB 2.0</i> Standard-A Cable Assembly	61
3.5.3	USB Type-C to <i>USB 3.1</i> Standard-B Cable Assembly	62
3.5.4	USB Type-C to <i>USB 2.0</i> Standard-B Cable Assembly	63
3.5.5	USB Type-C to <i>USB 2.0</i> Mini-B Cable Assembly	64
3.5.6	USB Type-C to <i>USB 3.1</i> Micro-B Cable Assembly	65
3.5.7	USB Type-C to <i>USB 2.0</i> Micro-B Cable Assembly	66
3.6	Legacy Adapter Assemblies	67
3.6.1	USB Type-C to <i>USB 3.1</i> Standard-A Receptacle Adapter Assembly	67
3.6.2	USB Type-C to <i>USB 2.0</i> Micro-B Receptacle Adapter Assembly	69
3.7	Electrical Characteristics	69
3.7.1	Raw Cable (Informative).....	70
3.7.2	Mated Connector (Normative).....	71
3.7.3	USB Type-C to Type-C Passive Cable Assemblies (Normative).....	75
3.7.4	USB Type-C to Legacy Cable Assemblies (Normative).....	86
3.7.5	USB Type-C to USB Legacy Adapter Assemblies (Normative).....	89
3.7.6	Shielding Effectiveness Requirements (Normative)	91
3.7.7	DC Electrical Requirements (Normative).....	92
3.8	Mechanical and Environmental Requirements (Normative)	93
3.8.1	Mechanical Requirements	94
3.8.2	Environmental Requirements.....	97
3.9	Docking Applications (Informative).....	98
3.10	Implementation Notes and Design Guides.....	99
3.10.1	EMC Management (Informative)	99
3.10.2	Stacked and Side-by-Side Connector Physical Spacing (Informative)	101
3.10.3	Cable Mating Considerations (Informative)	102
4	Functional	103
4.1	Signal Summary.....	103
4.2	Signal Pin Descriptions	103
4.2.1	SuperSpeed USB Pins	103
4.2.2	USB 2.0 Pins	104
4.2.3	Auxiliary Signal Pins	104
4.2.4	Power and Ground Pins	104
4.2.5	Configuration Pins.....	104
4.3	Sideband Use (SBU)	104
4.4	Power and Ground	104
4.4.1	IR Drop.....	104
4.4.2	VBUS	105
4.4.3	VCONN.....	106
4.5	Configuration Channel (CC).....	107
4.5.1	Architectural Overview	107
4.5.2	CC Functional and Behavioral Requirements	116
4.5.3	USB Port Interoperability Behavior	134
4.6	Power	144
4.6.1	Power Requirements during USB Suspend	145

4.6.2	VBUS Power Provided Over a USB Type-C Cable	145
4.6.3	Supporting USB PD BFSK in Addition to USB PD BMC	148
4.7	USB Hubs	149
4.8	Chargers.....	149
4.8.1	DFP as a Power Source	149
4.8.2	Non-USB Charging Methods.....	150
4.8.3	Sinking DFP	151
4.8.4	Charging UFP	151
4.8.5	Charging a System with a Dead Battery.....	151
4.9	Electronically Marked Cables.....	151
4.10	Vconn-Powered Accessories	153
4.11	Parameter Values	153
4.11.1	Termination Parameters	153
4.11.2	Timing Parameters.....	154
4.11.3	Voltage Parameters	156
4.12	Summary of Ports by Product Type.....	157
5	Functional Extensions.....	160
5.1	Alternate Modes.....	160
5.1.1	Alternate Mode Architecture	160
5.1.2	Alternate Mode Requirements	160
5.1.3	Parameter Values	162
5.1.4	Example Alternate Mode – USB/PCIe Dock	162
5.2	Managed Active Cables.....	165
5.2.1	Requirements for Managed Active Cables that respond to SOP' and SOP"	165
5.2.2	Cable Message Structure	167
5.2.3	Modal Cable Management.....	167
A	Audio Adapter Accessory Mode.....	168
A.1	Overview.....	168
A.2	Detail.....	168
A.3	Electrical Requirements.....	169
A.4	Example Implementations.....	171
A.4.1	Passive 3,5 mm to USB Type-C Adapter – Single Pole Detection Switch	171
A.4.2	3,5 mm to USB Type-C Adapter Supporting 500 mA Charge-Through.....	171
B	Debug Accessory Mode	173
Figure 2-1 – USB Type-C Receptacle Interface (Front View)		23
Figure 2-2 – USB Full-Featured Type-C Plug Interface (Front View).....		23
Figure 3-1 – USB Type-C Receptacle Interface Dimensions		32
Figure 3-2 – Reference Design USB Type-C Plug External EMC Spring Contact Zones		34
Figure 3-3 – USB Full-Featured Type-C Plug Interface Dimensions.....		35
Figure 3-4 – Reference Footprint for a USB Type-C Vertical Mount Receptacle (Informative)		38
Figure 3-5 – Reference Footprint for a USB Type-C Dual-Row SMT Right Angle Receptacle (Informative)		39
Figure 3-6 – Reference Footprint for a USB Type-C Hybrid Right-Angle Receptacle (Informative)		40

Figure 3-7 – Reference Footprint for a USB Type-C Mid-Mount Dual-Row SMT Receptacle (Informative)	41
Figure 3-8 – Reference Footprint for a USB Type-C Mid-Mount Hybrid Receptacle (Informative)	42
Figure 3-9 – <i>USB 2.0</i> Type-C Plug Interface Dimensions	43
Figure 3-10 – Reference Design of Receptacle Mid-Plate	46
Figure 3-11 – Reference Design of the Retention Latch	47
Figure 3-12 – Illustration of the Latch Soldered to the Paddle Card Ground	47
Figure 3-13 – Reference Design of the USB Full-Featured Type-C Plug Internal EMC Spring	48
Figure 3-14 – Reference Design of the <i>USB 2.0</i> Type-C Plug Internal EMC Spring	49
Figure 3-15 – Reference Design of Internal EMC Pad	50
Figure 3-16 – Reference Design of a USB Type-C Receptacle with External EMC Springs.....	51
Figure 3-17 – Reference Design for a USB Full-Featured Type-C Plug Paddle Card	52
Figure 3-18 – Illustration of a USB Full-Featured Type-C Cable Cross Section, a Coaxial Wire Example with VCONN.....	55
Figure 3-19 – Illustration of a USB Full-Featured Type-C Cable Cross Section, a Coaxial Wire Example without VCONN.....	55
Figure 3-20 – USB Full-Featured Type-C Standard Cable Assembly	59
Figure 3-21 – USB Type-C to USB 3.1 Standard-A Cable Assembly	61
Figure 3-22 – USB Type-C to <i>USB 2.0</i> Standard-A Cable Assembly	62
Figure 3-23 – USB Type-C to <i>USB 3.1</i> Standard-B Cable Assembly	62
Figure 3-24 – USB Type-C to <i>USB 2.0</i> Standard-B Cable Assembly	63
Figure 3-25 – USB Type-C to <i>USB 2.0</i> Mini-B Cable Assembly	64
Figure 3-26 – USB Type-C to <i>USB 3.1</i> Micro-B Cable Assembly	65
Figure 3-27 – USB Type-C to <i>USB 2.0</i> Micro-B Cable Assembly	66
Figure 3-28 – USB Type-C to <i>USB 3.1</i> Standard-A Receptacle Adapter Assembly	68
Figure 3-29 – USB Type-C to <i>USB 2.0</i> Micro-B Receptacle Adapter Assembly	69
Figure 3-30 – Illustration of USB Type-C Mated Connector	71
Figure 3-31 – Recommended Impedance Limits of a USB Type-C Mated Connector	71
Figure 3-32 – Recommended Ground Void Dimensions for USB Type-C Receptacle.....	72
Figure 3-33 – Recommended Differential Insertion Loss Limits	72
Figure 3-34 – Recommended Differential Return Loss Limits	73
Figure 3-35 – Recommended Differential Crosstalk Limits between SuperSpeed Pairs	73
Figure 3-36 – Recommended Differential Near-End and Far-End Crosstalk Limits between D+/D- Pair and SuperSpeed Pairs.....	74
Figure 3-37 – Recommended Limits for Differential-to-Common-Mode Conversion	74
Figure 3-38 – Illustration of Test Points for a Mated Cable Assembly	75
Figure 3-39 – Recommended Differential Insertion Loss Requirement	75
Figure 3-40 – Recommended Differential Return Loss Requirement.....	76
Figure 3-41 – Recommended Differential Crosstalk Requirement	76
Figure 3-42 – Recommended Differential Near-End and Far-End Crosstalk Requirement between USB D+/D- Pair and USB SuperSpeed Pair	77

Figure 3-43 – Illustration of Insertion Loss Fit at Nyquist Frequency.....	78
Figure 3-44 – Input Pulse Spectrum	79
Figure 3-45 – IMR Limit as Function of ILfitatNq	79
Figure 3-46 – IRL Limit as Function of ILfitatNq	81
Figure 3-47 – Differential-to-Common-Mode Conversion Requirement.....	81
Figure 3-48 – Requirement for Differential Coupling between CC and D+/D-	82
Figure 3-49 – Requirement for Single-Ended Coupling between CC and D- in USB 2.0 Type-C Cables.....	83
Figure 3-50 – Requirement for Single-Ended Coupling between CC and D- in USB Full-Featured Type-C Cables	83
Figure 3-51 – Requirement for Differential Coupling between VBUS and D+/D-	84
Figure 3-52 – Requirement for Single-Ended Coupling between SBU_A and SBU_B	84
Figure 3-53 – Requirement for Single-Ended Coupling between SBU_A/SBU_B and CC.....	85
Figure 3-54 – Requirement for Coupling between SBU_A and differential D+/D-, and SBU_B and differential D+/D-	85
Figure 3-55 – IMR Limit as Function of ILfitatNq for USB Type-C to Legacy Cable Assembly.....	89
Figure 3-56 – IRL Limit as Function of ILfitatNq for USB Type-C to Legacy Cable Assembly.....	89
Figure 3-57 – Cable Assembly Shielding Effectiveness Testing.....	92
Figure 3-58 – Shielding Effectiveness Pass/Fail Criteria	92
Figure 3-59 – LLCR Measurement Diagram	93
Figure 3-60 – 4-Axis Continuity Test.....	95
Figure 3-61 – Reference Wrenching Strength Continuity Test Fixture	96
Figure 3-62 – Example of Wrenching Strength Test Mechanical Failure Point.....	96
Figure 3-63 – Wrenching Strength Test with Cable in Fixture	97
Figure 3-64 – USB Type-C Cable Receptacle Flange Example.....	99
Figure 3-65 – EMC Guidelines for Side Latch and Mid-plate.....	100
Figure 3-66 – EMC Finger Connections to Plug Shell.....	100
Figure 3-67 – EMC Pad Connections to Receptacle Shell	101
Figure 3-68 – Examples of Connector Apertures.....	101
Figure 3-69 – Recommended Minimum Spacing between Connectors	102
Figure 3-70 – Recommended Minimum Plug Overmold Clearance.....	102
Figure 3-71 – Cable Plug Overmold and an Angled Surface	102
Figure 4-1 – Cable IR Drop	105
Figure 4-2 – Cable IR Drop for powered cables	105
Figure 4-3 – Logical Model for Data Bus Routing across USB Type-C-based Ports.....	108
Figure 4-4 – Logical Model for USB Type-C-based Ports for the Direct Connect Device.....	109
Figure 4-5 – Pull-Up/Pull-Down CC Model	110
Figure 4-6 – Current Source/Pull-Down CC Model	110
Figure 4-7 – DFP Functional Model for CC1 and CC2	113
Figure 4-8 – DFP Functional Model Supporting USB PD Provider/Consumer	114
Figure 4-9 – UFP Functional Model for CC1 and CC2	114

Figure 4-10 – UFP Functional Model Supporting USB PD Consumer/Provider and VCONN_Swap	115
Figure 4-11 – DRP Functional Model for CC1 and CC2	115
Figure 4-12 – Connection State Diagram: Source	117
Figure 4-13 – Connection State Diagram: Sink	118
Figure 4-14 – Connection State Diagram: Sink with Accessory Support	119
Figure 4-15 – Connection State Diagram: DRP	120
Figure 4-16 – Connection State Diagram: DRP with Accessory and Try.SRC Support	121
Figure 4-17 – Sink Power Sub-States	132
Figure 4-18 – DFP to UFP Functional Model	135
Figure 4-19 – DFP to DRP Functional Model	136
Figure 4-20 – DRP to UFP Functional Model	137
Figure 4-21 – DRP to DRP Functional Model – CASE 1	138
Figure 4-22 – DRP to DRP Functional Model – CASE 2	139
Figure 4-23 – DFP to DFP Functional Model	140
Figure 4-24 – UFP to UFP Functional Model	141
Figure 4-25 – DFP to Legacy Device Port Functional Model	141
Figure 4-26 – Legacy Host Port to UFP Functional Model	142
Figure 4-27 – DRP to Legacy Device Port Functional Model	143
Figure 4-28 – Legacy Host Port to DRP Functional Model	144
Figure 4-29 – UFP Monitoring for Current in Pull-Up/Pull-Down CC Model	147
Figure 4-30 – UFP Monitoring for Current in Current Source/Pull-Down CC Model	147
Figure 4-31 – USB PD over CC Pins	148
Figure 4-32 – USB PD BMC Signaling over CC	148
Figure 4-33 – Example implementation of CC input protection in a UFP	149
Figure 4-34 – Electronically Marked Cable with VCONN connected through the cable	152
Figure 4-35 – Electronically Marked Cable with SOP' at both ends	152
Figure 4-36 – DRP Timing	155
Figure 5-1 – Pins Available for Reconfiguration over the Full-Featured Cable	161
Figure 5-2 – Pins Available for Reconfiguration for Direct Connect Applications	161
Figure 5-3 – USB/PCIe Dock Example	163
Figure 5-4 – Managed Active Cable Plug SOP' and SOP" Assignment	166
Figure 5-5 – Managed Active Cable	166
Figure A.1 – Example Passive 3,5 mm to USB Type-C Adapter	171
Figure A.2 – Example 3.5 mm to USB Type-C Adapter Supporting 500 mA Charge-Through	172
Table 2-1 – Summary of power supply options	27
Table 3-1 – USB Type-C Standard Cable Assemblies	28
Table 3-2 – USB Type-C Legacy Cable Assemblies	29
Table 3-3 – USB Type-C Legacy Adapter Assemblies	30
Table 3-4 – USB Type-C Receptacle Interface Pin Assignments	53

Table 3-5 – USB Type-C Receptacle Interface Pin Assignments for USB 2.0-only Support	54
Table 3-6 – USB Type-C Standard Cable Wire Assignments	56
Table 3-7 – USB Type-C Cable Wire Assignments for Legacy Cables/Adapters	57
Table 3-8 – Reference Wire Gauges for standard USB Type-C Cable Assemblies	58
Table 3-9 – Reference Wire Gauges for USB Type-C to Legacy Cable Assemblies	58
Table 3-10 – USB Full-Featured Type-C Standard Cable Assembly Wiring	59
Table 3-11 – <i>USB 2.0</i> Type-C Standard Cable Assembly Wiring	60
Table 3-12 – USB Type-C to <i>USB 3.1</i> Standard-A Cable Assembly Wiring	61
Table 3-13 – USB Type-C to <i>USB 2.0</i> Standard-A Cable Assembly Wiring	62
Table 3-14 – USB Type-C to <i>USB 3.1</i> Standard-B Cable Assembly Wiring	63
Table 3-15 – USB Type-C to <i>USB 2.0</i> Standard-B Cable Assembly Wiring	64
Table 3-16 – USB Type-C to <i>USB 2.0</i> Mini-B Cable Assembly Wiring	65
Table 3-17 – USB Type-C to <i>USB 3.1</i> Micro-B Cable Assembly Wiring	66
Table 3-18 – USB Type-C to <i>USB 2.0</i> Micro-B Cable Assembly Wiring	67
Table 3-19 – USB Type-C to <i>USB 3.1</i> Standard-A Receptacle Adapter Assembly Wiring	68
Table 3-20 – USB Type-C to <i>USB 2.0</i> Micro-B Receptacle Adapter Assembly Wiring	69
Table 3-21 – Differential Insertion Loss Examples for USB SuperSpeed with Twisted Pair Construction	70
Table 3-22 – Differential Insertion Loss Examples for USB SuperSpeed with Coaxial Construction	70
Table 3-23 – Coupling Matrix for Low Speed Signals	82
Table 3-24 – USB D+/D– Signal Integrity Requirements	86
Table 3-25 – USB D+/D– Signal Integrity Requirements for USB Type-C to Legacy USB Cable Assemblies	87
Table 3-26 – Design Targets for USB Type-C to <i>USB 3.1</i> Gen 2 Legacy Cable Assemblies (Informative)	87
Table 3-27 – USB Type-C to <i>USB 3.1</i> Gen 2 Legacy Cable Assembly Signal Integrity Requirements (Normative)	88
Table 3-28 – USB D+/D– Signal Integrity Requirements for USB Type-C to Legacy USB Adapter Assemblies (Normative)	90
Table 3-29 – Design Targets for USB Type-C to <i>USB 3.1</i> Standard-A Adapter Assemblies (Informative)	90
Table 3-30 – USB Type-C to <i>USB 3.1</i> Standard-A Receptacle Adapter Assembly Signal Integrity Requirements (Normative)	91
Table 3-31 – Environmental Test Conditions	97
Table 3-32 – Reference Materials	98
Table 4-1 – USB Type-C List of Signals	103
Table 4-2 – VBUS Leakage	106
Table 4-3 – VCONN Source Characteristics	106
Table 4-4 – VCONN Sink Characteristics	107
Table 4-5 – USB Type-C-based Port Interoperability	109
Table 4-6 – Source Perspective	111
Table 4-7 – Source and Sink Behaviors by State	112

Table 4-8 – USB PD Swapping Port Behavior Summary.....	116
Table 4-9 – Source Port CC Pin State	122
Table 4-10 – Sink Port CC Pin State	122
Table 4-11 – Mandatory and Optional States	134
Table 4-12 – Precedence of power source usage.....	145
Table 4-13 – DFP CC Termination (Rp) Requirements	153
Table 4-14 – UFP CC Termination (Rd) Requirements	154
Table 4-15 – Powered Cable Termination Requirements	154
Table 4-16 – UFP CC Termination Requirements.....	154
Table 4-17 – SBU Termination Requirements	154
Table 4-18 – VBUS and VCONN Timing Parameters.....	155
Table 4-19 – DRP Timing Parameters	156
Table 4-20 – CC Timing	156
Table 4-21 – CC Voltages on Source Side – Default USB	156
Table 4-22 – CC Voltages on Source Side – 1,5 A @ 5 V	156
Table 4-23 – CC Voltages on Source Side – 3,0 A @ 5 V	157
Table 4-24 – Voltage on Sink CC Pins (Default USB Type-C Current only)	157
Table 4-25 – Voltage on Sink CC pins (Multiple Source Current Advertisements)	157
Table 4-26 – Summary of Ports and Behaviors by Product Type	159
Table 5-1 – USB Safe State Electrical Requirements	162
Table 5-2 – USB Billboard Device Class Availability Following Alternate Mode Entry Failure.....	162
Table 5-3 – Alternate Mode Signal Noise Ingression Requirements.....	162
Table 5-4 – SOP' and SOP" Timing	167
Table A.1 – USB Type-C Analog Audio Pin Assignments	169
Table A.2 – USB Type-C Analog Audio Pin Electrical Parameter Ratings	170

Specification Work Group Chairs / Specification Editors

Intel Corporation
(USB 3.0 Promoter
company)

Seagate

Yun Ling – Mechanical WG co-chair, Mechanical Chapter Co-editor
Bob Dunstan – Functional WG co-chair, Specification Co-author
Brad Saunders – Plenary/Functional WG chair, Specification Co-author

Alvin Cox, Mechanical WG co-chair, Mechanical Chapter Co-editor

Specification Work Group Contributors

Advanced-Connectek, Inc.
(ACON)

Glen Chandler
Jeff Chien
Lee (Dick Lee) Ching
Conrad Choy

Vicky Chuang
Aven Kao
Danny Liao
Alan MacDougall

Alan Tsai
Stephen Yang

Advanced Micro Devices

Steve Capezza

Walter Fry

Will Harris

Agilent Technologies, Inc.

James Choate

Apple

Mahmoud Amini
Sree Anantharaman
Paul Baker
Jason Chung
David Conroy
Bill Cornelius

William Ferry
Zheng Gao
Girault Jones
Keong Kam
Min Kim
Chris Ligtenberg

Nathan Ng
James Orr
Keith Porthouse
Sascha Tietz
Colin Whitby-Stevens
Dennis Yarak

Cypress Semiconductor

Mark Fu
Rushil Kadakia

Anup Nayak
Jagadeesan Raj

Sanjay Sancheti
Subu Sankaran

Dell

Mohammed Hijazi
David Meyers

Sean O'Neal
Ernesto Ramirez

Thomas Voor

DisplayLink (UK) Ltd.

Pete Burgers

Richard Petrie

Electronics Testing Center,
Taiwan

Sophia Liu

Foxconn

Asroc Chen
Allen Cheng
Jason Chou
Edmond Choy
Bob Hall

Chien-Ping Kao
Ji Li
Ann Liu
Terry Little
Steve Sedio

Pei Tsao
AJ Yang
Yuan Zhang
Jessica Zheng
Andy Yao

Foxlink/Cheng Uei Precision
Industry Co., Ltd.

Robert Chen
Sunny Chou
Carrie Chuang
Wen-Chuan Hsu
Alex Hsue

Armando Lee
Dennis Lee
Justin Lin
Tse Wu Ting

Steve Tsai
Wen Yang
Wiley Yang
Junjie Yu

Google

Joshua Boilard
Jim Guerin
Jeffrey Hayashida
Mark Hayter

Nithya Jagannathan
Lawrence Lam
Ingrid Lin
Adam Rodriguez

David Schneider
Ken Wu

Granite River Labs

Mike Engbretson

Johnson Tan

Hewlett Packard
(USB 3.0 Promoter company)

Alan Berkema
Robin Castell

Michael Krause
Jim Mann

Linden McClure
Mike Pescetto

Hirose Electric Co., Ltd.	Jeremy Buan William MacKillop	Gourgen Oganessyan	Sid Tono
Intel Corporation (USB 3.0 Promoter company)	Dave Ackelson	James Jaussi	Chee Lim Nge
	Mike Bell	Luke Johnson	Sridharan Ranganathan
	Kuan-Yu Chen	Jerzy Kolinski	Brad Saunders
	Hengju Cheng	Christine Krause	Amit Srivastava
	Bob Dunstan	Yun Ling	Ron Swartz
	Paul Durley	Xiang Li	Karthi Vadivelu
	Howard Heck	Guobin Liu	Rafal Wielicki
	Hao-Han Hsu	Steve McGowan	
	Abdul (Rahman) Ismail		
Japan Aviation Electronics Industry Ltd. (JAE)	Kenji Hagiwara	Kimiaki Saito	Jussi Takaneva
	Masaki Kimura	Yuichi Saito	Tomohiko Tamada
	Toshio Masumoto	Mark Saubert	Kentaro Toda
	Joe Motojima	Toshio Shimoyama	Kouhei Ueda
	Ron Muir	Tatsuya Shioda	Takakazu Usami
	Tadashi Okubo	Atsuo Tago	Masahide Watanabe
	Kazuhiro Saito	Masaaki Takaku	Youhei Yokoyama
	Sam Tseng	Ray Yang	
JPC/Main Super Inc.			
LeCroy Corporation	Daniel H. Jacobs		
Lenovo	Rob Bowser	Wei Lie	Howard Locker
	Tomoki Harada		
Lotes Co., Ltd.	Ariel Delos Reyes	Regina Liu-Hwang	JinYi Tu
	Ernest Han	Max Lo	Jason Yang
	Mark Ho	Charles Kaun	
LSI Corporation	Dave Thompson		
Luxshare-ICT	Josue Castillo	CY Hsu	Stone Lin
	Daniel Chen	Alan Kinningham	Pat Young
	Lisen Chen	John Lin	
MegaChips Corporation	Alan Kobayashi		
Microchip (SMSC)	Josh Averyt	Donald Perkins	Mohammed Rahman
	Mark Bohm		
Microsoft Corporation (USB 3.0 Promoter company)	Randy Aull	Robert Hollyer	Ivan McCracken
	Fred Bhesania	Kai Inha	Toby Nixon
	Anthony Chen	Jayson Kastens	Gene Obie
	Marty Evans	Andrea Keating	Srivatsan Ravindran
	Vivek Gupta	Eric Lee	David Voth
	Robbie Harris		
MQP Electronics Ltd.	Sten Carlsen	Pat Crowe	
Nokia Corporation	Daniel Gratiot	Samuli Makinen	Timo Toivola
	Pekka Leinonen	Pekka Talmola	Panu Ylihaavisto
NXP Semiconductors	Vijendra Kuroodi	Guru Prasad	
Renesas Electronics Corp. (USB 3.0 Promoter company)	Nobuo Furuya	Philip Leung	Kiichi Muto

Rohm Co., Ltd.	Mark Aldering	Arun Kumar	Takashi Sato
	Kris Bahar	Chris Lin	Hiroshi Yoshimura
	Yusuke Kondo		
Samsung Electronics Co., Ltd.	Soondo Kim	Jagoun Koo	Jun Bum Lee
	Woonki Kim	Cheolho Lee	
Seagate	Alvin Cox	Tom Skaar	Dan Smith
	Tony Priborsky		
STMicroelectronics (USB 3.0 Promoter company)	Nicolas Florenchie	Christophe Lorin	Federico Musarra
	Joel Huloux	Patrizia Milazzo	Pascal Legrand
Tektronics, Inc.	Randy White		
Texas Instruments (USB 3.0 Promoter company)	Jawaid Ahmad	Win Maung	Anwar Sadat
	Richard Hubbard	Lauren Moore	Sue Vining
	Scott Jackson	Martin Patoka	Deric Waters
	Yoon Lee	Brian Quach	
	Grant Ley	Wes Ray	
Tyco Electronics Corp. (TE Connectivity Ltd.)	Max Chao	Jim McGrath	Scott Shuey
	Robert E. Cid	Takeshi Nakashima	Hidenori Taguchi
	Kengo Ijiro	Luis A. Navarro	Bernard Vetten
	Eiji Ikematsu	Masako Saito	Ryan Yu
	Joan Leu	Yoshiaki Sakuma	Sjoerd Zwartkruis
	Clark Li	Gavin Shih	
	Mike Lockyer	Hiroshi Shirai	
VIA Technologies Inc.	Terrance Shih	Jay Tseng	Fong-Jim Wang

Pre-Release Draft Industry Reviewing Companies That Provided Feedback

Aces	Johnson Components & Equipment Co., Ltd.	Parade Technology
Allion Labs, Inc.		Pericom
Analogix Semiconductor	Joinsoon Electronics Mfg. Co. Ltd.	Qualcomm
BizLink International Corp.	JST Mfg. Co., Ltd.	Semtech Corporation
Corning Optical Communications LLC	Korea Electric Terminal	Shenzhen Deren Electronic Co., Ltd.
Cypress Semiconductor	Marvell Semiconductor	Silicon Image
Etron Technology Inc.	Motorola Mobility LLC	Simula Technology Corp.
Fairchild Semiconductor	NEC	SMK Corporation
Fujitsu Ltd.	Newnex Technology Corp.	Sony Corporation
Industrial Technology Research Institute (ITRI)	NXP Semiconductors	Sumitomo Electric Industries
	PalCONN/PalNova (Palpilot International Corp.)	Toshiba Corporation

Revision History

Revision	Date	Description
1.0	August 11, 2014	Initial Release
1.1	April 3, 2015	Reprint release including incorporation of all approved ECNs as of the revision date plus editorial clean-up.

1 Introduction

With the continued success of the USB interface, there exists a need to adapt USB technology to serve newer computing platforms and devices as they trend toward smaller, thinner and lighter form-factors. Many of these newer platforms and devices are reaching a point where existing USB receptacles and plugs are inhibiting innovation, especially given the relatively large size and internal volume constraints of the Standard-A and Standard-B versions of USB connectors. Additionally, as platform usage models have evolved, usability and robustness requirements have advanced and the existing set of USB connectors were not originally designed for some of these newer requirements. This specification is to establish a new USB connector ecosystem that addresses the evolving needs of platforms and devices while retaining all of the functional benefits of USB that form the basis for this most popular of computing device interconnects.

1.1 Purpose

This specification defines the USB Type-C™ receptacles, plug and cables.

The USB Type-C Cable and Connector Specification is guided by the following principles:

- Enable new and exciting host and device form-factors where size, industrial design and style are important parameters
- Work seamlessly with existing USB host and device silicon solutions
- Enhance ease of use for connecting USB devices with a focus on minimizing user confusion for plug and cable orientation

The USB Type-C Cable and Connector Specification defines a new receptacle, plug, cable and detection mechanisms that are compatible with existing USB interface electrical and functional specifications. This specification covers the following aspects that are needed to produce and use this new USB cable/connector solution in newer platforms and devices, and that interoperate with existing platforms and devices:

- USB Type-C receptacles, including electro-mechanical definition and performance requirements
- USB Type-C plugs and cable assemblies, including electro-mechanical definition and performance requirements
- USB Type-C to legacy cable assemblies and adapters
- USB Type-C-based device detection and interface configuration, including support for legacy connections
- USB Power Delivery optimized for the USB Type-C connector

The USB Type-C Cable and Connector Specification defines a standardized mechanism that supports Alternate Modes, such as repurposing the connector for docking-specific applications.

1.2 Scope

This specification is intended as a supplement to the existing [USB 2.0](#), [USB 3.1](#) and [USB Power Delivery](#) specifications. It addresses only the elements required to implement and support the USB Type-C receptacles, plugs and cables.

Normative information is provided to allow interoperability of components designed to this specification. Informative information, when provided, may illustrate possible design implementations.