

© Copyright SEK Svensk Elstandard. Reproduction in any form without permission is prohibited.

Optokablar – Del 1-111: Artspecifikation – Grundläggande provningsmetoder – Mekanisk provning – Böjning, metod E11

*Optical fibre cables –
Part 1-111: Generic specification –
Basic optical cable test procedures –
Mechanical tests methods –
Bend, method E11*

Som svensk standard gäller europastandarden EN IEC 60794-1-111:2023. Den svenska standarden innehåller den officiella engelska språkversionen av EN IEC 60794-1-111:2023.

Nationellt förord

Europastandarden EN IEC 60794-1-111:2023

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 60794-1-111, First edition, 2023 - Optical fibre cables – Part 1-111: Generic specification – Basic optical cable test procedures – Mechanical tests methods – Bend, method E11**

utarbetad inom International Electrotechnical Commission, IEC.

Standarden ersätter delvis tidigare fastställd svensk standard SS-EN 60794-1-21, utg 1:2015 som ej gäller fr o m 2026-10-24 för denna nya standards omfattning.

ICS 33.180.10

Denna standard är fastställd av SEK Svensk Elstandard, som också kan lämna upplysningar om **sakinnehållet** i standarden.
Postadress: Box 1284, 164 29 KISTA
Telefon: 08 - 444 14 00.
E-post: sek@elstandard.se. Internet: www.elstandard.se

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

English Version

Optical fibre cables - Part 1-111: Generic specification - Basic
optical cable test procedures - Mechanical tests methods - Bend,
method E11
(IEC 60794-1-111:2023)

Câbles à fibres optiques - Partie 1-111: Spécification
générique - Procédures fondamentales d'essais des câbles
optiques - Méthodes d'essai mécanique - Courbures,
méthode E11
(IEC 60794-1-111:2023)

Glasfaserkabel - Teil 1-111: Fachgrundspezifikation -
Grundlegende Testverfahren für optische Kabel -
Mechanische Prüfverfahren - Biegung, Verfahren E11
(IEC 60794-1-111:2023)

This European Standard was approved by CENELEC on 2023-10-24. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

The text of document 86A/2367/FDIS, future edition 1 of IEC 60794-1-111, prepared by SC 86A "Fibres and cables" of IEC/TC 86 "Fibre optics" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 60794-1-111:2023.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2024-07-24
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2026-10-24

This document partially supersedes EN 60794-1-21:2015 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

Endorsement notice

The text of the International Standard IEC 60794-1-111:2023 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standard indicated:

IEC 60793-2-10:2019 NOTE Approved as EN IEC 60793-2-10:2019 (not modified)

IEC 60793-2-50:2018 NOTE Approved as EN IEC 60793-2-50:2019 (not modified)

IEC 60794-1-21:2015 NOTE Approved as EN 60794-1-21:2015 (not modified)

IEC 60794-1-301 NOTE Approved as EN IEC 60794-1-301

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cencenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60793-1-46	-	Optical fibres - Part 1-46: Measurement methods and test procedures - Monitoring of changes in optical transmittance	EN 60793-1-46	-
IEC 60794-1-1	-	Optical fibre cables - Part 1-1: Generic specification - General	EN IEC 60794-1-1	-
IEC 60794-1-2	-	Optical fibre cables - Part 1-2: Generic specification - Basic optical cable test procedures - General guidance	EN IEC 60794-1-2	-

CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5
1 Scope.....	6
2 Normative references	6
3 Terms and definitions	6
4 General	6
4.1 Sample	6
4.2 Apparatus	7
4.3 Test methods	7
4.4 Test conditions	7
5 Method E11A – Bend as helix.....	7
5.1 General.....	7
5.2 Single-helix configuration.....	8
5.3 Two-helix configuration	9
5.4 Procedure	10
6 Method E11B – U bend.....	10
7 Requirements	11
8 Details to be specified	11
9 Details to be reported	12
Annex A (informative) Example of a special mandrel for two-helix configuration.....	13
Annex B (informative) Rationale for the options of an equal or larger turnaround loop diameter for the two-helix configuration of method E11A.....	14
Bibliography.....	19
Figure 1 – Bend test set-up for method E11A: single-helix configuration	8
Figure 2 – Bend test set-up for method E11A: two-helix configuration	9
Figure 3 – Bend test set-up for method E11B.....	11
Figure A.1 – Example of a special mandrel	13
Figure B.1 – Options for turnaround loop size for two-helix configuration of method E11A.....	14
Figure B.2 – Difference of change in attenuation for single-mode cable	17
Figure B.3 – Difference of change in attenuation for multimode cable	17
Figure B.4 – Worst case difference of change in attenuation	18
Table B.1 – Used change in attenuation values.....	15
Table B.2 – Calculated changes in attenuation of single-mode cable	15
Table B.3 – Calculated changes in attenuation of multimode cable	16

INTERNATIONAL ELECTROTECHNICAL COMMISSION

OPTICAL FIBRE CABLES –

**Part 1-111: Generic specification –
Basic optical cable test procedures –
Mechanical test methods – Bend, method E11**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60794-1-111 has been prepared by subcommittee 86A: Fibres and cables, of IEC technical committee 86: Fibre optics. It is an International Standard.

This document partially cancels and replaces IEC 60794-1-21:2015. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to IEC 60794-1-21:2015:

- a) the nominal sample length was newly specified as 10 m between the cable element fixing points at both ends, unless otherwise specified;
- b) the number of turns on the mandrel in Figure 1 for the single-helix configuration were corrected to match the number of turns shown in the figure for the two-helix configuration;

- c) requirements on the turnaround loop were added for method E11A, two-helix configuration;
- d) the turnaround loop with the same diameter as the mandrel was taken into account for calculation of the number of turns of each helix for method E11A, two-helix configuration;
- e) added a formula for calculation of the number of revolutions in each helix for method E11A, two-helix configuration;
- f) added a description for the procedure when the turnaround loop diameter is larger than the mandrel diameter for method E11A, two-helix configuration;
- g) all the figures were updated and the different components labelled;
- h) added the attenuation monitoring equipment in 4.2 for the apparatus and the description to measure the change in attenuation in the test methods E11A and E11B;
- i) added Clause 9 for details to be reported;
- j) added Annex A showing an example of a special mandrel to perform the bend test according to method E11A, two-helix configuration;
- k) added Annex B providing the rationale for the options of method E11A, two-helix configuration.

The text of this International Standard is based on the following documents:

Draft	Report on voting
86A/2367/FDIS	86A/2373/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts in the IEC 60794 series, published under the general title *Optical fibre cables*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This document cancels and replaces method E11 of IEC 60794-1-21:2015, which will be withdrawn. It includes an editorial revision, based on the new structure and numbering system for optical fibre cable test methods. Additionally, technical changes were implemented. The mechanical tests contained in IEC 60794-1-21:2015 will be individually numbered in the IEC 60794-1-1xx series. Each test method is now considered to be an individual document rather than part of a multi-test method compendium. Full cross-reference details are given in IEC 60794-1-2.

The descriptions and the figures of the test methods in this document have been considerably changed to improve the procedures, avoid different interpretations and add useful information such as examples and rationale. However, the intention and procedures of the test methods were not changed.

OPTICAL FIBRE CABLES –

Part 1-111: Generic specification – Basic optical cable test procedures – Mechanical test methods – Bend, method E11

1 Scope

This part of IEC 60794 defines the test procedure to determine the ability of an optical fibre cable to withstand bending around a test mandrel. The primary purpose of this procedure is to measure the change in attenuation when the cable is bent around a test mandrel. A secondary purpose is to assess whether the cable has been physically damaged by bending.

NOTE 1 This test can be utilized at any specified temperature, including the low or high temperature limits for the cable.

NOTE 2 The bend test procedure for cable elements is specified in IEC 60794-1-301, method G1.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60793-1-46, *Optical fibres – Part 1-46: Measurement methods and test procedures – Monitoring of changes in optical transmittance*

IEC 60794-1-1, *Optical fibre cables – Part 1-1: Generic specification – General*

IEC 60794-1-2, *Optical fibre cables – Part 1-2: Generic specification – Basic optical cable test procedures – General guidance*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60794-1-1 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

4 General

4.1 Sample

The nominal sample length shall be 10 m and the fibres, buffers, sheath(s) and any strength members shall be clamped, glued or otherwise fixed together at each end so that they do not move during the bend test, unless otherwise specified in the relevant specification. The actual sample length should be longer than the nominal sample length to allow for connection to the optical monitoring equipment. The section in the middle of the nominal sample length shall be bent.