

© Copyright SEK Svensk Elstandard. Reproduction in any form without permission is prohibited.

COMMENTED VERSION

Halvledarströmriktare – Allmänna fordringar och nätkommuterade strömriktare – Del 1-1: Grundläggande fordringar

*Semiconductor convertors –
General requirements and line commutated convertors –
Part 1-1: Specification of basic requirements*

En så kallad ”Commented Version” (CMV) innehåller både den fastställda IEC-standarden och en kommenterad och ändringsmarkerad standard. Alla tillägg och borttagningar sedan den tidigare utgåvan är markerade med färg. Med en CMV sparar du mycket tid när du ska identifiera och förklara aktuella ändringar i standarden. SEK Svensk Elstandard kan bara ge ut CMV i de fall den finns tillgänglig från IEC.



IEC 60146-1-1

Edition 5.0 2024-03
COMMENTED VERSION

INTERNATIONAL STANDARD



**Semiconductor converters – General requirements and line commutated converters –
Part 1-1: Specification of basic requirements**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 29.200, 29.045

ISBN 978-2-8322-8575-6

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD	5
INTRODUCTION	7
1 Scope and object	8
2 Normative references	8
3 Terms and definitions	10
3.1 Semiconductor devices and combinations	11
3.2 Arms and connections	15
3.3 Controllability of converter arms and quadrants of operation (on DC side)	17
3.4 Commutation, quenching and commutation circuitry	19
3.5 Commutation characteristics	22
3.6 Rated values	24
3.7 Specific voltages, currents and factors	27
3.8 Cooling	30
3.9 Service conditions tolerances and electromagnetic compatibility	31
3.10 Harmonic distortion	33
3.11 Definitions related to insulation co-ordination	38
3.12 Principal letter symbols and subscripts	42
4 Operation of semiconductor power equipment and valve devices	44
4.1 Classification	44
4.1.1 Semiconductor converter	44
4.1.2 Semiconductor valve devices	45
4.2 Basic operation of semiconductor converters	46
4.2.1 Commutation	46
4.2.2 Basic calculation factors for line commutated converters	49
4.2.3 Disturbances and fault conditions	51
5 Service conditions	53
5.1 Code of identification for cooling method	53
5.2 Environmental conditions	54
5.2.1 Ambient air circulation	54
5.2.2 Normal service conditions – Temperatures	54
5.2.3 Other normal service conditions	54
5.2.4 Unusual service conditions	55
5.3 Characteristics of the load	55
5.4 Service condition tolerances	56
5.4.1 Steady state and short time conditions	56
5.4.2 Repetitive and non-repetitive transients	59
6 Power conversion equipment and assemblies	59
6.1 Electrical connections	59
6.2 Calculation factors	60
6.2.1 Essential variables	60
6.2.2 Losses and efficiency	66
6.2.3 Power factor	67
6.2.4 Voltage regulation	67
6.3 Electromagnetic compatibility	69
6.3.1 Harmonics	69
6.3.2 Other EMC aspects	70

6.4	Rated values	71
6.4.1	General.....	71
6.4.2	Rated output voltage	71
6.4.3	Rated current values	72
6.5	Duty classes.....	72
6.5.1	Principles.....	72
6.5.2	Selection of duty class and rated current value.....	73
6.5.3	Particular remarks for double converters	75
6.6	Markings	75
6.6.1	General.....	75
6.6.2	Rating plate.....	75
7	Tests for valve device assemblies and power conversion equipment.....	76
7.1	General.....	76
7.1.1	Methods of testing.....	76
7.1.2	Kinds of tests	77
7.1.3	Performance of tests	77
7.2	Insulation tests	78
7.2.1	General.....	78
7.2.2	Routine insulation tests of power conversion equipment	78
7.2.3	Additional tests.....	82
7.3	Functional test.....	83
7.3.1	Light load test and functional test.....	83
7.3.2	Rated current test.....	83
7.3.3	Over-current capability test.....	83
7.3.4	Measurement of the inherent voltage regulation.....	83
7.3.5	Measurement of ripple voltage and current.....	84
7.3.6	Measurement of harmonic currents	84
7.4	Losses, temperature and power factor.....	84
7.4.1	Power loss determination for assemblies and equipment.....	84
7.4.2	Temperature rise test	85
7.4.3	Power factor measurements.....	86
7.5	Auxiliaries Auxiliary device and control equipment.....	86
7.5.1	Checking of auxiliary devices.....	86
7.5.2	Checking the properties of the control equipment	86
7.5.3	Checking the protective devices.....	86
7.6	EMC tests	87
7.7	Measurement of audible noise and additional tests	87
7.8	Tolerances	87
Annex A	(normative) Harmonics and interharmonics.....	89
A.1	Non-sinusoidal voltages and currents.....	92
A.2	Two approaches for definitions related to harmonics.....	92
Annex B	(informative) Electrical environment – Short-circuit ratio	93
B.1	Electrical environment specification.....	93
B.2	Point of coupling of the converter.....	94
B.2.1	Systems and installations	94
B.2.2	Short-circuit ratio of the source in the installation	95
B.2.3	Short-circuit ratio.....	96
Annex C	(normative) Protection against electric shock and energy hazards.....

Annex C (informative) Introduction to safety standards for power conversion equipment.....	102
C.1 General.....	102
C.2 Brief introduction to IEC 62477 series with reference to IEC 60146 series	102
C.3 Purposes or intentions of IEC 60146 series and IEC 62477 series.....	102
Bibliography.....	103
List of comments.....	112
Figure 1 – Types of commutation.....	48
Figure 2 – Illustration of angles.....	49
Figure 3 – Voltage regulation.....	51
Figure 4 – AC voltage waveform.....	59
Figure B.1 – PCC, IPC, installation current ratio and R_{SI}	96
Figure B.2 – PCC, IPC, installation current ratio and R_{SC}	98
Table 1 – List of major subscripts	42
Table 2 – Symbols	43
Table 3 – Performance criteria.....	51
Table 4 – Cooling medium or heat transfer agent	53
Table 5 – Method of circulation.....	53
Table 6 – Limit of temperature of the cooling medium for indoor equipment.....	54
Table 7 – Immunity levels to frequency and voltage amplitude for stiff AC voltage connections	57
Table 8 – Immunity levels to voltage unbalance for stiff AC voltage connections	58
Table 9 – Immunity levels to voltage waveform for stiff AC voltage connections	58
Table 10 – Connections and calculation factors.....	63
Table 11 – Standard duty classes	73
Table 12 – Examples of load cycles as guidance for selection of duty class	74
Table 13 – Summary of tests	77
Table 14 – AC or DC test voltages for equipment directly connected to low voltage mains	80
Table 15 – AC or DC test voltages for equipment directly connected to high voltage mains	81
Table 16 – Tolerances.....	88
Table C.1 – Comparison on purposes or intentions between two standards.....	102

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**SEMICONDUCTOR CONVERTERS – GENERAL REQUIREMENTS
AND LINE COMMUTATED CONVERTERS –****Part 1-1: Specification of basic requirements**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

This commented version (CMV) of the official standard IEC 60146-1-1:2024 edition 5.0 allows the user to identify the changes made to the previous IEC 60146-1-1:2009 edition 4.0. Furthermore, comments from IEC TC 22 experts are provided to explain the reasons of the most relevant changes, or to clarify any part of the content.

A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text. Experts' comments are identified by a blue-background number. Mouse over a number to display a pop-up note with the comment.

This publication contains the CMV and the official standard. The full list of comments is available at the end of the CMV.

IEC 60146-1-1 has been prepared by IEC technical committee 22: Power electronic systems and equipment. It is an International Standard.

This fifth edition cancels and replaces the fourth edition published in 2009. This fifth edition constitutes a technical revision.

This fifth edition introduces four main changes:

- a) re-edition of the whole standard according to the current directives;
- b) deletion of safety-related descriptions considering coordination with IEC 62477 series;
- c) changes of calculation methods of inductive voltage regulation;
- d) changes considering coordination with IEC 61378 series.

The text of this International Standard is based on the following documents:

Draft	Report on voting
22/374/FDIS	22/378/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts of the IEC 60146 series, under the general title *Semiconductor converters – General requirements and line commutated converters*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

The main purposes of the IEC 60146-1 series are as follows.

IEC 60146-1-1, Specification of basic requirements:

- to establish basic terms and definitions;
- to specify service conditions which influence the basis of rating;
- to specify test requirements for electronic power converters and assemblies, standard design (for special design, see IEC TR 60146-1-2);
- to specify basic performance requirements;
- to give application oriented requirements for semiconductor power converters.

IEC TR 60146-1-2, Application guidelines:

- to give additional information on test conditions and components (for example: semiconductor valve devices), when required for their use in semiconductor power converters, in addition to or as a modification on existing standards;
- to provide useful reference, calculation factors, formulae and diagrams pertaining to power converter practice.

SEMICONDUCTOR CONVERTERS – GENERAL REQUIREMENTS AND LINE COMMUTATED CONVERTERS –

Part 1-1: Specification of basic requirements

1 ~~Scope and object~~

This part of IEC 60146 specifies the requirements for the performance of all semiconductor power converters and semiconductor power switches using controllable and/or non-controllable electronic valve devices.

The electronic valve devices mainly comprise semiconductor devices, either not controllable (i.e. rectifier diodes) or controllable (i.e. thyristors, triacs, turn-off thyristors and power transistors). The controllable devices ~~may~~ can be reverse blocking or reverse conducting and controlled by means of current, voltage or light. Non-bistable devices are assumed to be operated in the switched mode.

This document is primarily intended to specify the basic requirements for converters in general and the requirements applicable to line commutated converters for conversion of AC power to DC power or vice versa. Parts of this document are also applicable to other types of electronic power converter provided that they do not have their own product standards.

These specific equipment requirements are applicable to semiconductor power converters that either implement power conversion or use commutation (for example semiconductor self-commutated converters) or involve particular applications (for example semiconductor converters for DC motor drives) or include a combination of said characteristics (for example direct DC converters for electric rolling stock).

This document is applicable to all power converters not covered by a dedicated product standard, or if special features are not covered by the dedicated product standard. Generally dedicated product standards for power converters ~~should~~ refer to this document.

NOTE 1 This document is not intended to define EMC requirements. It covers all phenomena and therefore introduces references to dedicated standards which are applicable according to their scope.

NOTE 2 ~~A large part of this standard, particularly for power transformers, is covered in IEC 61378-1.~~ For the information on converter transformers, related to this document, see IEC 61378-1.

NOTE 3 All the terms listed in Clause 3 are not necessarily used in this document, however they are necessary to establish a common understanding in the application of semiconductor converters. **1**

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

~~IEC 60050-101:1998, International Electrotechnical Vocabulary – Part 101: Mathematics~~

IEC 60050-551:1998, *International Electrotechnical Vocabulary (IEV) – Part 551: Power electronics*, available at www.electropedia.org

IEC 60050-551-20:2001, *International Electrotechnical Vocabulary (IEV) – Part 551-20: Power electronics – Harmonic analysis*, available at www.electropedia.org

~~IEC 60364-1, Low-voltage electrical installations – Part 1: Fundamental principles, assessment of general characteristics, definitions~~

~~IEC 60529, Degrees of protection provided by enclosures (IP Code)~~

IEC 60664-1:2007/2020, Insulation coordination for equipment within low-voltage supply systems – Part 1: Principles, requirements and tests

~~IEC 60700-1, Thyristor valves for high voltage direct current (HVDC) power transmission – Part 1: Electrical testing~~

~~IEC 61000 (all parts), Electromagnetic compatibility (EMC)~~

~~IEC 61000-2-2:2002, Electromagnetic compatibility (EMC) – Part 2-2: Environment – Compatibility levels for low-frequency conducted disturbances and signalling in public low-voltage power supply systems~~

IEC 61000-2-4:2002, Electromagnetic compatibility (EMC) – Part 2-4: Environment – Compatibility levels in industrial plants for low-frequency conducted disturbances

IEC 61000-3-2:2018, Electromagnetic compatibility (EMC) – Part 3-2: Limits – Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)

~~IEC 61000-3-3, Electromagnetic compatibility (EMC) – Part 3-3: Limits – Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems for equipment with rated current ≤ 16 A per phase and not subject to conditional connection~~

~~IEC 61000-3-11, Electromagnetic compatibility (EMC) – Part 3-11: Limits – Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems – Equipment with rated current ≤ 75 A and subject to conditional connection~~

IEC 61000-3-12:2004/2011, Electromagnetic compatibility (EMC) – Part 3-12: Limits – Limits for harmonic currents produced by equipment connected to public low-voltage systems with input current $\rightarrow \leq 16$ A and ≤ 75 A per phase

IEC 61000-4-7:2002, Electromagnetic compatibility (EMC) – Part 4-7: Testing and measurement techniques – General guide on harmonics and interharmonics measurements and instrumentation, for power supply systems and equipment connected thereto

IEC 61000-6-1:2016, Electromagnetic compatibility (EMC) – Part 6-1: Generic standards – Immunity standard for residential, commercial and light-industrial environments

IEC 61000-6-2:2016, Electromagnetic compatibility (EMC) – Part 6-2: Generic standards – Immunity standard for industrial environments

~~IEC 61000-6-3, Electromagnetic compatibility (EMC) – Part 6-3: Generic standards – Emission standard for residential, commercial and light-industrial environments~~

IEC 61000-6-4:2018, Electromagnetic compatibility (EMC) – Part 6-4: Generic standards – Emission standard for industrial environments

~~IEC 61140, Protection against electric shock – Common aspects for installation and equipment~~

~~IEC 61180-1:1992, High-voltage test techniques for low-voltage equipment – Part 1: Definitions, test and procedure requirements~~

~~IEC 61204-3, Low voltage power supplies, d.c. output – Part 3: Electromagnetic compatibility (EMC)~~

~~IEC 61204-7, Low voltage power supplies, d.c. output – Part 7: Safety requirements~~

IEC 61378-1:2011, Converter transformers – Part 1: Transformers for industrial applications

~~IEC 61800-3, Adjustable speed electrical power drive systems – Part 3: EMC requirements and specific test methods~~

~~IEC 61800-5-1, Adjustable speed electrical power drive systems – Part 5-1: Safety requirements – Electrical, thermal and energy~~

~~IEC 61954, Power electronics for electrical transmission and distribution systems – Testing of thyristor valves for static VAR compensators~~

~~IEC/PAS 61975, Guide to the specification and design evaluation of a.c. filters for HVDC systems~~

~~IEC 62040-1, Uninterruptible power systems (UPS) – Part 1: General and safety requirements for UPS~~

~~IEC 62040-2, Uninterruptible power systems (UPS) – Part 2: Electromagnetic compatibility (EMC) requirements~~

~~IEC 62103, Electronic equipment for use in power installations~~

~~IEC 62310-1, Static transfer systems (STS) – Part 1: General and safety requirements~~

~~IEC 62310-2, Static transfer systems (STS) – Part 2: Electromagnetic compatibility (EMC) requirements~~

IEC 62477-1:2022, Safety requirements for power electronic converter systems and equipment – Part 1: General

IEC 62477-2:2018, Safety requirements for power electronic converter systems and equipment – Part 2: Power electronic converters from 1 000 V AC or 1 500 V DC up to 36 kV AC or 54 kV DC **2**

NOTE – Some other IEC publications are quoted for information in the Bibliography.

© Copyright SEK Svensk Elstandard. Reproduction in any form without permission is prohibited.

Halvledarströmriktare – Allmänna fordringar och nätkommuterade strömriktare – Del 1-1: Grundläggande fordringar

*Semiconductor convertors –
General requirements and line commutated convertors –
Part 1-1: Specification of basic requirements*

Som svensk standard gäller europastandarden EN IEC 60146-1-1:2024. Den svenska standarden innehåller den officiella engelska språkversionen av EN IEC 60146-1-1:2024.

Nationellt förord

Europastandarden EN IEC 60146-1-1:2024

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 60146-1-1, Fifth edition, 2024 - Semiconductor convertors – General requirements and line commutated convertors – Part 1-1: Specification of basic requirements**

utarbetad inom International Electrotechnical Commission, IEC.

Tidigare fastställd svensk standard SS-EN 60146-1-1, utg 2:2010 med eventuella tillägg, ändringar och rättelser gäller ej fr o m 2027-04-23.

ICS 29.200.00; 29.045.00

Denna standard är fastställd av SEK Svensk Elstandard, som också kan lämna upplysningar om **sakinnehållet** i standarden.
Postadress: Box 1042, 172 21 Sundbyberg
Telefon: 08 - 444 14 00.
E-post: sek@elstandard.se. Internet: elstandard.se

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1042
172 21 Sundbyberg
Tel 08-444 14 00
elstandard.se

EUROPEAN STANDARD

EN IEC 60146-1-1

NORME EUROPÉENNE

EUROPÄISCHE NORM

May 2024

ICS 29.200; 29.045

Supersedes EN 60146-1-1:2010

English Version

**Semiconductor converters - General requirements and line
commutated converters - Part 1-1: Specification of basic
requirements
(IEC 60146-1-1:2024)**

Convertisseurs à semiconducteurs - Exigences générales
et convertisseurs commutés par le réseau - Partie 1-1:
Spécification des exigences de base
(IEC 60146-1-1:2024)

Halbleiter-Stromrichter - Allgemeine Anforderungen und
netzgeführte Stromrichter - Teil 1-1: Festlegung der
Grundanforderungen
(IEC 60146-1-1:2024)

This European Standard was approved by CENELEC on 2024-04-23. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

© 2024 CENELEC All rights of exploitation in any form and by any means reserved worldwide for CENELEC Members.

Ref. No. EN IEC 60146-1-1:2024 E

SEK Svensk Elstandard

SS-EN IEC 60146-1-1, utg 3:2024

European foreword

The text of document 22/374/FDIS, future edition 5 of IEC 60146-1-1, prepared by IEC/TC 22 "Power electronic systems and equipment" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 60146-1-1:2024.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2025-01-23 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the (dow) 2027-04-23 document have to be withdrawn

This document supersedes EN 60146-1-1:2010 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

Endorsement notice

The text of the International Standard IEC 60146-1-1:2024 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standard indicated:

IEC 60071-1	NOTE	Approved as EN IEC 60071-1
IEC 60071-2	NOTE	Approved as EN IEC 60071-2
IEC 60076-1	NOTE	Approved as EN 60076-1
IEC 60146-2	NOTE	Approved as EN 60146-2
IEC 60364-1	NOTE	Approved as HD 60364-1
IEC 60529	NOTE	Approved as EN 60529
IEC 60664-3	NOTE	Approved as EN 60664-3
IEC 60664-4	NOTE	Approved as EN 60664-4
IEC 61000-2-2:2002	NOTE	Approved as EN 61000-2-2:2002 (not modified)
IEC 61000-3-3	NOTE	Approved as EN 61000-3-3
IEC 61000-3-11	NOTE	Approved as EN IEC 61000-3-11
IEC 61000-6-3:2020	NOTE	Approved as EN IEC 61000-6-3:2021 (not modified)
IEC 61000-6-5	NOTE	Approved as EN 61000-6-5
IEC 61000-6-8	NOTE	Approved as EN IEC 61000-6-8

IEC 61180	NOTE	Approved as EN 61180
IEC 61204-3:2016	NOTE	Approved as EN IEC 61204-3:2018 (not modified)
IEC 61287-1	NOTE	Approved as EN 61287-1
IEC 61439-1	NOTE	Approved as EN IEC 61439-1
IEC 61800-3:2022	NOTE	Approved as EN IEC 61800-3:2023 (not modified)
IEC/TR 61800-6	NOTE	Approved as CLC/TR 61800-6
IEC 61803:2020	NOTE	Approved as EN IEC 61803:2020 (not modified)
IEC 62040-2:2016	NOTE	Approved as EN IEC 62040-2:2018 (not modified)
IEC 62068	NOTE	Approved as EN 62068
IEC 62310-2:2006	NOTE	Approved as EN 62310-2:2007

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cencenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60050-551	1998	International Electrotechnical Vocabulary - Part 551: Power electronics	-	-
IEC 60050-551-20	2001	International Electrotechnical Vocabulary - Part 551-20: Power electronics - Harmonic analysis	-	-
IEC 60664-1	2020	Insulation coordination for equipment within low-voltage supply systems - Part 1: Principles, requirements and tests	EN IEC 60664-1	2020
IEC 61000-2-4	2002	Electromagnetic compatibility (EMC) - Part 2-4: Environment - Compatibility levels in industrial plants for low-frequency conducted disturbances	EN 61000-2-4	2002
IEC 61000-3-2	2018	Electromagnetic compatibility (EMC) - Part 3-2: Limits - Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)	EN IEC 61000-3-2	2019
IEC 61000-3-12	2011	Electromagnetic compatibility (EMC) - Part 3-12: Limits - Limits for harmonic currents produced by equipment connected to public low-voltage systems with input current >16 A and ≤ 75 A per phase	EN 61000-3-12	2011
IEC 61000-4-7	2002	Electromagnetic compatibility (EMC) - Part 4-7: Testing and measurement techniques - General guide on harmonics and interharmonics measurements and instrumentation, for power supply systems and equipment connected thereto	EN 61000-4-7	2002
IEC 61000-6-1	2016	Electromagnetic compatibility (EMC) - Part 6-1: Generic standards - Immunity standard for residential, commercial and light-industrial environments	EN IEC 61000-6-1	2019

IEC 61000-6-2	2016	Electromagnetic compatibility (EMC) - Part 6-2: Generic standards - Immunity standard for industrial environments	EN IEC 61000-6-2	2019
IEC 61000-6-4	2018	Electromagnetic compatibility (EMC) - Part 6-4: Generic standards - Emission standard for industrial environments	EN IEC 61000-6-4	2019
IEC 61378-1	2011	Converter transformers - Part 1: Transformers for industrial applications	EN 61378-1	2011
IEC 62477-1	2022	Safety requirements for power electronic converter systems and equipment - Part 1: General	EN IEC 62477-1	2023
IEC 62477-2	2018	Safety requirements for power electronic converter systems and equipment - Part 2: Power electronic converters from 1 000 V AC or 1 500 V DC up to 36 kV AC or 54 kV DC	EN IEC 62477-2	2018



INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Semiconductor converters – General requirements and line commutated converters –
Part 1-1: Specification of basic requirements**

**Convertisseurs à semiconducteurs – Exigences générales et convertisseurs commutés par le réseau –
Partie 1-1: Spécification des exigences de base**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.200, 29.045

ISBN 978-2-8322-8354-7

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references	8
3 Terms and definitions	9
3.1 Semiconductor devices and combinations	9
3.2 Arms and connections.....	13
3.3 Controllability of converter arms and quadrants of operation (on DC side)	15
3.4 Commutation, quenching and commutation circuitry	16
3.5 Commutation characteristics	18
3.6 Rated values.....	20
3.7 Specific voltages, currents and factors	23
3.8 Cooling	25
3.9 Service conditions tolerances and electromagnetic compatibility	26
3.10 Harmonic distortion.....	28
3.11 Definitions related to insulation co-ordination.....	32
3.12 Principal letter symbols and subscripts	35
4 Operation of semiconductor power equipment and valve devices.....	38
4.1 Classification	38
4.1.1 Semiconductor converter	38
4.1.2 Semiconductor valve devices.....	39
4.2 Basic operation of semiconductor converters	39
4.2.1 Commutation	39
4.2.2 Basic calculation factors for line commutated converters	41
4.2.3 Disturbances and fault conditions	43
5 Service conditions	45
5.1 Code of identification for cooling method	45
5.2 Environmental conditions	45
5.2.1 Ambient air circulation	45
5.2.2 Normal service conditions – Temperatures	46
5.2.3 Other normal service conditions.....	46
5.2.4 Unusual service conditions	47
5.3 Characteristics of the load	47
5.4 Service condition tolerances	48
5.4.1 Steady state and short time conditions	48
5.4.2 Repetitive and non-repetitive transients.....	50
6 Power conversion equipment and assemblies.....	51
6.1 Electrical connections	51
6.2 Calculation factors	51
6.2.1 Essential variables	51
6.2.2 Losses and efficiency	56
6.2.3 Power factor	57
6.2.4 Voltage regulation	57
6.3 Electromagnetic compatibility.....	59
6.3.1 Harmonics	59
6.3.2 Other EMC aspects	60

6.4	Rated values	60
6.4.1	General	60
6.4.2	Rated output voltage	60
6.4.3	Rated current values	61
6.5	Duty classes	62
6.5.1	Principles	62
6.5.2	Selection of duty class and rated current value	63
6.5.3	Particular remarks for double converters	64
6.6	Markings	64
6.6.1	General	64
6.6.2	Rating plate	65
7	Tests for valve device assemblies and power conversion equipment	65
7.1	General	65
7.1.1	Methods of testing	65
7.1.2	Kinds of tests	66
7.1.3	Performance of tests	66
7.2	Insulation tests	67
7.2.1	General	67
7.2.2	Routine insulation tests of power conversion equipment	68
7.2.3	Additional tests	71
7.3	Functional test	71
7.3.1	Light load test and functional test	71
7.3.2	Rated current test	72
7.3.3	Over-current capability test	72
7.3.4	Measurement of the inherent voltage regulation	72
7.3.5	Measurement of ripple voltage and current	72
7.3.6	Measurement of harmonic currents	72
7.4	Losses, temperature and power factor	73
7.4.1	Power loss determination for assemblies and equipment	73
7.4.2	Temperature rise test	74
7.4.3	Power factor measurements	74
7.5	Auxiliary device and control equipment	74
7.5.1	Checking of auxiliary devices	74
7.5.2	Checking the properties of the control equipment	75
7.5.3	Checking the protective devices	75
7.6	EMC tests	75
7.7	Measurement of audible noise and additional tests	76
7.8	Tolerances	76
Annex A	(normative) Harmonics and interharmonics	78
A.1	Non-sinusoidal voltages and currents	78
A.2	Two approaches for definitions related to harmonics	78
Annex B	(informative) Electrical environment – Short-circuit ratio	79
B.1	Electrical environment specification	79
B.2	Point of coupling of the converter	80
B.2.1	Systems and installations	80
B.2.2	Short-circuit ratio of the source in the installation	81
B.2.3	Short-circuit ratio	82
Annex C	(informative) Introduction to safety standards for power conversion equipment	84

C.1	General.....	84
C.2	Brief introduction to IEC 62477 series with reference to IEC 60146 series	84
C.3	Purposes or intentions of IEC 60146 series and IEC 62477 series	84
	Bibliography.....	85
	Figure 1 – Types of commutation	40
	Figure 2 – Illustration of angles	41
	Figure 3 – Voltage regulation	43
	Figure 4 – AC voltage waveform	51
	Figure B.1 – PCC, IPC, installation current ratio and R_{SI}	82
	Figure B.2 – PCC, IPC, installation current ratio and R_{SC}	83
	Table 1 – List of major subscripts	36
	Table 2 – Symbols	36
	Table 3 – Performance criteria	43
	Table 4 – Cooling medium or heat transfer agent.....	45
	Table 5 – Method of circulation	45
	Table 6 – Limit of temperature of the cooling medium for indoor equipment	46
	Table 7 – Immunity levels to frequency and voltage amplitude for stiff AC voltage connections	49
	Table 8 – Immunity levels to voltage unbalance for stiff AC voltage connections	49
	Table 9 – Immunity levels to voltage waveform for stiff AC voltage connections	50
	Table 10 – Connections and calculation factors	54
	Table 11 – Standard duty classes	62
	Table 12 – Examples of load cycles as guidance for selection of duty class	63
	Table 13 – Summary of tests	67
	Table 14 – AC or DC test voltages for equipment directly connected to low voltage mains.....	70
	Table 15 – AC or DC test voltages for equipment directly connected to high voltage mains.....	70
	Table 16 – Tolerances	77
	Table C.1 – Comparison on purposes or intentions between two standards	84

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**SEMICONDUCTOR CONVERTERS – GENERAL REQUIREMENTS
AND LINE COMMUTATED CONVERTERS –****Part 1-1: Specification of basic requirements**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60146-1-1 has been prepared by IEC technical committee 22: Power electronic systems and equipment. It is an International Standard.

This fifth edition cancels and replaces the fourth edition published in 2009. This fifth edition constitutes a technical revision.

This fifth edition introduces four main changes:

- a) re-edition of the whole standard according to the current directives;
- b) deletion of safety-related descriptions considering coordination with IEC 62477 series;
- c) changes of calculation methods of inductive voltage regulation;
- d) changes considering coordination with IEC 61378 series.

The text of this International Standard is based on the following documents:

Draft	Report on voting
22/374/FDIS	22/378/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts of the IEC 60146 series, under the general title *Semiconductor converters – General requirements and line commutated converters*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

The main purposes of the IEC 60146-1 series are as follows.

IEC 60146-1-1, Specification of basic requirements:

- to establish basic terms and definitions;
- to specify service conditions which influence the basis of rating;
- to specify test requirements for electronic power converters and assemblies, standard design (for special design, see IEC TR 60146-1-2);
- to specify basic performance requirements;
- to give application oriented requirements for semiconductor power converters.

IEC TR 60146-1-2, Application guidelines:

- to give additional information on test conditions and components (for example: semiconductor valve devices), when required for their use in semiconductor power converters, in addition to or as a modification on existing standards;
- to provide useful reference, calculation factors, formulae and diagrams pertaining to power converter practice.

SEMICONDUCTOR CONVERTERS – GENERAL REQUIREMENTS AND LINE COMMUTATED CONVERTERS –

Part 1-1: Specification of basic requirements

1 Scope

This part of IEC 60146 specifies the requirements for the performance of all semiconductor power converters and semiconductor power switches using controllable and/or non-controllable electronic valve devices.

The electronic valve devices mainly comprise semiconductor devices, either not controllable (i.e. rectifier diodes) or controllable (i.e. thyristors, triacs, turn-off thyristors and power transistors). The controllable devices can be reverse blocking or reverse conducting and controlled by means of current, voltage or light. Non-bistable devices are assumed to be operated in the switched mode.

This document is primarily intended to specify the basic requirements for converters in general and the requirements applicable to line commutated converters for conversion of AC power to DC power or vice versa. Parts of this document are also applicable to other types of electronic power converter provided that they do not have their own product standards.

These specific equipment requirements are applicable to semiconductor power converters that either implement power conversion or use commutation (for example semiconductor self-commutated converters) or involve particular applications (for example semiconductor converters for DC motor drives) or include a combination of said characteristics (for example direct DC converters for electric rolling stock).

This document is applicable to all power converters not covered by a dedicated product standard, or if special features are not covered by the dedicated product standard. Generally dedicated product standards for power converters refer to this document.

NOTE 1 This document is not intended to define EMC requirements. It covers all phenomena and therefore introduces references to dedicated standards which are applicable according to their scope.

NOTE 2 For the information on converter transformers, related to this document, see IEC 61378-1.

NOTE 3 All the terms listed in Clause 3 are not necessarily used in this document, however they are necessary to establish a common understanding in the application of semiconductor converters.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-551:1998, *International Electrotechnical Vocabulary (IEV) – Part 551: Power electronics*, available at www.electropedia.org

IEC 60050-551-20:2001, *International Electrotechnical Vocabulary (IEV) – Part 551-20: Power electronics – Harmonic analysis*, available at www.electropedia.org

IEC 60664-1:2020, *Insulation coordination for equipment within low-voltage supply systems – Part 1: Principles, requirements and tests*

IEC 61000-2-4:2002, *Electromagnetic compatibility (EMC) – Part 2-4: Environment – Compatibility levels in industrial plants for low-frequency conducted disturbances*

IEC 61000-3-2:2018, *Electromagnetic compatibility (EMC) – Part 3-2: Limits – Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)*

IEC 61000-3-12:2011, *Electromagnetic compatibility (EMC) – Part 3-12: Limits – Limits for harmonic currents produced by equipment connected to public low-voltage systems with input current ≤ 16 A and ≤ 75 A per phase*

IEC 61000-4-7:2002, *Electromagnetic compatibility (EMC) – Part 4-7: Testing and measurement techniques – General guide on harmonics and interharmonics measurements and instrumentation, for power supply systems and equipment connected thereto*

IEC 61000-6-1:2016, *Electromagnetic compatibility (EMC) – Part 6-1: Generic standards – Immunity standard for residential, commercial and light-industrial environments*

IEC 61000-6-2:2016, *Electromagnetic compatibility (EMC) – Part 6-2: Generic standards – Immunity standard for industrial environments*

IEC 61000-6-4:2018, *Electromagnetic compatibility (EMC) – Part 6-4: Generic standards – Emission standard for industrial environments*

IEC 61378-1:2011, *Converter transformers – Part 1: Transformers for industrial applications*

IEC 62477-1:2022, *Safety requirements for power electronic converter systems and equipment – Part 1: General*

IEC 62477-2:2018, *Safety requirements for power electronic converter systems and equipment – Part 2: Power electronic converters from 1 000 V AC or 1 500 V DC up to 36 kV AC or 54 kV DC*