

© Copyright SEK Svensk Elstandard. Reproduction in any form without permission is prohibited.

Delsystem för fiberoptisk kommunikation – Grundläggande provningsmetoder – Del 4-2: Installationer med optokablar – Mätning av dämpning och reflexionsdämpning för installerade singelmodfibrer

*Fibre-optic communication subsystem test procedures –
Part 4-2: Installed cabling plant –
Single-mode attenuation and optical return loss measurement*

Som svensk standard gäller europastandarden EN IEC 61280-4-2:2024. Den svenska standarden innehåller den officiella engelska språkversionen av EN IEC 61280-4-2:2024.

Nationellt förord

Europastandarden EN IEC 61280-4-2:2024

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 61280-4-2, Third edition, 2024 - Fibre-optic communication subsystem test procedures – Part 4-2: Installed cabling plant – Single-mode attenuation and optical return loss measurement**

utarbetad inom International Electrotechnical Commission, IEC.

Tidigare fastställd svensk standard SS-EN 61280-4-2, utg 2:2015 med eventuella tillägg, ändringar och rättelser gäller ej fr o m 2027-06-10.

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1042
172 21 Sundbyberg
Tel 08-444 14 00
elstandard.se

English Version

**Fibre-optic communication subsystem test procedures - Part 4-2:
Installed cabling plant - Single-mode attenuation and optical
return loss measurements
(IEC 61280-4-2:2024)**

Procédures d'essai des sous-systèmes de
télécommunication fibroniques - Partie 4-2: Installations
câblées - Mesures de l'affaiblissement de réflexion optique
et de l'affaiblissement des fibres unimodales
(IEC 61280-4-2:2024)

Prüfverfahren für Lichtwellenleiter-
Kommunikationsuntersysteme - Teil 4-2: Installierte
Kabelanlagen - Einmoden-Dämpfungs- und optische
Rückflussdämpfungsmessung
(IEC 61280-4-2:2024)

This European Standard was approved by CENELEC on 2024-06-10. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

The text of document 86C/1912/FDIS, future edition 3 of IEC 61280-4-2, prepared by SC 86C "Fibre optic systems and active devices" of IEC/TC 86 "Fibre optics" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61280-4-2:2024.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2025-03-10 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the (dow) 2027-06-10 document have to be withdrawn

This document supersedes EN 61280-4-2:2014 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

Endorsement notice

The text of the International Standard IEC 61280-4-2:2024 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standard indicated:

IEC 60793-1-40	NOTE	Approved as EN IEC 60793-1-40
IEC 60793-2	NOTE	Approved as EN IEC 60793-2
IEC 60793-2-50	NOTE	Approved as EN IEC 60793-2-50
IEC 61280-1-3	NOTE	Approved as EN IEC 61280-1-3
IEC 61280-4-3:2022	NOTE	Approved as EN IEC 61280-4-3:2022 (not modified)
IEC 61280-4-5	NOTE	Approved as EN IEC 61280-4-5
IEC 61300-3-4	NOTE	Approved as EN IEC 61300-3-4
IEC 61300-3-6	NOTE	Approved as EN 61300-3-6
IEC 61745	NOTE	Approved as EN 61745
IEC 61753-1	NOTE	Approved as EN IEC 61753-1
IEC 61754-19	NOTE	Approved as EN 61754-19
IEC 61755-1	NOTE	Approved as EN IEC 61755-1
IEC 61755-2-1	NOTE	Approved as EN IEC 61755-2-1
IEC 61755-2-2	NOTE	Approved as EN IEC 61755-2-2
IEC 61755-2-4	NOTE	Approved as EN 61755-2-4
IEC 61755-2-5	NOTE	Approved as EN 61755-2-5

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cencenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60825-2	-	Safety of laser products - Part 2: Safety of optical fibre communication systems (OFCSS)	-	-
IEC 61300-3-35	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 3-35: Examinations and measurements - Visual inspection of fibre optic connectors and fibre-stub transceivers	EN IEC 61300-3-35	-
IEC 61315	-	Calibration of fibre-optic power meters	EN IEC 61315	-
IEC 61746-1	2009	Calibration of optical time-domain reflectometers (OTDR) - Part 1: OTDR for single mode fibres	EN 61746-1	2011
-	-		+ AC	2014
IEC/TR 62627-01	-	Fibre optic interconnecting devices and passive components - Part 01: Fibre optic connector cleaning methods	-	-



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2024 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Secretariat
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, ...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Discover our powerful search engine and read freely all the publications previews, graphical symbols and the glossary. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 500 terminological entries in English and French, with equivalent terms in 25 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études, ...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch

Découvrez notre puissant moteur de recherche et consultez gratuitement tous les aperçus des publications, symboles graphiques et le glossaire. Avec un abonnement, vous aurez toujours accès à un contenu à jour adapté à vos besoins.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 500 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 25 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Fibre- optic communication subsystem test procedures –
Part 4-2: Installed cabling plant – Single-mode attenuation and optical return
loss measurements**

**Procédures d'essai des sous-systèmes de télécommunication fibroniques –
Partie 4-2: Installations câblées – Mesures de l'affaiblissement de réflexion
optique et de l'affaiblissement des fibres unimodales**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 33.180.01

ISBN 978-2-8322-8789-7

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	8
INTRODUCTION.....	10
1 Scope.....	11
2 Normative references	11
3 Terms, definitions, graphical symbols and abbreviated terms.....	12
3.1 Terms and definitions.....	12
3.2 Graphical symbols	14
3.3 Abbreviated terms.....	16
4 Measurement methods	16
4.1 General.....	16
4.1.1 Document structure	16
4.1.2 Attenuation	17
4.1.3 Optical return loss	17
4.2 Cabling configurations and applicable test methods	18
4.2.1 Cabling configurations and applicable test methods for attenuation measurements	18
4.2.2 Cabling configurations and applicable test methods for optical return loss measurements.....	22
5 Overview of uncertainties for attenuation measurements	22
5.1 General.....	22
5.2 Sources of significant uncertainties.....	22
5.3 Consideration of the power meter	22
5.4 Consideration of test cord and connector grade	23
5.4.1 General	23
5.4.2 Mode field diameter variation.....	23
5.5 Reflections from other interfaces.....	23
5.6 Optical source.....	24
5.7 Output power reference	24
5.8 Bi-directional measurements.....	24
5.9 Typical uncertainties for attenuation methods A, B, C, and D	24
5.10 Typical uncertainty values for single-mode attenuation testing for method E	26
6 Apparatus.....	26
6.1 General.....	26
6.2 Light source	26
6.2.1 Stability	26
6.2.2 Spectral characteristics	27
6.3 Launch cord.....	28
6.4 Receive or tail cords	28
6.5 Substitution cord.....	28
6.6 Power meter – LSPM methods only.....	28
6.7 OTDR apparatus	29
6.8 Return loss test set.....	29
6.9 Connector end-face cleaning and inspection equipment.....	30
6.10 Adapters	30
7 Procedures.....	31
7.1 General.....	31
7.2 Common procedures.....	31

7.2.1	Care of the test cords	31
7.2.2	Make reference measurements (LSPM and OCWR methods only)	31
7.2.3	Inspect and clean the ends of the fibres in the cabling	31
7.2.4	Make the measurements	32
7.2.5	Make the calculations	32
7.3	Calibration	32
7.4	Safety	32
8	Calculations	32
9	Documentation	32
9.1	Information for each test	32
9.2	Information to be made available	33
Annex A	(normative) One-cord reference method	34
A.1	Applicability of test method	34
A.2	Apparatus	34
A.3	Procedure	34
A.4	Calculation	35
A.5	Components of reported attenuation	36
Annex B	(normative) Three-cord reference method	37
B.1	Applicability of test method	37
B.2	Apparatus	37
B.3	Procedure	37
B.4	Calculations	38
B.5	Components of reported attenuation	38
Annex C	(normative) Two-cord reference method	39
C.1	Applicability of test method	39
C.2	Apparatus	39
C.3	Procedure	39
C.4	Calculations	41
C.5	Components of reported attenuation	41
Annex D	(normative) Equipment cord method	42
D.1	Applicability of the test method	42
D.2	Apparatus	42
D.3	Procedure	42
D.4	Calculation	43
D.5	Components of reported attenuation	44
Annex E	(normative) Optical time domain reflectometer	45
E.1	Applicability of test method	45
E.2	Apparatus	45
E.2.1	General	45
E.2.2	OTDR	45
E.2.3	Test cords	45
E.3	Procedure (test method)	46
E.4	Calculation of attenuation	47
E.4.1	General	47
E.4.2	Connection location	47
E.4.3	Definition of the power levels F_1 and F_2	48
E.4.4	Alternative calculation	49
E.5	Calculation of optical return loss	51

E.6	Calculation of reflectance for discrete components	53
E.7	OTDR uncertainties	55
Annex F (normative)	Continuous wave optical return loss measurement – Method A.....	56
F.1	Applicability of test method	56
F.2	Apparatus	56
F.2.1	General	56
F.2.2	Light source.....	56
F.2.3	Branching device or coupler	56
F.2.4	Power meters	57
F.2.5	Connector interface	57
F.2.6	Low reflection termination.....	57
F.3	Procedure	57
F.3.1	Test set characterization.....	57
F.3.2	Measurement procedure	59
F.3.3	Calculations.....	59
Annex G (normative)	Continuous wave optical return loss measurement – Method B	61
G.1	Applicability of test method	61
G.2	Apparatus	61
G.2.1	General requirements	61
G.2.2	Known reflectance termination.....	61
G.3	Procedure	62
G.3.1	Set-up characterization.....	62
G.3.2	Measurement procedure	62
G.3.3	Calculation	63
Annex H (normative)	On the use of reference-grade test cords	64
H.1	General.....	64
H.2	Practical configurations and assumptions.....	64
H.2.1	Component specifications	64
H.2.2	Conventions	65
H.2.3	Reference planes	65
H.3	Impact of using reference-grade test cords for recommended LSPM methods.....	66
H.4	Examples for LSPM measurements.....	66
H.4.1	Example 1 (configuration A, one-cord method, Annex A)	66
H.4.2	Example 2 (configuration B, three-cord method, Annex B)	67
H.4.3	Example 3 (configuration C, two-cord method, Annex C)	67
H.4.4	Example 4 – Long haul system (one-cord reference method).....	68
H.5	Impact of using reference-grade test cords for different configurations using the OTDR test method	68
H.5.1	Cabling configurations A, B and C	68
H.5.2	Cabling configuration D	69
Annex I (informative)	OTDR configuration information.....	71
I.1	Introductory remarks	71
I.2	Fundamental parameters that define the operational capability of an OTDR.....	72
I.2.1	Dynamic range	72
I.2.2	Dynamic margin.....	72
I.2.3	Pulse width.....	72
I.2.4	Averaging time	72
I.2.5	Dead zone	72
I.3	Other parameters.....	73

I.3.1	Index of refraction.....	73
I.3.2	Measurement range.....	73
I.3.3	Distance sampling	73
I.4	Other measurement configurations	73
I.4.1	General	73
I.4.2	Macrobend attenuation measurement	73
I.4.3	Splice attenuation measurement.....	74
I.4.4	Measurement with high reflection connectors or short length cabling	74
I.4.5	Ghost	76
I.5	More on the measurement method	77
I.6	Bi-directional measurement.....	78
I.7	OTDR bi-directional trace analysis	79
I.8	Non-recommended practices.....	80
I.8.1	Measurement without tail cord	80
I.8.2	Two cursors measurement.....	80
Annex J (informative)	Test cord attenuation verification	81
J.1	Introductory remarks	81
J.2	Apparatus	81
J.3	Procedure	81
J.3.1	General	81
J.3.2	Test cord verification for the one-cord and two-cord reference test methods when using non-pinned or unpinned and non-plug or socket style connectors	82
J.3.3	Test cord verification for the one-cord and two-cord reference test methods using pinned-to-unpinned or plug-to-socket style connectors	83
J.3.4	Test cord verification for the three-cord reference test method using non-pinned or unpinned and non-plug or socket style connectors	85
J.3.5	Test cord verification for the three-cord reference test method using pinned-to-unpinned or plug-to-socket style connectors	87
Annex K (informative)	Spectral attenuation measurement	89
K.1	Applicability of test method	89
K.2	Apparatus	89
K.2.1	Broadband light source	89
K.2.2	Optical spectrum analyser	89
K.3	Procedure	90
K.3.1	Reference scan	90
K.3.2	Measurement scan	90
K.4	Calculations	90
Bibliography		91
Figure 1	– Connector symbols	15
Figure 2	– Symbol for cabling under test.....	16
Figure 3	– Configuration A – Start and end of measured attenuations in RTM.....	19
Figure 4	– Configuration B – Start and end of measured attenuations in RTM.....	20
Figure 5	– Configuration C – Start and end of measured attenuations in RTM.....	20
Figure 6	– Configuration D – Start and end of measured attenuations in RTM.....	21
Figure 7	– Typical OTDR schematic diagram	29
Figure 8	– Illustration of return loss test set	30

Figure A.1 – One-cord reference measurement.....	35
Figure A.2 – One-cord test measurement.....	35
Figure B.1 – Three-cord reference measurement	37
Figure B.2 – Three-cord test measurement	38
Figure C.1 – Two-cord reference measurement.....	40
Figure C.2 – Two-cord test measurement.....	40
Figure C.3 – Two-cord test measurement for plug-to-socket style connectors	40
Figure D.1 – Reference measurement.....	43
Figure D.2 – Test measurement.....	43
Figure E.1 – Test measurement for OTDR method	47
Figure E.2 – Location of the cabling under test ports	48
Figure E.3 – Graphic construction of F_1 and F_2	49
Figure E.4 – Graphic construction of F_1 , F_{11} , F_{21} and F_2	51
Figure E.5 – Graphic representation of OTDR ORL measurement.....	53
Figure E.6 – Graphic representation of reflectance measurement	54
Figure F.1 – Return loss test set illustration	56
Figure F.2 – Measurement of the system internal attenuation $P_{\text{ref}2}$	58
Figure F.3 – Measurement of the system internal attenuation $P_{\text{ref}1}$	58
Figure F.4 – Measurement of the system reflected power P_{rs}	58
Figure F.5 – Measurement of the input power P_{in}	59
Figure F.6 – Measurement of the reflected power P_{r}	59
Figure G.1 – Return loss test set illustration	61
Figure G.2 – Measurement of P_{rs} with reflections suppressed	62
Figure G.3 – Measurement of P_{ref} with reference reflector.....	62
Figure G.4 – Measurement of the system reflected power P_{rs}	63
Figure G.5 – Measurement of the reflected power P_{r}	63
Figure H.1 – Cabling configurations A, B and C tested with the OTDR method.....	68
Figure H.2 – Cabling configuration D tested with the OTDR method.....	70
Figure I.1 – Splice and macrobend attenuation measurement	74
Figure I.2 – Attenuation measurement with high reflection connectors	75
Figure I.3 – Attenuation measurement of a short length cabling	76
Figure I.4 – OTDR trace with ghost	77
Figure I.5 – Cursor positioning	78
Figure I.6 – Bi-directional OTDR trace display	79
Figure I.7 – Bi-directional OTDR trace attenuation analysis	80
Figure J.1 – Obtaining reference power level P_0	83
Figure J.2 – Obtaining power level P_1	83
Figure J.3 – Obtaining reference power level P_0	84
Figure J.4 – Obtaining power level P_1	84
Figure J.5 – Obtaining reference power level P_0	85

Figure J.6 – Obtaining power level P_1	85
Figure J.7 – Obtaining reference power level P_0	86
Figure J.8 – Obtaining power level P_1	87
Figure J.9 – Obtaining power level P_6	87
Figure J.10 – Obtaining reference power level P_0	88
Figure J.11 – Obtaining power level P_1	88
Figure K.1 – Result of spectral attenuation measurement	90
Table 1 – Cabling configurations	18
Table 2 – Test methods and configurations	21
Table 3 – Test limit adjustment and uncertainty related to test cord connector grade	23
Table 4 – Uncertainty for given fibre length and attenuation at 1 310 nm, 1 550 nm and 1 625 nm	25
Table 5 – Uncertainty for a given fibre length at 1 310 nm and 1 550 nm using an OTDR	26
Table 6 – Spectral requirements	27
Table E.1 – Typical launch and tail cord lengths	46
Table H.1 – Expected attenuation for examples	65
Table H.2 – Test limit adjustment when using reference-grade test cords	66
Table H.3 – Test limit adjustment when using reference-grade test cords – OTDR test method	69
Table I.1 – Example of effective group index of refraction values	73

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FIBRE-OPTIC COMMUNICATION SUBSYSTEM TEST PROCEDURES –**Part 4-2: Installed cabling plant –
Single-mode attenuation and optical return loss measurements**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 61280-4-2 has been prepared by subcommittee 86C: Fibre optic systems and active devices, of IEC technical committee 86: Fibre optics. It is an International Standard.

This third edition cancels and replaces the second edition published in 2014. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) addition of the equipment cord method;
- b) addition of test limit adjustment related to test cord grades;
- c) refinements on measurement uncertainties.

The text of this International Standard is based on the following documents:

Draft	Report on voting
86C/1912/FDIS	86C/1916/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 61280 series, published under the general title *Fibre optic communication subsystem test procedures*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This document is part of a series of IEC standards for measurements of installed fibre optic cabling plants. This document is applicable for the measurement of installed single-mode fibres.

Cabling design standards such as ISO/IEC 11801-1 provide general requirements for this type of cabling. These standards support cabling lengths of up to 2 km for commercial premises and data centres and up to 10 km for industrial premises. ISO/IEC 14763-3, which supports ISO/IEC 11801-1, normatively references IEC 61280-4-2.

Various recommendations from ITU-T have requirements for longer distance applications, including short haul (40 km), long haul (80 km), and ultra-long haul (160 km). The testing of cabling plant for these applications is covered in ITU-T Recommendation G.650.3, which refers to the test methods of this document.

FIBRE-OPTIC COMMUNICATION SUBSYSTEM TEST PROCEDURES –

Part 4-2: Installed cabling plant – Single-mode attenuation and optical return loss measurements

1 Scope

This part of IEC 61280 is applicable to the measurements of attenuation and optical return loss of an installed optical fibre cabling plant using single-mode fibre. This cabling plant can include single-mode optical fibres, connectors, adapters, splices, and other passive devices. The cabling can be installed in a variety of environments including residential, commercial, industrial and data centre premises, as well as outside plant environments.

This document is applicable to all single-mode fibre types including those designated by IEC 60793-2-50 as Class B fibres.

The principles of this document can be applied to cabling plants containing branching devices (splitters) and at specific wavelength ranges in situations where passive wavelength selective components are deployed, such as WDM, CWDM and DWDM devices.

This document is not intended to apply to cabling plants that include active devices such as fibre amplifiers or dynamic channel equalizers.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60825-2, *Safety of laser products – Part 2: Safety of optical fibre communication systems (OFCSS)*

IEC 61300-3-35, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 3-35: Examinations and measurements – Visual inspection of fibre optic connectors and fibre-stub transceivers*

IEC 61315, *Calibration of fibre-optic power meters*

IEC 61746-1:2009, *Calibration of optical time-domain reflectometers (OTDR) – Part 1: OTDR for single-mode fibres*

IEC TR 62627-01, *Fibre optic interconnecting devices and passive components – Part 01: Fibre optic connector cleaning methods*