

© Copyright SEK. Reproduction in any form without permission is prohibited.

Tomkapslingar för kopplingsutrustningar för högst 1000 V AC eller 1500 V DC – Allmänna fordringar

*Empty enclosures for low-voltage switchgear and controlgear assemblies –
General requirements*

Som svensk standard gäller europastandarden EN 62208:2011. Den svenska standarden innehåller den officiella engelska språkversionen av EN 62208:2011.

Nationellt förord

Europastandarden EN 62208:2011

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 62208, Second edition, 2011 - Empty enclosures for low-voltage switchgear and controlgear assemblies - General requirements**

utarbetad inom International Electrotechnical Commission, IEC.

Tidigare fastställd svensk standard SS-EN 62208, utgåva 1, 2004, gäller ej fr o m 2014-09-23.

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a säkerhet, prestanda, dokumentation, utförande och skötsel av elprodukter, elanläggningar och metoder. Genom att utforma sådana standarder blir säkerhetskraven tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

English version

**Empty enclosures for low-voltage switchgear
and controlgear assemblies -
General requirements
(IEC 62208:2011)**

Enveloppes vides destinées aux
ensembles d'appareillage
à basse tension -
Exigences générales
(CEI 62208:2011)

Leergehäuse für Niederspannungs-
Schaltgerätekombinationen -
Allgemeine Anforderungen
(IEC 62208:2011)

This European Standard was approved by CENELEC on 2011-09-23. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 17D/442/FDIS, future edition 2 of IEC 62208, prepared by SC 17D, "Low-voltage switchgear and controlgear assemblies", of IEC TC 17, "Switchgear and controlgear" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62208:2011.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2012-06-23
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2014-09-23

This document supersedes EN 62208:2003.

EN 62208:2011 constitutes a technical revision and includes the following significant technical changes with respect to EN 62208:2003:

- consideration of the restructured series of standards EN 61439;
- alignment of test procedures with the newest relevant standards.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62208:2011 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60216 series	NOTE	Harmonized in EN 60216 series.
IEC 60670 series	NOTE	Harmonized in EN 60670 series.
IEC/TR 60890	NOTE	Harmonized as CLC/TR 60890.
IEC 61000-5-7:2001	NOTE	Harmonized as EN 61000-5-7:2001 (not modified).
IEC 61439 series	NOTE	Harmonized in EN 61439 series.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60068-2-2	2007	Environmental testing - Part 2-2: Tests - Test B: Dry heat	EN 60068-2-2	2007
IEC 60068-2-11	1981	Environmental testing - Part 2: Tests - Test Ka: Salt mist	EN 60068-2-11	1999
IEC 60068-2-30	2005	Environmental testing - Part 2-30: Tests - Test Db: Damp heat, cyclic (12 h + 12 h cycle)	EN 60068-2-30	2005
IEC 60085	2007	Electrical insulation - Thermal evaluation and designation	EN 60085	2008
IEC 60529	1989	Degrees of protection provided by enclosures (IP Code)	EN 60529 + corr. May	1991 1993
IEC 60695-2-10	2000	Fire hazard testing - Part 2-10: Glowing/hot-wire based test methods - Glow-wire apparatus and common test procedure	EN 60695-2-10	2001
IEC 60695-2-11	2000	Fire hazard testing - Part 2-11: Glowing/hot-wire based test methods - Glow-wire flammability test method for end-products	EN 60695-2-11	2001
IEC 61439-1	2011	Low-voltage switchgear and controlgear assemblies - Part 1: General rules	EN 61439-1	2011
IEC 62262	2002	Degrees of protection provided by enclosures for electrical equipment against external mechanical impacts (IK code)	EN 62262	2002
ISO 178	2001	Plastics - Determination of flexural properties	EN ISO 178	2003
ISO 179	Series	Plastics - Determination of Charpy impact properties	EN ISO 179	Series
ISO 2409	2007	Paints and varnishes - Cross-cut test	EN ISO 2409	2007
ISO 4628-3	2003	Paints and varnishes - Evaluation of degradation of coatings - Designation of quantity and size of defects, and of intensity of uniform changes in appearance - Part 3: Assessment of degree of rusting	EN ISO 4628-3	2003
ISO 4892-2 + A1	2006 2009	Plastics - Methods of exposure to laboratory light sources - Part 2: Xenon-arc lamps	EN ISO 4892-2 + A1	2006 2009
ISO 11469	2000	Plastics - Generic identification and marking of plastic products	EN ISO 11469	2000

CONTENTS

1	Scope	6
2	Normative references	6
3	Terms and definitions	7
4	Classification	8
5	EMC requirements	8
6	Information to be given regarding the enclosure	9
6.1	General	9
6.2	Marking	9
6.3	Documentation	9
6.3.1	General	9
6.3.2	Dimensions	9
6.3.3	Mounting arrangements	10
6.3.4	Permissible loads	10
6.3.5	Lifting and transport support	10
6.3.6	Protective circuit	10
7	Service conditions	10
7.1	General	10
7.2	Normal service conditions	10
7.2.1	Ambient air temperature	10
7.2.2	Humidity conditions	11
7.3	Special service conditions	11
7.4	Conditions during transport and storage	11
8	Design and construction	11
8.1	General	11
8.2	Static loads	12
8.3	Lifting and transport support	12
8.4	Access to the interior of the enclosure	12
8.5	Protective circuit	12
8.6	Dielectric strength	12
8.7	Degree of protection (IK code)	12
8.8	Degree of protection (IP code)	13
9	Type tests	13
9.1	General	13
9.2	General conditions of tests	13
9.3	Marking	14
9.4	Static loads	14
9.5	Lifting	14
9.6	Axial loads of metal inserts	15
9.7	Degree of protection against external mechanical impacts (IK code)	15
9.8	Degree of protection (IP code)	16
9.8.1	Degree of protection against access to hazardous parts and against the ingress of solid foreign objects indicated by first characteristic numeral	16
9.8.2	Degree of protection against ingress of water as indicated by second characteristic numeral	16

9.8.3	Degree of protection against hazardous parts as indicated by additional letter.....	17
9.9	Properties of insulating materials	17
9.9.1	Thermal stability	17
9.9.2	Resistance to normal heat	17
9.9.3	Resistance to abnormal heat and to fire.....	17
9.10	Dielectric strength	18
9.10.1	General	18
9.10.2	Preconditioning.....	19
9.10.3	Enclosures without metal elements inside the protected space	19
9.10.4	Enclosures having metal elements inside the protected space	19
9.10.5	Results to be obtained.....	19
9.11	Continuity of the protective circuit.....	19
9.12	Resistance to ultra-violet (UV) radiation	20
9.13	Resistance to corrosion	20
9.13.1	General	20
9.13.2	Test procedure	20
9.13.3	Results to be obtained.....	21
9.14	Thermal power dissipation capability	21
	Bibliography.....	22
	Table 1 – Number of samples to be tested and order of test per sample	13
	Table 2 – Axial loads of metal inserts.....	15

EMPTY ENCLOSURES FOR LOW-VOLTAGE SWITCHGEAR AND CONTROLGEAR ASSEMBLIES – GENERAL REQUIREMENTS

1 Scope

This International Standard applies to empty enclosures, prior to the incorporation of switchgear and controlgear components by the user, as supplied by the enclosure manufacturer.

This standard specifies general definitions, classifications, characteristics and test requirements of enclosures to be used as part of switchgear and controlgear assemblies (e.g. in accordance with the IEC 61439 series), the rated voltage of which does not exceed 1 000 V a.c. or 1 500 V d.c., and suitable for general use for either indoor or outdoor applications.

NOTE 1 Additional requirements may apply for specific applications.

NOTE 2 The United States of America (USA) uses enclosure "Type" designations according to NEMA 250. The NEMA Enclosure Type designations specify additional environmental requirements for conditions such as corrosion, rust, icing, oil, and coolants. For this reason, the IEC Enclosure Classification Designations IP are used with an enclosure Type designation number appropriate for these markets.

This standard does not apply to enclosures, which are covered by other specific products standards (e.g. IEC 60670 series).

Compliance with the safety requirements of the applicable product standard is the responsibility of the assembly manufacturer.

NOTE 3 This standard may serve as a basis for other technical committees.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-2-2:2007, *Environmental testing – Part 2-2: Tests – Test B: Dry heat*

IEC 60068-2-11:1981, *Basic environmental testing procedures – Part 2-11: Tests – Test Ka: Salt mist*

IEC 60068-2-30:2005, *Environmental testing – Part 2-30: Tests – Test Db: Damp heat, cyclic (12 h + 12 h cycle)*

IEC 60085:2007, *Electrical insulation – Thermal evaluation and designation*

IEC 60529:1989, *Degrees of protection provided by enclosures (IP Code)*¹

IEC 60695-2-10:2000, *Fire hazard testing – Part 2-10: Glowing/hot-wire based test methods – Glow-wire apparatus and common test procedure*

¹ There is a consolidated edition 2.1 (2001) that includes IEC 60529 (1989) and its Amendment 1 (1999).

IEC 60695-2-11:2000, *Fire hazard testing – Part 2-11: Glowing/hot-wire based test methods – Glow-wire flammability test methods for end-products*

IEC 61439-1:2011, *Low-voltage switchgear and controlgear assemblies – Part 1: General rules*²

IEC 62262:2002, *Degrees of protection provided by enclosures for electrical equipment against external mechanical impacts (IK code)*

ISO 178:2001, *Plastics – Determination of flexural properties*

ISO 179 (all parts), *Plastics – Determination of Charpy impact properties*

ISO 2409:2007, *Paints and varnishes – Cross-cut test*

ISO 4628-3:2003, *Paints and varnishes – Evaluation of degradation of coatings – Designation of quantity and size of defects, and of intensity of uniform changes in appearance – Part 3: Assessment of degree of rusting*

ISO 4892-2:2006, *Plastics – Methods of exposure to laboratory light sources – Part 2: Xenon-arc sources*
Amendment 1 (2009)

ISO 11469:2000, *Plastics – Generic identification and marking of plastic products*

² To be published.