

© Copyright SEK. Reproduction in any form without permission is prohibited.

Provning av brandegenskaper – Del 2-12: Provningsmetoder – Glödtrådsprovning av material för bestämning av brännbarhetsindex (GWFI)

Fire hazard testing –

Part 2-12: Glowing/hot-wire based test methods –

Glow-wire flammability index (GWFI) test method for materials

Som svensk standard gäller europastandarden EN 60695-2-12:2010. Den svenska standarden innehåller den officiella engelska språkversionen av EN 60695-2-12:2010.

Nationellt förord

Europastandarden EN 60695-2-12:2010

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 60695-2-12, Second edition, 2010 - Fire hazard testing - Part 2-12: Glowing/hot-wire based test methods - Glow-wire flammability index (GWFI) test method for materials**

utarbetad inom International Electrotechnical Commission, IEC.

Standarden ska användas tillsammans med SS-EN 60695-2-10 och SS-EN 60695-2-13.

Tidigare fastställd svensk standard SS-EN 60695-2-12, utgåva 1, 2001, gäller ej fr o m 2013-12-01.

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a säkerhet, prestanda, dokumentation, utförande och skötsel av elprodukter, elanläggningar och metoder. Genom att utforma sådana standarder blir säkerhetskraven tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

English version

**Fire hazard testing -
Part 2-12: Glowing/hot-wire based test methods -
Glow-wire flammability index (GWFI) test method for materials
(IEC 60695-2-12:2010)**

Essais relatifs aux risques du feu -
Partie 2-12: Essais au fil
incandescent/chauffant -
Méthode d'essai d'indice d'inflammabilité
au fil incandescent (GWFI) pour matériaux
(CEI 60695-2-12:2010)

Prüfungen zur Beurteilung der
Brandgefahr -
Teil 2-12: Prüfverfahren mit dem
Glühdraht -
Prüfung mit dem Glühdraht zur
Entflammbarkeit (GWFI) von Werkstoffen
(IEC 60695-2-12:2010)

This European Standard was approved by CENELEC on 2010-12-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 89/1017/FDIS, future edition 2 of IEC 60695-2-12, prepared by IEC TC 89, Fire hazard testing, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 60695-2-12 on 2010-12-01.

This European Standard supersedes EN 60695-2-12:2001.

It has the status of a basic safety publication in accordance with IEC Guide 104 and ISO/IEC Guide 51.

This standard is to be used in conjunction with EN 60695-2-10 and EN 60695-2-13.

This EN 60695-2-12:2010 includes the following significant technical changes with respect to EN 60695-2-12:2001:

- modified title;
- addition of an Introduction;
- clarification of Scope;
- expansion of Clause 2: Normative references;
- definitions added to Clause 3;
- revision of Clause 4 to alignment with the EN 60695-11 series to introduce guidance on test programs for material variations;
- clarification of Clause 8: Conditioning (now Clause 7);
- deletion of Clause 9 “Initial measurements”;
- expansion of Clause 10: Test procedures (now Clause 8);
- expansion of Clause 11: Observation and measurement (now Clause 9);
- clarification of Clause 12: Evaluation of test results (now Clause 10);
- expansion of Clause 13: Test report (now Clause 11).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN and CENELEC shall not be held responsible for identifying any or all such patent rights.

The following dates were fixed:

- | | | |
|--|-------|------------|
| – latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement | (dop) | 2011-09-01 |
| – latest date by which the national standards conflicting with the EN have to be withdrawn | (dow) | 2013-12-01 |

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 60695-2-12:2010 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60695-1-10	NOTE Harmonized as EN 60695-1-10.
IEC 60695-1-11	NOTE Harmonized as EN 60695-1-11.
IEC 60695-11 series	NOTE Harmonized in EN 60695-11 series (not modified).

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60695-1-30	2008	Fire hazard testing - Part 1-30: Guidance for assessing the fire hazard of electrotechnical products - Preselection testing process - General guidelines	EN 60695-1-30	2008
IEC 60695-2-10	2000	Fire hazard testing - Part 2-10: Glowing/hot-wire based test methods - Glow-wire apparatus and common test procedure	EN 60695-2-10	2001
IEC 60695-2-11	2000	Fire hazard testing - Part 2-11: Glowing/hot-wire based test methods - Glow-wire flammability test method for end-products	EN 60695-2-11	2001
IEC 60695-2-13	-	Fire hazard testing - Part 2-13: Glowing/hot-wire based test methods - Glow-wire ignition temperature (GWIT) test method for materials	EN 60695-2-13	-
ISO/IEC Guide 51	1999	Safety aspects - Guidelines for their inclusion - in standards		-
IEC Guide 104	1997	The preparation of safety publications and the - use of basic safety publications and group safety publications		-
ISO 291	2008	Plastics - Standard atmospheres for conditioning and testing	EN ISO 291	2008
ISO 293	2004	Plastics - Compression moulding of test specimens of thermoplastic materials	EN ISO 293	2005
ISO 294	Series	Plastics - Injection moulding of test specimens of thermoplastic materials - Part 1: General principles, and moulding of multipurpose and bar test specimens	EN ISO 294	Series
ISO 295	2004	Plastics - Compression moulding of test specimens of thermosetting materials	EN ISO 295	2004
ISO 13943	2008	Fire safety - Vocabulary	EN ISO 13943	2010

CONTENTS

INTRODUCTION	5
1 Scope	6
2 Normative references	6
3 Terms and definitions	7
4 Test specimens	8
4.1 Test specimen preparation	8
4.2 Test specimen dimensions	8
4.3 Testing ranges in formulations	8
4.3.1 General	8
4.3.2 Density, melt flows and filler/reinforcement	9
4.3.3 Colour	9
5 Apparatus	9
6 Temperature measuring system verification	9
7 Conditioning and test conditions	9
7.1 Conditioning of test specimens	9
7.2 Conditioning of the wrapping tissue and the wooden board	9
7.3 Testing conditions	9
8 Test procedure	10
8.1 General	10
8.2 Initial test temperatures	10
8.3 Test temperatures	10
9 Observations and measurements	11
9.1 General	11
9.2 Initial observations	11
9.3 Test observations	11
10 Evaluation of test results	11
10.1 Test criteria	11
10.2 Glow-wire flammability index	11
11 Test report	12
Bibliography	13
Table 1 – Initial test temperatures	10

INTRODUCTION

In the design of any electrotechnical product, the risk of fire and the potential hazards associated with fire need to be considered. In this respect the objective of component, circuit, and product design, as well as the choice of materials, is to reduce to acceptable levels the potential risks of fire during normal operating conditions, reasonable foreseeable abnormal use, malfunction and/or failure. IEC/TC 89 has developed IEC 60695-1-10, together with its companion, IEC 60695-1-11, to provide guidance on how this is to be accomplished.

The primary aims of IEC 60695-1-10 and IEC 60695-1-11 are to provide guidance on how:

- a) to prevent ignition caused by an electrically energized component part, and
- b) to confine any resulting fire within the bounds of the enclosure of the electrotechnical product in the event of ignition.

Secondary aims of IEC 60695-1-10 and IEC 60695-1-11 include the minimization of any flame spread beyond the product's enclosure and the minimization of the harmful effects of fire effluents such as heat, smoke, toxicity and/or corrosivity.

Fires involving electrotechnical products can also be initiated from external non-electrical sources. Considerations of this nature should be dealt with in the overall fire risk assessment.

In electrotechnical equipment, overheated metal parts can act as ignition sources. In glow-wire tests a red-hot glowing wire is used to simulate such an ignition source.

IEC 60695-2-10 describes a glow-wire test apparatus and common test procedure, IEC 60695-2-11 describes a glow-wire flammability test for end products, and IEC 60695-2-13 describes a glow-wire ignition temperature test method for materials.

This part of IEC 60695 describes a glow-wire flammability index test for materials. It should be used to measure, describe, and rank the properties of materials in response to heat caused by contact with an electrically heated wire under controlled laboratory conditions. This may be useful for the evaluation of materials for use in products that may be exposed to excess thermal stress such as a fault current flowing through a wire, overloading of components, and/or bad connections. It should not be used to solely describe or appraise the fire hazard or fire risk of materials, products, or assemblies under actual fire conditions. However, results of this test may be used as elements of a fire risk assessment which takes into account all of the factors pertinent to a fire hazard assessment of a particular end use.

This International Standard may involve hazardous materials, operations, and equipment. It does not purport to address all of the safety problems associated with its use. It is the responsibility of the user of this standard to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.

FIRE HAZARD TESTING –

Part 2-12: Glowing/hot-wire based test methods – Glow-wire flammability index (GWFI) test method for materials

1 Scope

This part of IEC 60695 specifies the details of the glow-wire test to be applied to test specimens of solid electrical insulating materials or other solid materials for flammability testing to determine the glow-wire flammability index (GWFI).

GWFI is the highest temperature, determined during this standardized procedure, at which the tested material

- a) does not ignite or, if it does, extinguishes within 30 s after removal of the glow-wire and is not totally consumed,
and
- b) molten drips, if they occur, do not ignite the wrapping tissue.

This test method is a materials test carried out on a series of standard test specimens. The data obtained, along with data from the glow-wire ignition temperature (GWIT) test method for materials, IEC 60695-2-13, can then be used in a preselection process in accordance with IEC 60695-1-30 to judge the ability of materials to meet the requirements of IEC 60695-2-11.

NOTE As an outcome of conducting a fire hazard assessment, an appropriate series of preselection flammability and ignition tests may allow a reduction of end product testing.

This basic safety publication is intended for use by technical committees in the preparation of standards in accordance with the principles laid down in IEC Guide 104 and ISO/IEC Guide 51.

One of the responsibilities of a technical committee is, wherever applicable, to make use of basic safety publications in the preparation of its publications. The requirements, test methods or test conditions of this basic safety publication will not apply unless specifically referred to or included in the relevant publications.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60695-1-30:2008, *Fire hazard testing – Part 1-30: Guidance for assessing the fire hazard of electrotechnical products – Preselection testing process – General guidelines*

IEC 60695-2-10:2000, *Fire hazard testing – Part 2-10: Glowing/hot-wire based test methods – Glow-wire apparatus and common test procedure*

IEC 60695-2-11:2000, *Fire hazard testing – Part 2-11: Glowing/hot-wire based test methods – Glow-wire flammability test method for end-products*

IEC 60695-2-13, *Fire hazard testing – Part 2-13: Glowing/hot-wire based test methods – Glow-wire ignition temperature (GWIT) test method for materials*

IEC Guide 104:1997, *The preparation of safety publications and the use of basic safety publications and group safety publications*

ISO/IEC Guide 51:1999, *Safety aspects – Guidelines for inclusion in standards*

ISO/IEC 13943:2008, *Fire safety – Vocabulary*

ISO 291:2008, *Plastics – Standard atmospheres for conditioning and testing*

ISO 293:2004, *Plastics – Compression moulding of test specimens of thermoplastic materials*

ISO 294 (all parts), *Plastics – Injection moulding of test specimens of thermoplastic materials*

ISO 295:2004, *Plastics – Compression moulding of test specimens of thermosetting materials*