

© Copyright SEK. Reproduction in any form without permission is prohibited.

**Miljötålighetsprovning –
Del 2-83: Provningsmetoder –
Tf: Lödbarhet hos ytmonteringskomponenter –
Provning med vätningsvåg och lödpasta**

Environmental testing –

Part 2-83: Tests –

*Test Tf: Solderability testing of electronic components for surface
mounting devices (SMD) by the wetting balance method using solder paste*

Som svensk standard gäller europastandarden EN 60068-2-83:2011. Den svenska standarden innehåller den officiella engelska språkversionen av EN 60068-2-83:2011.

Nationellt förord

Europastandarden EN 60068-2-83:2011

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 60068-2-83, First edition, 2011 - Environmental testing - Part 2-83: Tests - Test Tf:
Solderability testning of electronic components for surface
mounting devices (SMD) by the wetting balance method
using solder paste**

utarbetad inom International Electrotechnical Commission, IEC.

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a säkerhet, prestanda, dokumentation, utförande och skötsel av elprodukter, elanläggningar och metoder. Genom att utforma sådana standarder blir säkerhetskraven tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringssarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utdriften av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringssarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringssverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtidens standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

English version

**Environmental testing -
Part 2-83: Tests -
Test Tf: Solderability testing of electronic components for surface
mounting devices (SMD) by the wetting balance method using solder
paste
(IEC 60068-2-83:2011)**

Essais d'environnement -
Partie 2-83: Essais -
Essais Tf: Essai de brasabilité des
composants électroniques pour les
composants pour montage en surface
(CMS) par la méthode de la balance de
mouillage utilisant de la pâte à braser
(CEI 60068-2-83:2011)

Umweltprüfungen -
Teil 2-83: Prüfungen -
Prüfung Tf: Prüfung der Lötabilität von
Bauelementen der Elektronik für
Oberflächenmontage (SMD) mit der
Benetzungswaage unter Verwendung von
Lotpaste
(IEC 60068-2-83:2011)

This European Standard was approved by CENELEC on 2011-10-12. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 91/975/FDIS, future edition 1 of IEC 60068-2-83, prepared by IEC/TC 91 "Electronics assembly technology" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60068-2-83:2011.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2012-07-12
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2014-10-12

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60068-2-83:2011 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

- IEC 60068-2-69 NOTE Harmonized as EN 60068-2-69.
IEC 61189-5 NOTE Harmonized as EN 61189-5.

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60068-1	-	Environmental testing - Part 1: General and guidance	EN 60068-1	-
IEC 60068-2-20	2008	Environmental testing - Part 2-20: Tests - Test T: Test methods for solderability and resistance to soldering heat of devices with leads	EN 60068-2-20	2008
IEC 60068-2-58	-	Environmental testing - Part 2-58: Tests - Test Td: Test methods for solderability, resistance to dissolution of metallization and to soldering heat of surface mounting devices (SMD)	EN 60068-2-58	-
IEC 60194	-	Printed board design, manufacture and assembly - Terms and definitions	EN 60194	-
IEC 61190-1-3	-	Attachment materials for electronic assembly - Part 1-3: Requirements for electronic grade solder alloys and fluxed and non-fluxed solid solders for electronic soldering applications	EN 61190-1-3	-

CONTENTS

INTRODUCTION.....	6
1 Scope.....	8
2 Normative references	8
3 Terms and definitions	8
4 Test.....	9
4.1 General description	9
4.2 Test methods	9
5 Preconditioning	9
6 Preparation	10
6.1 Solder paste.....	10
6.2 Test jig plate	10
6.3 Specimen holder	10
7 Quick heating method.....	10
7.1 Equipment.....	10
7.2 Test jig plate	11
7.3 Preparation	12
7.4 Test condition.....	12
7.4.1 Test temperature	12
7.4.2 Feed of solder paste and immersion condition	13
7.4.3 Immersion and withdrawal conditions for test specimen	14
7.5 Test procedure	14
7.6 Presentation of the result	15
7.7 Characterisation parameter examples	15
8 Synchronous method.....	16
8.1 Equipment	16
8.2 Test jig plate	17
8.3 Synchronous fixture.....	17
8.4 Preparation	17
8.5 Test condition.....	17
8.5.1 Test temperature	17
8.5.2 Feed of solder paste and immersion condition	17
8.5.3 Immersion and withdrawal conditions for the test specimen	17
8.6 Test procedure	17
8.7 Presentation of the results.....	18
8.8 Characterisation parameter examples	19
9 Temperature profile method.....	19
9.1 Equipment	19
9.2 Test jig plate	19
9.3 Preparation	20
9.4 Test condition.....	20
9.4.1 Test temperature	20
9.4.2 Feed of solder paste and immersion condition	21
9.4.3 Immersion and withdrawal conditions for test specimen	21
9.5 Test procedure	21

9.6 Presentation of the result	22
9.7 Characterisation parameter examples	23
Annex A (normative) Equipment for the quick heating and synchronous method	24
Annex B (informative) Reading of the output data and correction of the result in the quick heating test.....	25
Annex C (normative) Test equipment for the temperature profile method	28
Annex D (informative) Reading of the output data and correction of the result in the temperature profile test.....	29
Annex E (informative) Caveats / Notes.....	32
Bibliography.....	36
 Figure 1 – Examples of the quick heating method test equipment	11
Figure 2 – Example of test jig plate for quick heating and synchronous method	12
Figure 3 – Example of the temperature profile.....	13
Figure 4 – Example of applying solder paste to a test jig plate	14
Figure 5 – Typical output shape of signal in the quick heating method	15
Figure 6 – Example of synchronous method test equipment.....	16
Figure 7 – Example of synchronous fixture	17
Figure 8 – Typical output shape of signal in the synchronous method	18
Figure 9 – Example of the system for temperature profile method test equipment	19
Figure 10 – Example of the temperature profile.....	20
Figure 11 – Example of applying solder paste to a test jig plate	22
Figure 12 – Typical output shape of signal in the temperature profile method	23
Figure B.1 – Typical wetting force changes in quick heating method	26
Figure B.2 – Example of correction of the initial time of wetting (F_a is larger than $0,5F_{1,max}$)	27
Figure B.3 – Example of correction of the initial time of wetting (F_a is $0,5F_{1,max}$ or less)	27
Figure D.1 – Typical output forms for profile temperature test	30
Figure D.2 – The case when an extruding force ($1,1F_{max}$ or larger) is generated immediately after the beginning of wetting	31
Figure E.1 – Explanation diagram of test procedure for the quick heating method	33
Figure E.2 – Explanation diagram of test procedure for synchronous method.....	34
Figure E.3 – Showing the wetting force (pull) of some solder pastes	34
Figure E.4 – Explanation diagram of the test procedure for the temperature profile method	35
 Table 1 – Specification of the test jig plate for quick heating and synchronous method	11
Table 2 – Recommended test conditions of the quick heating and synchronous method for rectangular SMD	14
Table 3 – Specification of the test jig plate of the temperature profile method	20
Table 4 – Recommended test conditions of the temperature profile method for rectangular SMD	21

INTRODUCTION

The International Electrotechnical Commission (IEC) draws attention to the fact that it is claimed that compliance with this document may involve the use of patents as indicated below.

IEC takes no position concerning the evidence, validity and scope of patent rights.

The holders of the patent rights have assured the IEC that they are willing to negotiate licences either free of charge or under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holders of these patent rights are registered with IEC. Information may be obtained as indicated below.

- a) EU patent 0920488.4 "Synchronous test method for assessing soldering pastes"¹
Gen3 Systems LTD
Unit B2
Armstrong Mall
Farnborough GU14 0NR
United Kingdom
- b) JP Patent 2630712 "Testing method of characteristics of solder paste and the equipment for the test"
Malcom Co., Ltd
4-15-10 Honmachi, Shibuya-ku
Tokyo, 151-0071
Japan
- c) Patent JP 3789041 "Solderability measuring apparatus"
Patent JP 3552061 "Solderability tester and solderability test method"
Patent JP 3498100 "Method and device for testing solderability and microcrucible for testing"
Patent JP 3153884 "Measuring device for soldering performance of cream solder"
Tarutin Kester Co., Ltd.
2-20-11 Yokokawa,
Sumida-ku
Tokyo, 130-0003
Japan
- d) Sony Corporation
1-7-1 Konan Minato-ku
Tokyo 108-0075
Japan

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights other than those identified above. IEC shall not be held responsible for identifying any or all such patent rights.

¹ Status of patent: Pending.

ISO (www.iso.org/patents) and IEC (<http://patents.iec.ch>) maintain on-line data bases of patents relevant to their standards. Users are encouraged to consult the data bases for the most up to date information concerning patents.

ENVIRONMENTAL TESTING –

Part 2-83: Tests – Test Tf: Solderability testing of electronic components for surface mounting devices (SMD) by the wetting balance method using solder paste

1 Scope

This part of IEC 60068 provides methods for comparative investigation of the wettability of the metallic terminations or metallized terminations of SMDs with solder pastes.

Data obtained by these methods are not intended to be used as absolute quantitative data for pass – fail purposes.

NOTE Different solderability test methods for SMD are described in IEC 60068-2-58 and IEC 60068-2-69. IEC 60068-2-58 prescribes visual evaluation using solder bath and reflow method, IEC 60068-2-69 prescribes wetting balance evaluation using solder bath and solder globule method.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-1, *Environmental testing – Part 1: General and guidance*

IEC 60068-2-20:2008, *Environmental testing – Part 2-20: Tests – Test T: Test methods for solderability and resistance to soldering heat of devices with leads*

IEC 60068-2-58, *Environmental testing – Part 2-58: Tests – Test Td: Test methods for solderability, resistance to dissolution of metallization and to soldering heat of surface mounting devices (SMD)*

IEC 60194, *Printed board design, manufacture and assembly – Terms and definitions*

IEC 61190-1-3, *Attachment materials for electronic assembly – Part 1-3: Requirements for electronic grade solder alloys and fluxed and non-fluxed solid solders for electronic soldering applications*