

© Copyright SEK. Reproduction in any form without permission is prohibited.

Industriell processtyrning – Fältbuss – Del 5-14: Definition av tjänster i applikationsskiktet – Delar i fältbuss, Typ 14

*Industrial communication networks –
Fieldbus specifications –
Part 5-14: Application layer service definition –
Type 14 elements*

Som svensk standard gäller europastandarden EN 61158-5-14:2012. Den svenska standarden innehåller den officiella engelska språkversionen av EN 61158-5-14:2012.

Nationellt förord

Europastandarden EN 61158-5-14:2012

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 61158-5-14, Second edition, 2010 - Industrial communication networks - Fieldbus specifications - Part 5-14: Application layer service definition - Type 14 elements**

utarbetad inom International Electrotechnical Commission, IEC.

Tidigare fastställd svensk standard SS-EN 61158-5-14, utgåva 1, 2008, gäller ej fr o m 2015-03-28.

ICS 25.04.40; 35.100.70; 35.110

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a säkerhet, prestanda, dokumentation, utförande och skötsel av elprodukter, elanläggningar och metoder. Genom att utforma sådana standarder blir säkerhetskraven tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringssarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utdriften av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringssarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringssverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtidens standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

English version

**Industrial communication networks -
Fieldbus specifications -
Part 5-14: Application layer service definition -
Type 14 elements
(IEC 61158-5-14:2010)**

Réseaux de communication industriels -
Spécifications des bus de terrain -
Partie 5-14: Définition des services des
couches d'application -
Eléments de type 14
(CEI 61158-5-14:2010)

Industrielle Kommunikationsnetze -
Feldbusse -
Teil 5-14: Dienstfestlegungen des
Application Layer (Anwendungsschicht) -
Typ 14-Elemente
(IEC 61158-5-14:2010)

This European Standard was approved by CENELEC on 2012-03-28. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 65C/606/FDIS, future edition 2 of IEC 61158-5-14, prepared by SC 65C, "Industrial networks", of IEC/TC 65, "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61158-5-14:2012.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2012-12-28
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2015-03-28

This document supersedes EN 61158-5-14:2008.

EN 61158-5-14:2012 includes the following significant technical change with respect to EN 61158-5-14:2008:

- updated Normative references and Bibliography;
- corrections of the edit error;
- specification changes for CPF3;
- update of the requirements for all conformance classes;
- update of the requirements for all conformance services.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61158-5-14:2010 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

- | | |
|---------------------|--|
| IEC 61131-1 | NOTE Harmonized as EN 61131-1. |
| IEC/TR 61158-1:2007 | NOTE Harmonized as CLC/TR 61158-1:2008 (not modified). |
| IEC 61158-3-14 | NOTE Harmonized as EN 61158-3-14. |
| IEC 61158-6-14 | NOTE Harmonized as EN 61158-6-14. |

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

| <u>Publication</u> | <u>Year</u> | <u>Title</u> | <u>EN/HD</u> | <u>Year</u> |
|--------------------|-------------|---|---------------|-------------|
| IEC 61131-3 | - | Programmable controllers - Part 3: Programming languages | EN 61131-3 | - |
| IEC 61158-4-14 | - | Industrial communication networks - Fieldbus specifications - Part 4-14: Data-link layer protocol specification - Type 14 elements | EN 61158-4-14 | - |
| IEC 61588 | - | Precision clock synchronization protocol for networked measurement and control systems | - | - |
| ISO/IEC 646 | - | Information technology - ISO 7-bit coded character set for information interchange | - | - |
| ISO/IEC 7498-1 | - | Information technology - Open Systems Interconnection - Basic Reference Model: The Basic Model | - | - |
| ISO/IEC 8822 | - | Information technology - Open Systems Interconnection - Presentation service definition | - | - |
| ISO/IEC 8824-1 | - | Information technology - Abstract Syntax Notation One (ASN.1): Specification of basic notation | - | - |
| ISO/IEC 9545 | - | Information technology - Open Systems Interconnection - Application Layer structure | - | - |
| ISO/IEC 10731 | - | Information technology - Open Systems Interconnection - Basic reference model - Conventions for the definition of OSI services | - | - |

CONTENTS

| | |
|--|----|
| INTRODUCTION..... | 6 |
| 1 Scope..... | 7 |
| 1.1 Overview | 7 |
| 1.2 Specifications | 8 |
| 1.3 Conformance..... | 8 |
| 2 Normative references | 8 |
| 3 Terms, definitions, symbols, abbreviations and conventions | 9 |
| 3.1 ISO/IEC 7498-1 terms | 9 |
| 3.2 ISO/IEC 8822 terms | 9 |
| 3.3 ISO/IEC 9545 terms | 9 |
| 3.4 ISO/IEC 8824-1 terms | 9 |
| 3.5 Fieldbus application-layer specific definitions | 9 |
| 3.6 Abbreviations and symbols | 12 |
| 3.7 Conventions | 13 |
| 4 Concepts | 16 |
| 5 Data type ASE..... | 16 |
| 5.1 Overview | 16 |
| 5.2 Formal definition of data type objects | 16 |
| 5.3 FAL defined data types..... | 17 |
| 5.4 Data type ASE service specification | 38 |
| 6 Communication model specification..... | 39 |
| 6.1 General | 39 |
| 6.2 ASEs..... | 39 |
| 6.3 Application relationship | 88 |
| 6.4 Summary of application layer services..... | 91 |
| Bibliography..... | 92 |
| Figure 1 – Application layer entity | 39 |
| Figure 2 – Received message processing procedure | 64 |
| Figure 3 – AR ASE conveys APDUs between AP | 88 |
| Table 1 – Attribute of variable normalised 2 octet | 25 |
| Table 2 – Encoding of variable normalised 2 octet | 25 |
| Table 3 – Attribute of normalised 4 Octet | 26 |
| Table 4 – Encodinge of normalised 4 Octet..... | 26 |
| Table 5 – Attribute of variable normalised 2 octet | 26 |
| Table 6 – Encoding of variable normalised 2 octet | 27 |
| Table 7 – Attribute of variable normalised 4 Octet..... | 27 |
| Table 8 – Encoding of variable normalised 4 Octet | 27 |
| Table 9 – Attribute of unipolar 2 octet | 28 |
| Table 10 – Encoding of unipolar 2 octet | 28 |
| Table 11 – Attribute of Fixed point value 2 Octet..... | 28 |

| | |
|--|----|
| Table 12 – Encoding of Fixed point value 2 Octet | 29 |
| Table 13 – Attribute of Fixed point value 4 Octet..... | 29 |
| Table 14 – Encoding of Bit sequence 2 Octet..... | 29 |
| Table 15 – Encoding of Nibble 4 Octet..... | 30 |
| Table 16 – Attribute of multiple time constant 2 octets | 35 |
| Table 17 – Attribute of multiple time constant 4 octets | 35 |
| Table 18 – Attribute of fraction time constant 2 octets..... | 36 |
| Table 19 – Encoding of reciprocal time constant 2 octets | 36 |
| Table 20 – Management object base..... | 42 |
| Table 21 – Access group assignment..... | 56 |
| Table 22 – Access rights assignment..... | 57 |
| Table 23 – Services for domain object | 57 |
| Table 24 – Service for report object | 59 |
| Table 25 – FAL management entity services | 66 |
| Table 26 – EM_DetectingDevice service parameters..... | 67 |
| Table 27 – EM_OnlineReply service parameters | 68 |
| Table 28 – EM_GetDeviceAttribute service parameters..... | 69 |
| Table 29 – EM_ActiveNotification service parameters | 71 |
| Table 30 – EM_ConfiguringDevice service primitives | 72 |
| Table 31 – EM_SetDefaultValue service parameter | 74 |
| Table 32 – Parameters for domain download service | 76 |
| Table 33 – Parameters for domain upload service..... | 78 |
| Table 34 – EventRoport service parameters..... | 79 |
| Table 35 – AcknowledgeEventReport service parameters | 80 |
| Table 36 – ReportConditionChanging service parameters | 81 |
| Table 37 – Read service parameters..... | 82 |
| Table 38 – Write service parameters..... | 83 |
| Table 39 – VariableDistribute service parameters | 84 |
| Table 40 – FRTVariableDistribute service parameters..... | 85 |
| Table 41 – FRTRead service parameters | 86 |
| Table 42 – FRTWrite service parameters | 87 |
| Table 43 – Summary of application layer services..... | 91 |

INTRODUCTION

This part of IEC 61158 is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the “three-layer” fieldbus reference model described in IEC/TR 61158-1.

The application service is provided by the application protocol making use of the services available from the data-link or other immediately lower layer. This standard defines the application service characteristics that fieldbus applications and/or system management may exploit.

Throughout the set of fieldbus standards, the term “service” refers to the abstract capability provided by one layer of the OSI Basic Reference Model to the layer immediately above. Thus, the application layer service defined in this standard is a conceptual architectural service, independent of administrative and implementation divisions.

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 5-14: Application layer service definition – Type 14 elements

1 Scope

1.1 Overview

The fieldbus application layer (FAL) provides user programs with a means to access the fieldbus communication environment. In this respect, the FAL can be viewed as a “window between corresponding application programs.”

This standard provides common elements for basic time-critical and non-time-critical messaging communications between application programs in an automation environment and material specific to Type 14 fieldbus. The term “time-critical” is used to represent the presence of a time-window, within which one or more specified actions are required to be completed with some defined level of certainty. Failure to complete specified actions within the time window risks failure of the applications requesting the actions, with attendant risk to equipment, plant and possibly human life.

This standard defines in an abstract way the externally visible service provided by the Type 14 fieldbus application layer in terms of

- a) an abstract model for defining application resources (objects) capable of being manipulated by users via the use of the FAL service;
- b) the primitive actions and events of the service;
- c) the parameters associated with each primitive action and event, and the form which they take; and
- d) the interrelationship between these actions and events, and their valid sequences.

The purpose of this standard is to define the services provided to

- a) the FAL user at the boundary between the user and the application layer of the fieldbus reference model, and
- b) Systems Management at the boundary between the application layer and Systems Management of the fieldbus reference model.

This standard specifies the structure and services of the Type 14 fieldbus application layer, in conformance with the OSI Basic Reference Model (ISO/IEC 7498-1) and the OSI application layer structure (ISO/IEC 9545).

FAL services and protocols are provided by FAL application-entities (AE) contained within the application processes. The FAL AE is composed of a set of object-oriented application service elements (ASEs) and a layer management entity (LME) that manages the AE. The ASEs provide communication services that operate on a set of related application process object (APO) classes. One of the FAL ASEs is a management ASE that provides a common set of services for the management of the instances of FAL classes.

Although these services specify, from the perspective of applications, how request and responses are issued and delivered, they do not include a specification of what the requesting and responding applications are to do with them. That is, the behavioral aspects of the applications are not specified; only a definition of what requests and responses they can

send/receive is specified. This permits greater flexibility to the FAL users in standardizing such object behavior. In addition to these services, some supporting services are also defined in this standard to provide access to the FAL to control certain aspects of its operation.

1.2 Specifications

The principal objective of this standard is to specify the characteristics of conceptual application layer services suitable for time-critical communications, and thus supplement the OSI Basic Reference Model in guiding the development of application layer protocols for time-critical communications.

A secondary objective is to provide migration paths from previously-existing industrial communications protocols. It is this latter objective which gives rise to the diversity of services standardized as the various types of IEC 61158.

This specification may be used as the basis for formal Application Programming-Interfaces. Nevertheless, it is not a formal programming interface, and any such interface will need to address implementation issues not covered by this specification, including

- a) the sizes and octet ordering of various multi-octet service parameters, and
- b) the correlation of paired request and confirm, or indication and response, primitives.

1.3 Conformance

This standard does not specify individual implementations or products, nor do they constrain the implementations of application layer entities within industrial automation systems.

There is no conformance of equipment to this application layer service definition standard. Instead, conformance is achieved through implementation of conforming application layer protocols that fulfill the Type 14 application layer services as defined in this standard.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61131-3, *Programmable controllers – Part 3: Programming languages*

IEC 61158-4-14, *Industrial communication networks – Fieldbus specifications – Part 4-14: Data-link layer protocol specification – Type 14 elements*

IEC 61588, *Precision clock synchronization protocol for networked measurement and control systems*

ISO/IEC 646, *Information technology – ISO 7-bit coded character set for information interchange*

ISO/IEC 7498-1, *Information technology – Open Systems Interconnection – Basic Reference Model: The Basic Model*

ISO/IEC 8822, *Information technology – Open Systems Interconnection – Presentation service definition*

ISO/IEC 8824-1, *Information technology – Abstract Syntax Notation One (ASN.1): Specification of basic notation*

ISO/IEC 9545, *Information technology – Open Systems Interconnection – Application Layer structure*

ISO/IEC 10731, *Information technology – Open Systems Interconnection – Basic Reference Model – Conventions for the definition of OSI services*