

© Copyright SEK. Reproduction in any form without permission is prohibited.

Industriell processtyrning – Fältbuss – Del 6-14: Specifikation av protokoll i applikationsskiktet – Delar i fältbuss, Typ 14

*Industrial communication networks –
Fieldbus specifications –
Part 6-14: Application layer protocol specification –
Type 14 elements*

Som svensk standard gäller europastandarden EN 61158-6-14:2012. Den svenska standarden innehåller den officiella engelska språkversionen av EN 61158-6-14:2012.

Nationellt förord

Europastandarden EN 61158-6-14:2012

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 61158-6-14, Second edition, 2010 - Industrial communication networks - Fieldbus specifications - Part 6-14: Application layer protocol specification - Type 14 elements**

utarbetad inom International Electrotechnical Commission, IEC.

Tidigare fastställd svensk standard SS-EN 61158-6-14, utgåva 1, 2008, gäller ej fr o m 2015-03-28.

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a säkerhet, prestanda, dokumentation, utförande och skötsel av elprodukter, elanläggningar och metoder. Genom att utforma sådana standarder blir säkerhetskraven tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

**Industrial communication networks -
Fieldbus specifications -
Part 6-14: Application layer protocol specification -
Type 14 elements
(IEC 61158-6-14:2010)**

Réseaux de communication industriels -
Spécifications des bus de terrain -
Partie 6-14: Spécification des protocoles
des couches d'application -
Éléments de type 14
(CEI 61158-6-14:2010)

Industrielle Kommunikationsnetze -
Feldbusse -
Teil 6-14: Protokollspezifikation des
Application Layer (Anwendungsschicht) -
Typ 14-Elemente
(IEC 61158-6-14:2010)

This European Standard was approved by CENELEC on 2012-03-28. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 65C/607/FDIS, future edition 2 of IEC 61158-6-14, prepared by SC 65C, "Industrial networks", of IEC/TC 65, "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61158-6-14:2012.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2012-12-28
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2015-03-28

This document supersedes EN 61158-6-14:2008.

EN 61158-6-14:2012 includes the following significant technical changes with respect to EN 61158-6-14:2008:

- update of the Normative references and Bibliography;
- corrections of editorial errors;
- specification changes for CPF3;
- update of the requirements for all conformance classes;
- update of the requirements for all conformance services.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61158-6-14:2010 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following note has to be added for the standard indicated:

IEC/TR 61158-1:2010 NOTE Harmonized as CLC/TR 61158-1:2010 (not modified).

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60559	-	Binary floating-point arithmetic for microprocessor systems	HD 592 S1	-
IEC 61158-3-14	-	Industrial communication networks - Fieldbus specifications - Part 3-14: Data-link layer service definition - Type 14 elements	EN 61158-3-14	-
IEC 61158-4-14	-	Industrial communication networks - Fieldbus specifications - Part 4-14: Data-link layer protocol specification - Type 14 elements	EN 61158-4-14	-
IEC 61158-5-14	-	Industrial communication networks - Fieldbus specifications - Part 5-14: Application layer service definition - Type 14 elements	EN 61158-5-14	-
ISO/IEC 7498-1	-	Information technology - Open Systems Interconnection - Basic Reference Model: The Basic Model	-	-
ISO/IEC 8802-3	-	Information technology - Telecommunications and information exchange between systems - Local and metropolitan area networks - Specific requirements - Part 3: Carrier sense multiple access with collision detection (CSMA/CD) access method and physical layer specifications	-	-
ISO/IEC 8822	-	Information technology - Open Systems Interconnection - Presentation service definition	-	-
ISO/IEC 8824-1	-	Information technology - Abstract Syntax Notation One (ASN.1): Specification of basic notation	-	-
ISO/IEC 9545	-	Information technology - Open Systems Interconnection - Application Layer structure	-	-
ISO/IEC 10731	-	Information technology - Open Systems Interconnection - Basic reference model - Conventions for the definition of OSI services	-	-

CONTENTS

INTRODUCTION.....	9
1 Scope.....	10
1.1 General.....	10
1.2 Specifications.....	10
1.3 Conformance.....	11
2 Normative references	11
3 Terms, definitions, symbols, abbreviations and conventions	11
3.1 Referenced terms and definitions	11
3.2 Fieldbus application layer specific terms and definitions.....	13
3.3 Abbreviations and symbols.....	16
3.4 Conventions	17
4 Abstract syntax.....	18
4.1 Fixed format PDU description	18
4.2 Object definitions in FAL management ASE.....	26
4.3 Definition of objects used in Type 14 application access entity.....	33
5 Transfer syntax	36
5.1 Encoding of basic data types.....	36
5.2 Encoding of Type 14 APDU header	43
5.3 Encoding of FAL management entity service parameters.....	43
5.4 Encoding of AAE Services.....	49
6 Structure of FAL protocol state machines	55
7 AP-Context state machine	56
7.1 Primitives exchanged between ALU and ALE	56
7.2 Protocol state machine descriptions	56
7.3 State transitions	57
7.4 Function descriptions	63
8 FAL management state machines.....	63
8.1 Primitives	63
8.2 Protocol state machine descriptions	65
8.3 State transitions	65
8.4 Function descriptions	67
9 Application access entity protocol machine.....	71
9.1 Primitives	71
9.2 AAE state machine	73
9.3 Event ASE protocol machine	76
9.4 Domain ASE protocol machine	77
10 Application relationship state machine.....	81
10.1 Primitives	81
10.2 AREP state description.....	82
10.3 State transitions	83
10.4 Function descriptions	84
11 DLL mapping protocol machine	84
11.1 Concept	84
11.2 Primitives	84

11.3 State description	85
11.4 State transitions	85
11.5 Function description	86
Bibliography.....	87
Figure 1 – State transition diagram	17
Figure 2 – Exchanged primitives of protocol state machine	56
Figure 3 – ACE protocol state machine	57
Figure 4 – FME protocol state machine	65
Figure 5 – AAE state transition diagrams	73
Figure 6 – Event ASE state transition diagrams	76
Figure 7 – Domain ASE state transition diagram	78
Figure 8 – AREP state transition diagrams.....	83
Figure 9 – ESME state transition.....	85
Table 1 – State machine description elements	18
Table 2 – Definition of Type 14 MOB header object	26
Table 3 – Definition of Type 14 device descriptor object	26
Table 4 – Definition of the time synchronization object.....	27
Table 5 – Definition of maximum response time object.....	28
Table 6 – Definition of the Type 14 communication scheduling management object	28
Table 7 – Definition of the device application information object	28
Table 8 – Definition of FB application information header.....	29
Table 9 – Definition of domain application information header.....	29
Table 10 – Definition of Type 14 link object header.....	30
Table 11 – Definition of Type 14 FRT link object header	30
Table 12 – Definition of FB application information object	31
Table 13 – Definition of Type 14 link object	31
Table 14 – Definition of Type 14 FRT link object.....	32
Table 15 – Definition of domain application information object	33
Table 16 – Definition of domain object	33
Table 17 – Definition of simple variable object	34
Table 18 – Definition of event object	34
Table 19 – Definition of Type 14 socket mapping object.....	35
Table 20 – Definition of Type 14 socket timer object	35
Table 21 – Definition of ErrorType object	36
Table 22 – Encoding of Boolean value TRUE.....	36
Table 23 – Encoding of Boolean value FALSE	36
Table 24 – Encoding of Unsigned8 data type	37
Table 25 – Encoding of Unsigned16 data type	37
Table 26 – Encoding of Unsigned32 data type	37
Table 27 – Encoding of Unsigned64 data type	38
Table 28 – Encoding of Int8 data type.....	38

Table 29 – Encoding of Int16 data type	38
Table 30 – Encoding of Int32 data type	39
Table 31 – Encoding of Int64 data type	39
Table 32 – Encoding of Real type	39
Table 33 – Encoding of VisibleString data type	40
Table 34 – Encoding of OctetString data type	40
Table 35 – Encoding of BitString data type	40
Table 36 – Encoding of TimeOfDay data type	41
Table 37 – Encoding of BinaryDate data type	42
Table 38 – Encoding of PrecisionTimeDifference data type	42
Table 39 – Encoding of Type 14 application layer service message header	43
Table 40 – Encoding of EM_DetectingDevice request parameters	43
Table 41 – Encoding of EM_OnlineReply request parameters	44
Table 42 – Encoding of EM_GetDeviceAttribute request parameters	44
Table 43 – Encoding of EM_GetDeviceAttribute positive response parameters	44
Table 44 – Encoding of EM_GetDeviceAttribute negative response parameters	45
Table 45 – Encoding of EM_ActiveNotification request parameters	46
Table 46 – Encoding of EM_ConfiguringDevice request parameters	47
Table 47 – Encoding of EM_ConfiguringDevice positive response parameters	48
Table 48 – Encoding of EM_ConfiguringDevice negative response parameters	48
Table 49 – Encoding of EM_SetDefaultValue request parameters	48
Table 50 – Encoding of EM_SetDefaultValue positive response parameters	48
Table 51 – Encoding of clear device attribute service refuse packet	49
Table 52 – Encoding of DomainDownload request parameters	49
Table 53 – Encoding of domain download service response packet	49
Table 54 – Encoding of DomainDownload negative response parameters	49
Table 55 – Encoding of DomainUpload request parameters	50
Table 56 – Encoding of DomainUpload positive response parameters	50
Table 57 – Encoding of DomainUpload negative response parameters	50
Table 58 – Encoding of EventReport request parameters	51
Table 59 – Encoding of EventReportAcknowledge request parameters	51
Table 60 – Encoding of EventReportAcknowledge positive response parameters	51
Table 61 – Encoding of EventReportAcknowledge negative response parameters	51
Table 62 – Encoding of ReportConditionChanging request parameters	52
Table 63 – Encoding of ReportConditionChanging positive response parameters	52
Table 64 – Encoding of ReportConditionChanging negative response parameters	52
Table 65 – Encoding of Read request parameters	52
Table 66 – Encoding of Read positive response parameters	53
Table 67 – Encoding of Read negative response parameters	53
Table 68 – Encoding of Write request parameters	53
Table 69 – Encoding of Write positive response parameters	53
Table 70 – Encoding of Write negative response parameters	54
Table 71 – Encoding of VariableDistribute request parameters	54

Table 72 – Encoding of FRTRead request parameters	54
Table 73 – Encoding of FRTRead positive response parameters.....	54
Table 74 – Encoding of FRTRead negative response parameters	54
Table 75 – Encoding of FRTWrite request parameters	55
Table 76 – Encoding of FRTWrite positive response parameters.....	55
Table 77 – Encoding of FRTWrite negative response parameters	55
Table 78 – Encoding of FRTVariableDistribute request parameters.....	55
Table 79 – Primitives delivered by ALU to ALE	56
Table 80 – Primitives delivered by ALE to ALU	56
Table 81 – ACE state descriptions	57
Table 82 – ACE state transitions (sender).....	57
Table 83 – ACE state transitions (receiver).....	60
Table 84 – APServiceType() descriptions.....	63
Table 85 – Primitives delivered by application layer user to FME	63
Table 86 – Primitives delivered by FME to application layer user	64
Table 87 – Primitive parameters exchanged between FME and application layer user	64
Table 88 – Primitives delivered by FME to ESME.....	64
Table 89 – Primitives delivered by ESME to FME.....	64
Table 90 – Primitives parameters exchanged between FME and ESME	65
Table 91 – State transitions of Type 14 FME.....	66
Table 92 – RcvNewIpAddress() descriptions	68
Table 93 – Attribute_Set() descriptions	68
Table 94 – RestoreDefaults() descriptions	68
Table 95 – NewAddress() descriptions	68
Table 96 – Restart_Type 14RepeatTimer() descriptions.....	68
Table 97 – Clear_DuplicatePdTagFlag() descriptions	69
Table 98 – Type 14RepeatTimerExpire() descriptions	69
Table 99 – Send_EM_ReqRspMessage() descriptions	69
Table 100 – Send_EM_CommonErrorRsp() descriptions	69
Table 101 – SntpSyncLost() descriptions	70
Table 102 – IPAddressCollision() descriptions	70
Table 103 – RecvMsg() descriptions	70
Table 104 – QueryMatch() descriptions.....	70
Table 105 – MessageIDMatch() descriptions.....	70
Table 106 – DevId_Match() descriptions	71
Table 107 – PdTag_Match() descriptions	71
Table 108 – Set_Attribute_Data() descriptions	71
Table 109 – Set_DuplicatePdTagFlag() descriptions	71
Table 110 – Primitives issued by ALU to AAE	72
Table 111 – Primitives issued by AAE to ALU	72
Table 112 – Primitives parameters exchanged between AAE and ALU.....	72
Table 113 – Primitives issued by AAE to ESME	72
Table 114 – Primitives issued by ESME to AAE	73

Table 115 – Primitive parameters exchanged between AAE and ESME	73
Table 116 – AAE state descriptions	73
Table 117 – AAE state transitions (sender)	74
Table 118 – AAE state transitions (receiver)	75
Table 119 – ServiceType() descriptions	75
Table 120 – State value of event management.....	76
Table 121 – Event ASE state transition table	77
Table 122 – Domain state value.....	77
Table 123 – Domain ASE state transition table	78
Table 124 – Domain_DownloadSucceed() description	80
Table 125 – Domain_WriteBuffer() description	81
Table 126 – IncrementInvokeDomainCounter() description	81
Table 127 – DecreamentInvokeDomainCounter() description	81
Table 128 – Primitives issued by FME(or AAE) to AREP	81
Table 129 – Primitives issued by AREP to FME(or AAE)	82
Table 130 – Primitives parameters exchanged between AREP and FME(or AAE)	82
Table 131 – Primitives issued by AREP to ESME.....	82
Table 132 – Primitives issued by ESME to AREP	82
Table 133 – Primitive parameters exchanged between AREP and ESME	82
Table 134 – AREP state descriptions	83
Table 135 – AREP state transitions.....	83
Table 136 – AREPType() descriptions.....	84
Table 137 – ServiceType() descriptions	84
Table 138 – The primitives exchanged between transport layer and ESME	85
Table 139 – Primitives parameters exchanged between Transport Layer and ESME	85
Table 140 – ESME state description	85
Table 141 – ECFME state transitions	86
Table 142 – ServiceType()description	86

INTRODUCTION

This part of IEC 61158 is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the “three-layer” fieldbus reference model described in IEC/TR 61158-1.

The application protocol provides the application service by making use of the services available from the data-link or other immediately lower layer. The primary aim of this standard is to provide a set of rules for communication expressed in terms of the procedures to be carried out by peer application entities (AEs) at the time of communication. These rules for communication are intended to provide a sound basis for development in order to serve a variety of purposes:

- as a guide for implementors and designers;
- for use in the testing and procurement of equipment;
- as part of an agreement for the admittance of systems into the open systems environment;
- as a refinement to the understanding of time-critical communications within OSI.

This standard is concerned, in particular, with the communication and interworking of sensors, effectors and other automation devices. By using this standard together with other standards positioned within the OSI or fieldbus reference models, otherwise incompatible systems may work together in any combination.

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 6-14: Application layer protocol specification – Type 14 elements

1 Scope

1.1 General

The Fieldbus Application Layer (FAL) provides user programs with a means to access the fieldbus communication environment. In this respect, the FAL can be viewed as a “window between corresponding application programs.”

This standard provides common elements for basic time-critical and non-time-critical messaging communications between application programs in an automation environment and material specific to Type 14 fieldbus. The term “time-critical” is used to represent the presence of a time-window, within which one or more specified actions are required to be completed with some defined level of certainty. Failure to complete specified actions within the time window risks failure of the applications requesting the actions, with attendant risk to equipment, plant and possibly human life.

This standard specifies interactions between remote applications and defines the externally visible behavior provided by the Type 14 fieldbus application layer in terms of

- a) the formal abstract syntax defining the application layer protocol data units conveyed between communicating application entities;
- b) the transfer syntax defining encoding rules that are applied to the application layer protocol data units;
- c) the application context state machine defining the application service behavior visible between communicating application entities;
- d) the application relationship state machines defining the communication behavior visible between communicating application entities.

The purpose of this standard is to define the protocol provided to

- a) define the wire-representation of the service primitives defined in IEC 61158-5-14, and
- b) define the externally visible behavior associated with their transfer.

This standard specifies the protocol of the Type 14 fieldbus application layer, in conformance with the OSI Basic Reference Model (ISO/IEC 7498) and the OSI application layer structure (ISO/IEC 9545).

1.2 Specifications

The principal objective of this standard is to specify the syntax and behavior of the application layer protocol that conveys the application layer services defined in IEC 61158-5-14.

A secondary objective is to provide migration paths from previously-existing industrial communications protocols. It is this latter objective which gives rise to the diversity of protocols standardized in the IEC 61158-6 series.

1.3 Conformance

This standard does not specify individual implementations or products, nor does it constrain the implementations of application layer entities within industrial automation systems. Conformance is achieved through implementation of this application layer protocol specification.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60559, *Binary floating-point arithmetic for microprocessor systems*

IEC 61158-3-14, *Industrial communication networks – Fieldbus specifications – Part 3-14: Data-link layer service definition – Type 14 elements*

IEC 61158-4-14, *Industrial communication networks – Fieldbus specifications – Part 4-14: Data-link layer protocol specification – Type 14 elements*

IEC 61158-5-14, *Industrial communication networks – Fieldbus specifications – Part 5-14: Application layer service definition – Type 14 elements*

ISO/IEC 7498-1, *Information technology – Open Systems Interconnection – Basic Reference Model – Part 1: The Basic Model*

ISO/IEC 8802-3, *Information technology – Telecommunications and information exchange between systems – Local and metropolitan area networks – Specific requirements – Part 3: Carrier sense multiple access with collision detection (CSMA/CD) access method and physical layer specifications*

ISO/IEC 8822, *Information technology – Open Systems Interconnection – Presentation service definition*

ISO/IEC 8824-1, *Information technology – Abstract Syntax Notation One (ASN.1): Specification of basic notation*

ISO/IEC 9545, *Information technology – Open Systems Interconnection – Application Layer structure*

ISO/IEC 10731, *Information technology – Open Systems Interconnection – Basic Reference Model – Conventions for the definition of OSI services*