

Edition 1.0 2012-12

### INTERNATIONAL STANDARD



Maritime navigation and radiocommunication equipment and systems – Integrated navigation systems –

Part 2: Modular structure for INS – Operational and performance requirements, methods of testing and required test results

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PRICE CODE XG

ICS 47.020.70 ISBN 978-2-83220-503-7

Warning! Make sure that you obtained this publication from an authorized distributor.

### CONTENTS

FΟ	REW	ORD	.7
1	Scop	oe	.9
2	Norm	native references	.9
3	Term	ns, definitions and abbreviations	10
	3.1	Terms and definitions	10
	3.2	Abbreviations	
4	MSC	resolutions	19
	4.1	General	19
	4.2	Purpose of integrated navigation systems	20
	4.3	Application	21
5	Test	requirements and results	23
	5.1	General	23
	5.2	Exceptions for tests previously performed	23
	5.3	Test site	
	5.4	Methods of test	24
6	Modu	ule A – Requirements for integration of navigational information	24
	6.1	Interfacing and data exchange	24
		6.1.1 Combination, processing and evaluation of data	24
		6.1.2 Availability, validity and integrity	24
		6.1.3 Failure of data exchange	25
		6.1.4 Interfaces in general	25
		6.1.5 Interface to alert management	25
	6.2	Accuracy	25
		6.2.1 Requirement	25
		6.2.2 Methods of test and required results	
	6.3	Validity, plausibility, latency	
		6.3.1 Validity	
		6.3.2 Plausibility	
		6.3.3 Latency	
	6.4	Consistent common reference system (CCRS)	
		6.4.1 Consistency of data	
		6.4.2 Consistent common reference point (CCRP)	
		6.4.3 Consistency of thresholds	
	6.5	Integrity monitoring	
		6.5.1 Requirement	
		6.5.2 Methods of test and required results	
	6.6	Marking of-data	
		6.6.1 Requirement	
	c 7	6.6.2 Methods of tests and required results	
	6.7	Selection of sensors and sources	
		6.7.1 Requirement	
7	N/1 = -1 -	6.7.2 Methods of test and required results	
7		ule B – Task related requirements for Integrated Navigation Systems	
	7.1	Description	
	7.2	Task and functional requirements for an INS	
		7.2.1 General	35

		7.2.2	Task "Route planning"	35
		7.2.3	Task "Route monitoring"	
		7.2.4	Task "Collision Avoidance"	
		7.2.5	Task "Navigation Control Data"	44
		7.2.6	Task "Alert management"	
		7.2.7	Task "Status and data display"	
	7.3	Function	onal requirements for INS task stations	
		7.3.1	Number of task stations	
		7.3.2	Track control	49
		7.3.3	Automatic control functions	49
	7.4	Function	onal requirements for displays of INS	50
		7.4.1	General	
		7.4.2	Default display configurations and operational modes	53
		7.4.3	Mode and status awareness	
		7.4.4	Information display	
	7.5	Humar	n machine interface	
		7.5.1	General	
		7.5.2	System design	
		7.5.3	Display	
		7.5.4	Input	
	7.6	INS Ba	ack-up requirements and redundancies	
		7.6.1	General	
		7.6.2	Hardware redundancies (back-up)	
	7.7		n failures and fallback arrangement	
		7.7.1	General description	
		7.7.2	Restored operation	
		7.7.3	Failure or change of sensor for automatic control function	
		7.7.4	Failure of sensor	
		7.7.5	Storage of system related parameters	
		7.7.6	Safe response to malfunction	
		7.7.7	Alert management	
		7.7.8	Fallback for navigational information failure	
	7.8		ical requirements	
		7.8.1	General	
		7.8.2	Hardware and/or processors	
		7.8.3	Power supply	
		7.8.4	Power interruptions and shutdown	
		7.8.5	Data communication interface and protocols	
		7.8.6	Installation	
8	Modu	ıle C – <i>i</i>	Alert management	
	8.1		ption	
	0.1	8.1.1	Purpose of alert management	
		8.1.2	Scope of alert management	
		8.1.3	Application of alert management	
	8.2		al requirements	
		8.2.1	Provisions	
		8.2.2	Number of alerts for one situation	
		8.2.3	Alerts to be handled by the alert management	
			Logical architecture of the alert management	

		8.2.5	Alert management HMI	
		8.2.6	Audible announcements	
		8.2.7	Display at several locations	.72
	8.3	Prioriti	es and categories	.72
		8.3.1	Priorities of alerts	.72
		8.3.2	Criteria for classification of alerts	.73
		8.3.3	Categories of alerts	.73
	8.4	State o	of alerts	.74
		8.4.1	General	.74
		8.4.2	Alarms	.76
		8.4.3	Warnings	.80
		8.4.4	Cautions	.84
		8.4.5	Alert escalation	.84
	8.5	Consis	tent presentation of alerts within the INS	.86
		8.5.1	Requirement	.86
		8.5.2	Methods of test and required results	.86
	8.6	Centra	l alert management HMI	
		8.6.1	General requirements	.88
		8.6.2	Silencing of audible alerts	.91
		8.6.3	Category A and B alert history list	
	8.7	Acknov	wledgement location	
		8.7.1	Requirement	
		8.7.2	Methods of test and required results	
	8.8	Self-m	onitoring of alert management	
		8.8.1	Monitoring of system communication	
		8.8.2	Testing of alerts	
		8.8.3	Failures	
	8.9		ce requirements for alert related communication	
		8.9.1	Communication concept	
		8.9.2	Alert priorities, states, etc.	
		8.9.3	Alert source identity	
		8.9.4	Acknowledge and silence	
		8.9.5	Fault tolerance of alert communication	
	8 10		ation of systems in alert management	
	0.10	•	Overall alert management	
			Inclusion of other equipment	
			Connection of other equipment	
9	Modu		Documentation requirements	
J	9.1		ls	
	9.1			
		9.1.1	Requirement	
	0.0	9.1.2	Methods of tests and required results	
	9.2		ation regarding the system configuration	
		9.2.1	Requirement	
	0.0	9.2.2	Methods of tests and required results	
	9.3		analysis	
		9.3.1	Requirement	
	o .	9.3.2	Methods of test and required results	
	9.4		rd familiarization material	
		9.4.1	Requirement	102

9.4.2 Methods of test and required results	102
Annex A (informative) Modular structure for IMO performance standards	104
Annex B (informative) Guidance to equipment manufacturers for the provision of onboard familiarization material	107
Annex C (normative) Classification of alerts	110
Annex D (normative) Default display configurations	112
Annex E (informative) Data flow diagram/consistent common reference system (CCRS)	114
Annex F (normative) IEC 61162 interfaces	
Annex G (informative) Guidance for testing	120
Annex H (normative) Verification of CCRP calculations	
Annex I (normative) Sentence for integrity and plausibility	124
Annex J (normative) INS alert related communication	
Annex K (normative) Sentences for advanced alert related communication	138
Annex L (normative) Alert communication with ALR and ACK	143
Annex M (normative) Icons for alert management	146
Bibliography	
Figure E.1 – Data flow diagram/consistent common reference system (CCRS)	
Figure F.1 – INS logical interfaces	116
Figure J.1 – Legacy sensor communication showing priority reduction	128
Figure J.2 – Legacy sensor communication in case priority reduction is not possible	129
Figure J.3 – Alerts' communication showing priority reduction	131
Figure J.4 – Alerts with communication in case priority reduction is not possible	
Figure J.5 – Alert state diagram	136
Figure L.1 – State diagram	143
Table 1 – Applicable modules of performance standards of stand alone equipment	22
Table 2 – Applicable modules of other standards for INS to substitute for individual equipment	22
Table 3 – Marking of data	
Table 4 – Announcement states and related conditions	
Table 5 – Announcement state and presentation for Alarms	
Table 6 – Announcement state and presentation for Warnings	
Table 7 – Announcement state and presentation for Cautions	
Table A.1 – Modular structure for radar performance standards	
Table A.2 – Modular structure for track control performance standards	
Table C.1 – Classification of INS alerts as specified in these performance standards	
Table C.2 – Classification for INS for alerts specified in the individual equipment	110
performance standards	
Table D.1 – Task "Route monitoring"	
Table D.2 – Task "Collision avoidance"	
Table F.1 – IEC 61162-1 sentences transmitted by the INS	117
Table F.2 – IEC 61162-1 sentences received by the INS	118

Table H.1 – Required results	122
Table H.2 – Required results	123
Table H.3 – Required results for dynamic scenario	123
Table H.4 – Required resolution for test	123
Table J.1 – Conversion from ALR to ALF	126
Table J.2 – Conversion from ACN to ACK	127
Table J.3 – Unique alert identifier at alert source	134
Table M.1 – Alert management icons – Basic	146
Table M.2 – Alert management icons – Additional qualifiers	147

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

## MARITIME NAVIGATION AND RADIOCOMMUNICATION EQUIPMENT AND SYSTEMS – INTEGRATED NAVIGATION SYSTEMS –

# Part 2: Modular structure for INS – Operational and performance requirements, methods of testing and required test results

#### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61924-2 has been prepared by IEC technical committee 80: Maritime navigation and radiocommunication equipment and systems.

The text of this standard is based on the following documents:

FDIS	Report on voting
80/677/FDIS	80/684/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61924 series, published under the general title *Maritime* navigation and radiocommunication equipment and systems – Integrated navigation systems, can be found on the IEC website.

Text in *italics* signifies that the wording is identical to that of the referenced IMO resolution and/or the SOLAS convention.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- · reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this standard may be issued at a later date.

The contents of the corrigendum of November 2013 have been included in this copy.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

## MARITIME NAVIGATION AND RADIOCOMMUNICATION EQUIPMENT AND SYSTEMS – INTEGRATED NAVIGATION SYSTEMS –

#### Part 2: Modular structure for INS – Operational and performance requirements, methods of testing and required test results

#### 1 Scope

This part of IEC 61924 specifies the minimum requirements for the design, manufacture, integration, methods of testing and required test results for an integrated navigation system (INS) to comply with the International Maritime Organization (IMO) requirements of Resolution MSC.252(83). In addition, it takes account of IMO Resolution A.694(17) to which IEC 60945 is associated. When a requirement in this standard is different from IEC 60945, the requirement of this standard takes precedence.

NOTE 1 IEC 61924:2006 specifies the minimum requirements for the design, manufacture, integration, methods of testing and required test results for an integrated navigation system to comply with the earlier IMO requirements of Resolution MSC 86(70), Annex 3. Integrated navigation systems in accordance with IEC 61924:2006 are not suitable for installation after 1 January 2011.

NOTE 2 All text of this standard, whose wording is identical to that in IMO Resolution MSC.252(83) will be printed in *italics* and the Resolution and paragraph number indicated between brackets.

#### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60945:2002, Maritime navigation and radiocommunication equipment and systems – General requirements – Methods of testing and required test results

IEC 61162 (all parts), Maritime navigation and radiocommunication equipment and systems – Digital interfaces

IEC 61162-1:2010, Maritime navigation and radiocommunication equipment and systems – Digital interfaces – Part 1: Single talker and multiple listeners

IEC 61162-2, Maritime navigation and radiocommunication equipment and systems – Digital interfaces – Part 2: Single talker and multiple listeners, high-speed transmission

IEC 61162-3, Maritime navigation and radiocommunication equipment and systems – Digital interfaces – Part 3: Serial data instrument network

IEC 61162-450, Maritime navigation and radiocommunication equipment and systems – Digital interfaces – Part 450: Multiple talkers and multiple listeners – Ethernet interconnection

IEC 61174:2008, Maritime navigation and radiocommunication equipment and systems – Electronic chart display and information system (ECDIS) – Operational and performance requirements, methods of testing and required test results

IEC 62065:2002, Maritime navigation and radiocommunication equipment and systems – Track control systems – Operational and performance requirements, methods of testing and required test results

IEC 62288:2008, Maritime navigation and radiocommunication equipment and systems – Presentation of navigation-related information on shipborne navigational displays – General requirements, methods of testing and required test results

IEC 62388:2007, Maritime navigation and radiocommunication equipment and systems – Shipborne radar – Performance requirements, methods of testing and required test results

IEC 62616:2010, Maritime navigation and radiocommunication equipment and systems – Bridge navigational watch alarm system (BNWAS)

IMO A.694(17), General requirements for shipborne radio equipment forming part of the Global maritime distress and safety system (GMDSS) and for electronic navigational aids

IMO/ICAO, International Aeronautical and Maritime Search and Rescue Manual (IAMSAR Manual) Volume 3

IMO MSC/Circ.982, Guidelines on ergonomic criteria for bridge equipment and layout

IMO MSC.191(79), Performance standards for presentation of navigation-related information on shipborne navigational displays

IMO MSC.232(82), Revised performance standards for Electronic Chart Display and Information Systems (ECDIS)

IMO MSC.252(83), Performance Standards for Integrated Navigation Systems (INS)

IMO MSC.302(87), Performance standards for Bridge Alert Management (BAM)

ISO 11674:2006, Ships and marine technology – Heading control systems