

© Copyright SEK. Reproduction in any form without permission is prohibited.

## **Elektromagnetisk kompatibilitet (EMC) – Del 4-4: Mät- och provningsmetoder – Provning av immunitet mot snabba transienter och pulsskurar**

*Electromagnetic compatibility (EMC) –  
Part 4-4: Testing and measurement techniques –  
Electrical fast transient/burst immunity test*

Som svensk standard gäller europastandarden EN 61000-4-4:2012. Den svenska standarden innehåller den officiella engelska språkversionen av EN 61000-4-4:2012.

### **Nationellt förord**

Europastandarden EN 61000-4-4:2012

består av:

- **europastandardens ikraftsättndokument**, utarbetat inom CENELEC
- **IEC 61000-4-4, Third edition, 2012 - Electromagnetic compatibility (EMC) - Part 4-4: Testing and measurement techniques - Electrical fast transient/burst immunity test**

utarbetad inom International Electrotechnical Commission, IEC.

Tidigare fastställd svensk standard SS-EN 61000-4-4, utgåva 2, 2005 och SS-EN 61000-4-4/A1, utgåva 1, 2010, gäller ej fr o m 2015-06-04.

---

ICS 33.100.20

## *Standarder underlättar utvecklingen och höjer elsäkerheten*

Det finns många fördelar med att ha gemensamma tekniska regler för bl a säkerhet, prestanda, dokumentation, utförande och skötsel av elprodukter, elanläggningar och metoder. Genom att utforma sådana standarder blir säkerhetskraven tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

## *SEK är Sveriges röst i standardiseringssarbetet inom elområdet*

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

## *Stora delar av arbetet sker internationellt*

Utdriften av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringssarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringssverksamhet och medlemsavgift till IEC och CENELEC.

## *Var med och påverka!*

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtidens standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

### **SEK Svensk Elstandard**

Box 1284  
164 29 Kista  
Tel 08-444 14 00  
[www.elstandard.se](http://www.elstandard.se)

November 2012

ICS 33.100.20

Supersedes EN 61000-4-4:2004 + A1:2010

English version

**Electromagnetic compatibility (EMC) -  
Part 4-4: Testing and measurement techniques -  
Electrical fast transient/burst immunity test  
(IEC 61000-4-4:2012)**

Compatibilité électromagnétique (CEM) -  
Partie 4-4: Techniques d'essai  
et de mesure -  
Essai d'immunité aux transitoires  
électriques rapides en salves  
(CEI 61000-4-4:2012)

Elektromagnetische Verträglichkeit (EMV) -  
Teil 4-4: Prüf- und Messverfahren -  
Prüfung der Störfestigkeit gegen schnelle  
transiente elektrische Störgrößen/Burst  
(IEC 61000-4-4:2012)

This European Standard was approved by CENELEC on 2012-06-04. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

**CENELEC**

European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**Management Centre: Avenue Marnix 17, B - 1000 Brussels**

## Foreword

The text of document 77B/670/FDIS, future edition 3 of IEC 61000-4-4, prepared by SC 77B "High frequency phenomena" of IEC/TC 77 "Electromagnetic compatibility" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61000-4-4:2012.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2013-05-09
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2015-06-04

This document supersedes EN 61000-4-4:2004 + A1:2010.

EN 61000-4-4:2012 includes the following significant technical changes with respect to EN 61000-4-4:2004 + A1:2010:

This edition improves and clarifies simulator specifications, test criteria and test setups.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

## Endorsement notice

The text of the International Standard IEC 61000-4-4:2012 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

|                            |      |   |
|----------------------------|------|---|
| IEC 61000-4-2:2008         | NOTE | Harmonised as EN 61000-4-2:2009 (not modified).         |
| IEC 61000-4-4:2004         | NOTE | Harmonised as EN 61000-4-4:2004 (not modified).         |
| IEC 61000-4-4:2004/A1:2010 | NOTE | Harmonised as EN 61000-4-4:2004/A1:2010 (not modified). |
| IEC 61000-4-5:2005         | NOTE | Harmonised as EN 61000-4-5:2006 (not modified).         |

**Annex ZA**  
(normative)

**Normative references to international publications  
with their corresponding European publications**

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

| <u>Publication</u> | <u>Year</u> | <u>Title</u>   | <u>EN/HD</u> | <u>Year</u> |
|--------------------|-------------|--|--------------|-------------|
| IEC 60050-161      | 1990        | International Electrotechnical Vocabulary<br>(IEV) -<br>Chapter 161: Electromagnetic compatibility | -            | -           |

## CONTENTS

|  |    |
|--|----|
| INTRODUCTION.....  | 6  |
| 1 Scope.....   | 7  |
| 2 Normative references .....   | 7  |
| 3 Terms, definitions and abbreviations .....   | 7  |
| 3.1 Terms and definitions .....  | 7  |
| 3.2 Abbreviations .....  | 10 |
| 4 General .....  | 10 |
| 5 Test levels.....   | 10 |
| 6 Test equipment.....  | 11 |
| 6.1 Overview .....   | 11 |
| 6.2 Burst generator .....  | 11 |
| 6.2.1 General .....  | 11 |
| 6.2.2 Characteristics of the fast transient/burst generator.....                     | 12 |
| 6.2.3 Calibration of the characteristics of the fast transient/burst generator ..... | 14 |
| 6.3 Coupling/decoupling network for a.c./d.c. power port.....                        | 15 |
| 6.3.1 Characteristics of the coupling/decoupling network.....                        | 15 |
| 6.3.2 Calibration of the coupling/decoupling network .....                           | 16 |
| 6.4 Capacitive coupling clamp.....   | 17 |
| 6.4.1 General .....  | 17 |
| 6.4.2 Calibration of the capacitive coupling clamp .....                             | 18 |
| 7 Test setup .....   | 20 |
| 7.1 General .....  | 20 |
| 7.2 Test equipment .....   | 20 |
| 7.2.1 General .....  | 20 |
| 7.2.2 Verification of the test instrumentation.....                                  | 20 |
| 7.3 Test setup for type tests performed in laboratories .....                        | 21 |
| 7.3.1 Test conditions .....  | 21 |
| 7.3.2 Methods of coupling the test voltage to the EUT .....                          | 24 |
| 7.4 Test setup for in situ tests .....   | 26 |
| 7.4.1 Overview .....   | 26 |
| 7.4.2 Test on power ports and earth ports .....                                      | 26 |
| 7.4.3 Test on signal and control ports.....  | 27 |
| 8 Test procedure .....   | 28 |
| 8.1 General .....  | 28 |
| 8.2 Laboratory reference conditions .....  | 28 |
| 8.2.1 Climatic conditions .....  | 28 |
| 8.2.2 Electromagnetic conditions .....   | 28 |
| 8.3 Execution of the test.....   | 28 |
| 9 Evaluation of test results .....   | 29 |
| 10 Test report.....  | 29 |
| Annex A (informative) Information on the electrical fast transients.....             | 30 |
| Annex B (informative) Selection of the test levels .....                             | 32 |
| Annex C (informative) Measurement uncertainty (MU) considerations .....              | 34 |
| Bibliography.....  | 43 |

|  |    |
|--|----|
| Figure 1 – Simplified circuit diagram showing major elements of a fast transient/burst generator .....   | 12 |
| Figure 2 – Representation of an electrical fast transient/burst .....  | 13 |
| Figure 3 – Ideal waveform of a single pulse into a $50 \Omega$ load with nominal parameters $t_r = 5$ ns and $t_w = 50$ ns .....                       | 13 |
| Figure 4 – Coupling/decoupling network for a.c./d.c. power mains supply ports/terminals .....  | 16 |
| Figure 5 – Calibration of the waveform at the output of the coupling/decoupling network .....  | 17 |
| Figure 6 – Example of a capacitive coupling clamp .....  | 18 |
| Figure 7 – Transducer plate for coupling clamp calibration .....   | 19 |
| Figure 8 – Calibration of a capacitive coupling clamp using the transducer plate .....   | 19 |
| Figure 9 – Block diagram for electrical fast transient/burst immunity test .....   | 20 |
| Figure 10 – Example of a verification setup of the capacitive coupling clamp .....   | 21 |
| Figure 11 – Example of a test setup for laboratory type tests .....  | 22 |
| Figure 12 – Example of test setup using a floor standing system of two EUTs .....  | 23 |
| Figure 13 – Example of a test setup for equipment with elevated cable entries .....  | 24 |
| Figure 14 – Example of a test setup for direct coupling of the test voltage to a.c./d.c. power ports for laboratory type tests .....                   | 25 |
| Figure 15 – Example for in situ test on a.c./d.c. power ports and protective earth terminals for stationary, floor standing EUT .....                  | 26 |
| Figure 16 – Example of in situ test on signal and control ports without the capacitive coupling clamp .....  | 27 |
| Table 1 – Test levels .....  | 11 |
| Table 2 – Output voltage peak values and repetition frequencies .....  | 15 |
| Table C.1 – Example of uncertainty budget for voltage rise time ( $t_r$ ) .....  | 36 |
| Table C.2 – Example of uncertainty budget for EFT/B peak voltage value ( $V_P$ ) .....   | 37 |
| Table C.3 – Example of uncertainty budget for EFT/B voltage pulse width ( $t_w$ ) .....  | 38 |
| Table C.4 – $\alpha$ factor (Equation (C.4)) of different unidirectional impulse responses corresponding to the same bandwidth of the system $B$ ..... | 40 |

## INTRODUCTION

IEC 61000 is published in separate parts, according to the following structure:

### **Part 1: General**

General considerations (introduction, fundamental principles)

Definitions, terminology

### **Part 2: Environment**

Description of the environment

Classification of the environment

Compatibility levels

### **Part 3: Limits**

Emission limits

Immunity limits (in so far as they do not fall under the responsibility of the product committees)

### **Part 4: Testing and measurement techniques**

Measurement techniques

Testing techniques

### **Part 5: Installation and mitigation guidelines**

Installation guidelines

Mitigation methods and devices

### **Part 6: Generic standards**

### **Part 9: Miscellaneous**

Each part is further subdivided into several parts, published either as international standards or as technical specifications or technical reports, some of which have already been published as sections. Others are published with the part number followed by a dash and a second number identifying the subdivision (example: IEC 61000-6-1).

This part is an international standard which gives immunity requirements and test procedures related to electrical fast transients/bursts.

## ELECTROMAGNETIC COMPATIBILITY (EMC) –

### Part 4-4: Testing and measurement techniques – Electrical fast transient/burst immunity test

#### **1 Scope**

This part of IEC 61000 relates to the immunity of electrical and electronic equipment to repetitive electrical fast transients. It gives immunity requirements and test procedures related to electrical fast transients/bursts. It additionally defines ranges of test levels and establishes test procedures.

The object of this standard is to establish a common and reproducible reference in order to evaluate the immunity of electrical and electronic equipment when subjected to electrical fast transient/bursts on supply, signal, control and earth ports. The test method documented in this part of IEC 61000 describes a consistent method to assess the immunity of an equipment or system against a defined phenomenon.

**NOTE** As described in IEC Guide 107, this is a basic EMC publication for use by product committees of the IEC. As also stated in Guide 107, the IEC product committees are responsible for determining whether this immunity test standard is applied or not, and if applied, they are responsible for determining the appropriate test levels and performance criteria.<sup>1</sup>

The standard defines:

- test voltage waveform;
- range of test levels;
- test equipment;
- calibration and verification procedures of test equipment;
- test setups;
- test procedure.

The standard gives specifications for laboratory and in situ tests.

#### **2 Normative references**

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-161:1990, *International Electrotechnical Vocabulary – Chapter 161: Electromagnetic compatibility*

---

<sup>1</sup> TC 77 and its subcommittees are prepared to co-operate with product committees in the evaluation of the value of particular immunity tests for their products.