

© Copyright SEK. Reproduction in any form without permission is prohibited.

## Laddningsbara alkaliska batterier – Säkerhetsfordringar på bärbara slutna alkaliska laddningsbara celler och batterier för bärbara tillämpningar

*Secondary cells and batteries containing alkaline or other non-acid electrolytes –  
Safety requirements for portable sealed secondary cells, and for batteries made from them,  
for use in portable applications*

Som svensk standard gäller europastandarden EN 62133:2013. Den svenska standarden innehåller den officiella engelska språkversionen av EN 62133:2013.

### Nationellt förord

Europastandarden EN 62133:2013

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 62133, Second edition, 2012 - Secondary cells and batteries containing alkaline or other non-acid electrolytes - Safety requirements for portable sealed secondary cells, and for batteries made from them, for use in portable applications**

utarbetad inom International Electrotechnical Commission, IEC.

Tidigare fastställd svensk standard SS-EN 62133, utgåva 1, 2003, gäller ej fr o m 2016-01-10.

---

ICS 29.220.30

---

Denna standard är fastställd av SEK Svensk Elstandard, som också kan lämna upplysningar om **sakinnehållet** i standarden.  
Postadress: SEK, Box 1284, 164 29 KISTA  
Telefon: 08 - 444 14 00. Telefax: 08 - 444 14 30  
E-post: sek@elstandard.se. Internet: www.elstandard.se

---

### *Standarder underlättar utvecklingen och höjer elsäkerheten*

Det finns många fördelar med att ha gemensamma tekniska regler för bl a säkerhet, prestanda, dokumentation, utförande och skötsel av elprodukter, elanläggningar och metoder. Genom att utforma sådana standarder blir säkerhetskraven tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

### *SEK är Sveriges röst i standardiseringsarbetet inom elområdet*

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

### *Stora delar av arbetet sker internationellt*

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

### *Var med och påverka!*

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

### **SEK Svensk Elstandard**

Box 1284  
164 29 Kista  
Tel 08-444 14 00  
[www.elstandard.se](http://www.elstandard.se)

English version

**Secondary cells and batteries containing alkaline or other non-acid electrolytes -  
Safety requirements for portable sealed secondary cells, and for batteries made from them, for use in portable applications  
(IEC 62133:2012)**

Accumulateurs alcalins et autres accumulateurs à électrolyte non acide - Exigences de sécurité pour les accumulateurs portables étanches, et pour les batteries qui en sont constituées, destinés à l'utilisation dans des applications portables  
(CEI 62133:2012)

Akkumulatoren und Batterien mit alkalischen oder anderen nicht säurehaltigen Elektrolyten - Sicherheitsanforderungen für tragbare gasdichte Akkumulatoren und daraus hergestellte Batterien für die Verwendung in tragbaren Geräten  
(IEC 62133:2012)

This European Standard was approved by CENELEC on 2013-01-10. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

**CENELEC**

European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**Management Centre: Avenue Marnix 17, B - 1000 Brussels**

## Foreword

The text of document 21A/503/FDIS, future edition 2 of IEC 62133, prepared by SC 21A, "Secondary cells and batteries containing alkaline or other non-acid electrolytes", of IEC TC 21, "Secondary cells and batteries" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62133:2013.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2013-10-10
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2016-01-10

This document supersedes EN 62133:2003.

EN 62133:2013 includes the following significant technical changes with respect to EN 62133:2003:

- update of assembly of cells into batteries (5.5);
- addition of design recommendations for lithium system only (5.6.2);
- separation of nickel systems and lithium systems (Clause 6);
- addition of specific requirements and tests for lithium systems (Clause 8);
- addition of charging of secondary lithium-ion cells for safe use (Annex A).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

## Endorsement notice

The text of the International Standard IEC 62133:2012 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60051 series	NOTE	Harmonized in EN 60051 series.
IEC 60664 series	NOTE	Harmonized in EN 60664 series.
IEC 61434	NOTE	Harmonized as EN 61434.
IEC 62281	NOTE	Harmonized as EN 62281.

## Annex ZA (normative)

### Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60050-482	-	International Electrotechnical Vocabulary (IEV) - Part 482: Primary and secondary cells and batteries	-	-
IEC 61951-1	-	Secondary cells and batteries containing alkaline or other non-acid electrolytes - Portable sealed rechargeable single cells - Part 1: Nickel-cadmium	EN 61951-1	-
IEC 61951-2	-	Secondary cells and batteries containing alkaline or other non-acid electrolytes - Portable sealed rechargeable single cells - Part 2: Nickel-metal hydride	EN 61951-2	-
IEC 61960	-	Secondary cells and batteries containing alkaline or other non-acid electrolytes - Secondary lithium cells and batteries for portable applications	EN 61960	-
ISO/IEC Guide 51	-	Safety aspects - Guidelines for their inclusion - in standards	-	-

## CONTENTS

1	Scope .....	6
2	Normative references .....	6
3	Terms and definitions .....	6
4	Parameter measurement tolerances .....	8
5	General safety considerations .....	8
5.1	General .....	8
5.2	Insulation and wiring .....	9
5.3	Venting.....	9
5.4	Temperature/voltage/current management .....	9
5.5	Terminal contacts .....	9
5.6	Assembly of cells into batteries .....	9
5.6.1	General .....	9
5.6.2	Design recommendation for lithium systems only.....	10
5.7	Quality plan .....	10
6	Type test conditions .....	10
7	Specific requirements and tests (nickel systems).....	11
7.1	Charging procedure for test purposes.....	11
7.2	Intended use .....	12
7.2.1	Continuous low-rate charging (cells).....	12
7.2.2	Vibration.....	12
7.2.3	Moulded case stress at high ambient temperature (batteries) .....	12
7.2.4	Temperature cycling .....	13
7.3	Reasonably foreseeable misuse .....	13
7.3.1	Incorrect installation (cells).....	13
7.3.2	External short circuit.....	14
7.3.3	Free fall.....	14
7.3.4	Mechanical shock (crash hazard).....	14
7.3.5	Thermal abuse (cells) .....	15
7.3.6	Crushing of cells.....	15
7.3.7	Low pressure (cells) .....	15
7.3.8	Overcharge.....	15
7.3.9	Forced discharge (cells) .....	16
8	Specific requirements and tests (lithium systems).....	16
8.1	Charging procedures for test purposes .....	16
8.1.1	First procedure .....	16
8.1.2	Second procedure .....	16
8.2	Intended use .....	17
8.2.1	Continuous charging at constant voltage (cells).....	17
8.2.2	Moulded case stress at high ambient temperature (battery) .....	17
8.3	Reasonably foreseeable misuse .....	17
8.3.1	External short circuit (cell).....	17
8.3.2	External short circuit (battery).....	17
8.3.3	Free fall.....	18
8.3.4	Thermal abuse (cells) .....	18

8.3.5	Crush (cells).....	18
8.3.6	Over-charging of battery.....	18
8.3.7	Forced discharge (cells).....	19
8.3.8	Transport tests.....	19
8.3.9	Design evaluation – Forced internal short circuit (cells).....	19
9	Information for safety.....	21
10	Marking.....	21
10.1	Cell marking.....	21
10.2	Battery marking.....	22
10.3	Other information.....	22
11	Packaging.....	22
Annex A (normative)	Charging range of secondary lithium ion cells for safe use.....	23
Annex B (informative)	Recommendations to equipment manufacturers and battery assemblers.....	34
Annex C (informative)	Recommendations to the end-users.....	35
Bibliography	.....	36
Figure 1	– Temperature profile for 7.2.4 – Temperature cycling test.....	13
Figure 2	– Jig for pressing.....	21
Figure A.1	– Typical of operating region of Li-ion cells with cobalt oxide cathode and carbon anode.....	24
Figure A.2	– Shape of nickel particle.....	28
Figure A.3	– Nickel particle insertion position between positive and negative active material coated area of cylindrical cell.....	29
Figure A.4	– Nickel particle insertion position between positive aluminum foil and negative active material coated area of cylindrical cell.....	29
Figure A.5	– Disassembly of cylindrical cell.....	30
Figure A.6	– Nickel particle insertion position between positive and negative (active material) coated area of prismatic cell.....	31
Figure A.7	– Nickel particle insertion position between positive aluminum foil and negative (active material) coated area of prismatic cell.....	32
Figure A.8	– Disassembly of prismatic cells.....	33
Table 1	– Sample size for type tests (nickel systems).....	11
Table 2	– Sample size for type tests (lithium systems).....	11
Table 3	– Conditions for vibration test.....	12
Table 4	– Condition of charging procedure.....	16
Table 5	– Ambient temperature for cell test <sup>a</sup> .....	20

**SECONDARY CELLS AND BATTERIES CONTAINING ALKALINE  
OR OTHER NON-ACID ELECTROLYTES –**

**SAFETY REQUIREMENTS FOR PORTABLE SEALED  
SECONDARY CELLS, AND FOR BATTERIES MADE FROM THEM,  
FOR USE IN PORTABLE APPLICATIONS**

## **1 Scope**

This International Standard specifies requirements and tests for the safe operation of portable sealed secondary cells and batteries (other than button) containing alkaline or other non-acid electrolyte, under intended use and reasonably foreseeable misuse.

## **2 Normative references**

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-482, *International Electrotechnical Vocabulary – Part 482: Primary and secondary cells and batteries*

IEC 61951-1, *Secondary cells and batteries containing alkaline or other non-acid electrolytes – Portable sealed rechargeable single cells – Part 1: Nickel-cadmium*

IEC 61951-2, *Secondary cells and batteries containing alkaline or other non-acid electrolytes – Portable sealed rechargeable single cells – Part 2: Nickel-metal hydride*

IEC 61960, *Secondary cells and batteries containing alkaline or other non-acid electrolytes – Secondary lithium cells and batteries for portable applications*

ISO/IEC Guide 51, *Safety aspects – Guidelines for their inclusion in standards*