

© Copyright SEK. Reproduction in any form without permission is prohibited.

Miljötålighetsprovning – Del 2-55: Provningsmetoder – Ee: Provning av löst liggande gods inklusive studs, med vägledning

*Environmental testing –
Part 2-55: Tests –
Test Ee and guidance –
Loose cargo testing including bounce*

Som svensk standard gäller europastandarden EN 60068-2-55:2013. Den svenska standarden innehåller den officiella engelska språkversionen av EN 60068-2-55:2013.

Nationellt förord

Europastandarden EN 60068-2-55:2013

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 60068-2-55, Second edition, 2013 - Environmental testing - Part 2-55: Tests - Test Ee and guidance - Loose cargo testing including bounce**

utarbetad inom International Electrotechnical Commission, IEC.

Standarden ska användas tillsammans med SS-EN 60068-1.

Tidigare fastställd svensk standard SS-EN 60068-2-55, utgåva 1, 2001, gäller ej fr o m 2016-03-13.

ICS 19.040.00; 29.020.00

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a säkerhet, prestanda, dokumentation, utförande och skötsel av elprodukter, elanläggningar och metoder. Genom att utforma sådana standarder blir säkerhetskraven tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringssarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utdriften av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringssarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringssverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtidens standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

English version

**Environmental testing -
Part 2-55: Tests -
Test Ee and guidance -
Loose cargo testing including bounce
(IEC 60068-2-55:2013)**

Essais d'environnement -
Partie 2-55: Essais -
Essai Ee et guide -
Essais de chargement sans arrimage y
compris l'essai de rebondissement
(CEI 60068-2-55:2013)

Umgebungseinflüsse -
Teil 2-55: Prüfverfahren -
Prüfung Ee und Leitfaden: Prüfung loser
Packstücke einschließlich Prellen
(IEC 60068-2-55:2013)

This European Standard was approved by CENELEC on 2013-03-13. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 104/592/FDIS, future edition 2 of IEC 60068-2-55, prepared by IEC TC 104 "Environmental conditions, classification and methods of test" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60068-2-55:2013.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2013-12-13
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2016-03-13

This document supersedes EN 60068-2-55:1993.

EN 60068-2-55:2013 includes the following significant technical changes with respect to EN 60068-2-55:1993:

This new edition allows for loose cargo testing in a more general sense. The test is no longer aligned with a special testing machine but allows for use of any suitable equipment such as electrodynamic or servo-hydraulic shaker tables. Moreover, sinusoidal and random vibration can be used. The previous rotation table motions are included in Annex A as historical methods.

This standard should be used in conjunction with EN 60068-1.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60068-2-55:2013 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

- | | |
|----------------|--------------------------------------|
| IEC 60068-2-27 | NOTE Harmonized as EN 60068-2-27. |
| IEC 60068-2-31 | NOTE Harmonized as EN 60068-2-31. |
| IEC 60068-5-2 | NOTE Harmonized as EN 60068-5-2. |
| ISO/IEC 17025 | NOTE Harmonized as EN ISO/IEC 17025. |

Annex ZA
(normative)

**Normative references to international publications
with their corresponding European publications**

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60068-1	-	Environmental testing - Part 1: General and guidance	EN 60068-1	-
IEC 60068-2-6	-	Environmental testing - Part 2-6: Tests - Test Fc: Vibration (sinusoidal)	EN 60068-2-6	-
IEC 60068-2-64	-	Environmental testing - Part 2-64: Tests - Test Fh: Vibration, broadband random and guidance	EN 60068-2-64	-
IEC 60068-2-80	-	Environmental testing - Part 2-80: Tests - Test Fi: Vibration - Mixed mode	EN 60068-2-80	-
ISO 13355	-	Packaging - Complete, filled transport packages and unit loads - Vertical random vibration test	EN ISO 13355	-
ASTM D4169-09	-	Standard Practice for Performance Testing of - Shipping Containers and Systems	-	-

CONTENTS

INTRODUCTION.....	5
1 Scope.....	6
2 Normative references	6
3 Terms and definitions	6
4 Requirements for the test apparatus	7
4.1 General test description	7
4.2 Characteristics of the testing machine	7
4.3 Motion of the platform.....	7
4.4 Tolerances on the horizontal accuracy of platform	8
4.5 Control	8
4.6 Mounting	8
4.7 Horizontal motion of specimen.....	8
5 Severities	8
5.1 Severity for sinusoidal motion of the platform	8
5.2 Severity for random motion of the platform	9
5.3 Severity for mixed mode motion of the platform	9
5.4 Severity for use of special bounce testing machines.....	9
6 Preconditioning	9
7 Initial measurements and functional performance test	9
8 Testing	9
9 Recovery.....	10
10 Final measurements	10
11 Information to be given in the relevant specification.....	11
12 Information to be given in the test report	11
Annex A (normative) Guidance	12
Annex B (informative) Comparison amongst impact tests	17
Bibliography.....	18
Figure A.1 – Typical arrangement of barriers and typical reference point positions	13
Figure A.2 – Basic drive motion of a mechanical bounce tester.....	14
Table B.1 – Comparison of different impact tests	17

INTRODUCTION

This test is applicable to specimens which, during transportation on the load-carrying platform of wheeled vehicles either not fastened down or with some degree of freedom, may be subjected to dynamic stresses resulting from random shock conditions (bounce). The test may also be used as a simple means of assessing the satisfactory design of a specimen so far as its structural integrity is concerned.

NOTE In practice, this test is primarily applicable to equipment-type specimens and packages.

Although the test is performed using a vibrating platform, it is not considered as a vibration test, but as an impact test. Vibration tests should be conducted according to the appropriate standards from IEC 60068-2.

In Clause 11, specification writers will find a list of details to be considered for inclusion in specifications and, in Annex A, the necessary accompanying guidance.

ENVIRONMENTAL TESTING –

Part 2-55: Tests – Test Ee and guidance – Loose cargo testing including bounce

1 Scope

This part of IEC 60068 provides a standard procedure for determining the ability of a specimen to withstand specified severities of bounce, e. g. when transported as loose cargo on wheeled vehicles.

This test is primarily intended for specimens prepared for transportation, including specimens in their transport case when the latter may be considered as part of the specimen itself or packages. This test should not be used as a low-frequency vibration test.

Although primarily intended for electrotechnical products, this standard is not restricted to them and may be used in other fields where desired.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-1, *Environmental testing – Part 1: General and guidance*¹

IEC 60068-2-6, *Environmental testing – Part 2-6: Tests – Test Fc: Vibration (sinusoidal)*

IEC 60068-2-64, *Environmental testing – Part 2-64: Tests – Test Fh: Vibration, broadband random and guidance*

IEC 60068-2-80, *Environmental testing – Part 2-80: Tests – Test Fi: Vibration – Mixed mode*

ISO 13355, *Packaging – Complete, filled transport packages and unit loads – Vertical random vibration test*

ASTM D4169-09, *Standard Practice for Performance Testing of Shipping Containers and Systems*

¹ A new edition of IEC 60068-1 is currently under consideration.