

© Copyright SEK. Reproduction in any form without permission is prohibited.

## **Elektromagnetisk kompatibilitet (EMC) – Del 3-3: Gränsvärden – Begränsning av spänningsfluktuationer och flimmer i lågspänningsdistributionssystem förorsakade av apparater med märkström högst 16 A per fas utan särskilda anslutningsvillkor**

*Electromagnetic compatibility (EMC) –*

*Part 3-3: Limits –*

*Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems,  
for equipment with rated current  $\leq 16$  A per phase and not subject to conditional connection*

Som svensk standard gäller europastandarden EN 61000-3-3:2013. Den svenska standarden innehåller den officiella engelska språkversionen av EN 61000-3-3:2013.

### **Nationellt förord**

Europastandarden EN 61000-3-3:2013

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 61000-3-3, Third edition, 2013 - Electromagnetic compatibility (EMC) - Part 3-3: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current  $\leq 16$  A per phase and not subject to conditional connection**

utarbetad inom International Electrotechnical Commission, IEC.

Tidigare fastställd svensk standard SS-EN 61000-3-3, utgåva 2, 2008 gäller ej fr o m 2016-06-18.

### *Standarder underlättar utvecklingen och höjer elsäkerheten*

Det finns många fördelar med att ha gemensamma tekniska regler för bl a säkerhet, prestanda, dokumentation, utförande och skötsel av elprodukter, elanläggningar och metoder. Genom att utforma sådana standarder blir säkerhetskraven tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

### *SEK är Sveriges röst i standardiseringsarbetet inom elområdet*

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

### *Stora delar av arbetet sker internationellt*

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

### *Var med och påverka!*

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

### **SEK Svensk Elstandard**

Box 1284  
164 29 Kista  
Tel 08-444 14 00  
[www.elstandard.se](http://www.elstandard.se)

English version

**Electromagnetic compatibility (EMC) -  
Part 3-3: Limits -  
Limitation of voltage changes, voltage fluctuations and flicker in public  
low-voltage supply systems, for equipment with rated current  $\leq 16$  A per  
phase and not subject to conditional connection  
(IEC 61000-3-3:2013)**

Compatibilité électromagnétique (CEM) -  
Partie 3-3: Limites -  
Limitation des variations de tension, des  
fluctuations de tension et du papillotement  
dans les réseaux publics d'alimentation  
basse tension, pour les matériels ayant un  
courant assigné  $\leq 16$  A par phase et non  
soumis à un raccordement conditionnel  
(CEI 61000-3-3:2013)

Elektromagnetische Verträglichkeit  
(EMV) -  
Teil 3-3: Grenzwerte -  
Begrenzung von Spannungsänderungen,  
Spannungsschwankungen und Flicker in  
öffentlichen Niederspannungs-  
Versorgungsnetzen für Geräte mit einem  
Bemessungsstrom  $\leq 16$  A je Leiter, die  
keiner Sonderanschlussbedingung  
unterliegen  
(IEC 61000-3-3:2013)

This European Standard was approved by CENELEC on 2013-06-18. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

**CENELEC**

European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**Management Centre: Avenue Marnix 17, B - 1000 Brussels**

## Foreword

The text of document 77A/809/FDIS, future edition 3 of IEC 61000-3-3, prepared by SC 77A, "EMC - Low frequency phenomena", of IEC TC 77, "Electromagnetic compatibility" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61000-3-3:2013.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2014-03-18
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2016-06-18

This document supersedes EN 61000-3-3:2008.

EN 61000-3-3:2013 includes the following significant technical changes with respect to EN 61000-3-3:2008:

This edition takes account of the changes made in EN 61000-4-15:2011.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For the relationship with EU Directive(s) see informative Annex ZZ, which is an integral part of this document.

## Endorsement notice

The text of the International Standard IEC 61000-3-3:2013 was approved by CENELEC as a European Standard without any modification.

## Annex ZA (normative)

### Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

| <u>Publication</u>              | <u>Year</u>  | <u>Title</u>                                                                                                                                                                                                                                          | <u>EN/HD</u>  | <u>Year</u> |
|---------------------------------|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|-------------|
| IEC/TR 60725                    | -            | Consideration of reference impedances and public supply network impedances for use in determining disturbance characteristics of electrical equipment having a rated current $\leq 75$ A per phase                                                    | -             | -           |
| IEC 60974-1                     | -            | Arc welding equipment -<br>Part 1: Welding power sources                                                                                                                                                                                              | EN 60974-1    | -           |
| IEC 61000-3-2                   | -            | Electromagnetic compatibility (EMC) -<br>Part 3-2: Limits - Limits for harmonic current emissions (equipment input current $\leq 16$ A per phase)                                                                                                     | EN 61000-3-2  | -           |
| IEC 61000-3-11                  | -            | Electromagnetic compatibility (EMC) -<br>Part 3-11: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems -<br>Equipment with rated current $\leq 75$ A and subject to conditional connection | EN 61000-3-11 | -           |
| IEC 61000-4-15<br>+ corr. March | 2010<br>2012 | Electromagnetic compatibility (EMC) -<br>Part 4-15: Testing and measurement techniques - Flickermeter - Functional and design specifications                                                                                                          | EN 61000-4-15 | 2011        |

## CONTENTS

|                                                                                                                                         |    |
|-----------------------------------------------------------------------------------------------------------------------------------------|----|
| INTRODUCTION.....                                                                                                                       | 6  |
| 1 Scope.....                                                                                                                            | 7  |
| 2 Normative references .....                                                                                                            | 7  |
| 3 Terms and definitions .....                                                                                                           | 8  |
| 4 Assessment of voltage changes, voltage fluctuations and flicker .....                                                                 | 10 |
| 4.1 Assessment of a relative voltage change, $d(t)$ .....                                                                               | 10 |
| 4.2 Assessment of the short-term flicker value, $P_{st}$ .....                                                                          | 10 |
| 4.2.1 General .....                                                                                                                     | 10 |
| 4.2.2 Flickermeter .....                                                                                                                | 11 |
| 4.2.3 Simulation method .....                                                                                                           | 11 |
| 4.2.4 Analytical method .....                                                                                                           | 11 |
| 4.2.5 Use of $P_{st} = 1$ curve .....                                                                                                   | 12 |
| 4.3 Assessment of long-term flicker value, $P_{lt}$ .....                                                                               | 12 |
| 5 Limits .....                                                                                                                          | 12 |
| 6 Test conditions .....                                                                                                                 | 13 |
| 6.1 General .....                                                                                                                       | 13 |
| 6.2 Measurement uncertainty .....                                                                                                       | 14 |
| 6.3 Test supply voltage .....                                                                                                           | 14 |
| 6.4 Reference impedance.....                                                                                                            | 14 |
| 6.5 Observation period .....                                                                                                            | 14 |
| 6.6 General test conditions.....                                                                                                        | 15 |
| Annex A (normative) Application of limits and type test conditions for specific equipment.....                                          | 19 |
| Annex B (normative) Test conditions and procedures for measuring $d_{max}$ voltage changes caused by manual switching .....             | 27 |
| Annex C (informative) Determination of steady state voltage and voltage change characteristics, as defined in IEC 61000-4-15:2010 ..... | 28 |
| Annex D (informative) Input relative voltage fluctuation $\Delta V/V$ for $P_{st} = 1,0$ at output [IEC/TR 61000-3-7:2008] .....        | 33 |
| Bibliography.....                                                                                                                       | 34 |
| Figure 1 – Reference network for single-phase and three-phase supplies derived from a three-phase, four-wire supply.....                | 16 |
| Figure 2 – Curve for $P_{st} = 1$ for rectangular equidistant voltage changes .....                                                     | 17 |
| Figure 3 – Shape factors $F$ for double-step and ramp-voltage characteristics .....                                                     | 17 |
| Figure 4 – Shape factors $F$ for rectangular and triangular voltage characteristics .....                                               | 18 |
| Figure 5 – Shape factor $F$ for motor-start voltage characteristics having various front times.....                                     | 18 |
| Figure C.1 – Evaluation of $U_{hp}(t)$ .....                                                                                            | 32 |
| Table 1 – Assessment method .....                                                                                                       | 11 |
| Table A.1 – Test conditions for hotplates .....                                                                                         | 19 |
| Table A.2 – Electrode parameters .....                                                                                                  | 24 |
| Table A.3 – Frequency factor $R$ related to repetition rate " $r$ ".....                                                                | 25 |

|                                                                                                                    |    |
|--------------------------------------------------------------------------------------------------------------------|----|
| Table C.1 – Test specification for $d_C - d_{\max} - t_d(t) > 3,3 \%$ (from Table 12 of IEC 61000-4-15: 2010)..... | 31 |
| Table C.2 – Test specification for $d_C - d_{\max} - t_d(t) > 3,3 \%$ (from Table 13 of IEC 61000-4-15: 2010)..... | 31 |
| Table D.1 – Input relative voltage fluctuation $\Delta V/V$ for $P_{\text{St}} = 1,0$ at output .....              | 33 |

## INTRODUCTION

IEC 61000 is published in separate parts according to the following structure:

### Part 1: General

General considerations (introduction, fundamental principles)

Definitions, terminology

### Part 2: Environment

Description of the environment

Classification of the environment

Compatibility levels

### Part 3: Limits

Emission limits

Immunity limits (in so far as they do not fall under the responsibility of product committees)

### Part 4: Testing and measurement techniques

Measurement techniques

Testing techniques

### Part 5: Installation and mitigation guidelines

Installation guidelines

Mitigation methods and devices

### Part 9: Miscellaneous

Each part is further subdivided into sections which are to be published either as International Standards or as Technical Reports.

These standards and reports will be published in chronological order and numbered accordingly.

## ELECTROMAGNETIC COMPATIBILITY (EMC) –

### **Part 3-3: Limits – Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current $\leq 16$ A per phase and not subject to conditional connection**

#### **1 Scope**

This part of IEC 61000 is concerned with the limitation of voltage fluctuations and flicker impressed on the public low-voltage system.

It specifies limits of voltage changes which may be produced by an equipment tested under specified conditions and gives guidance on methods of assessment.

This part of IEC 61000 is applicable to electrical and electronic equipment having an input current equal to or less than 16 A per phase, intended to be connected to public low-voltage distribution systems of between 220 V and 250 V line to neutral at 50 Hz, and not subject to conditional connection.

Equipment which does not comply with the limits of this part of IEC 61000 when tested with the reference impedance  $Z_{\text{ref}}$  of 6.4, and which therefore cannot be declared compliant with this part, may be retested or evaluated to show conformity with IEC 61000-3-11. Part 3-11 is applicable to equipment with rated input current  $\leq 75$  A per phase and subject to conditional connection.

The tests according to this part are type tests. Particular test conditions are given in Annex A and the test circuit is shown in Figure 1.

NOTE 1 The limits in this standard relate to the voltage changes experienced by consumers connected at the interface between the public supply low-voltage network and the equipment user's installation. Consequently, if the actual impedance of the supply at the supply terminals of equipment connected within the equipment user's installation exceeds the test impedance, it is possible that supply disturbance exceeding the limits could occur.

NOTE 2 The limits in this standard are based mainly on the subjective severity of flicker imposed on the light from 230 V 60 W coiled-coil filament lamps by fluctuations of the supply voltage. For systems with nominal voltage less than 220 V line to neutral and/or frequency of 60 Hz, the limits and reference circuit values are under consideration.

#### **2 Normative references**

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC/TR 60725, *Consideration of reference impedances and public supply impedances for use in determining disturbance characteristics of electrical equipment having a rated current  $\leq 75$  A per phase*

IEC 60974-1, *Arc welding equipment – Part 1: Welding power sources*

IEC 61000-3-2, *Electromagnetic compatibility (EMC) – Part 3-2: Limits – Limits for harmonic current emissions (equipment input current  $\leq 16$  A per phase)*

IEC 61000-3-11, *Electromagnetic compatibility (EMC) – Part 3-11: Limits – Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems – Equipment with rated current  $\leq 75$  A and subject to conditional connection*

IEC 61000-4-15:2010, *Electromagnetic compatibility (EMC) – Part 4-15: Testing and measurement techniques – Flickermeter – Functional and design specifications*