

© Copyright SEK. Reproduction in any form without permission is prohibited.

Elektrisk utrustning för områden med explosiv gasatmosfär – Del 0: Allmänna fordringar

*Electrical apparatus for explosive gas atmospheres –
Part 0: General requirements*

Som svensk standard gäller europastandarden EN 60079-0:2004. Den svenska standarden innehåller den officiella engelska språkversionen av EN 60079-0:2004^{*)}.

Nationellt förord

Europastandarden EN 60079-0:2004

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 60079-0, Fourth edition, 2004 - Electrical apparatus for explosive gas atmospheres - Part 0: General requirements**

utarbetad inom International Electrotechnical Commission, IEC.

Tidigare fastställd svensk standard SS-EN 50014, utgåva 2, 1987 och SS-EN 50014, utgåva 3, 1993, gäller ej fr o m 2004-04-26.

Tidigare fastställd svensk standard SS-EN 50014, utgåva 4, 1997, SS-EN 50014 C1, utgåva 1, 1998, SS-EN 50014/A1, utgåva 1, 1999 och SS-EN 50014/A2, utgåva 1, 1999, gäller ej fr o m 2007-03-01.

^{*)} Corrigendum, April 2004, till EN 60079-0:2004 är inarbetat i texten.

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a säkerhet, prestanda, dokumentation, utförande och skötsel av elprodukter, elanläggningar och metoder. Genom att utforma sådana standarder blir säkerhetskraven tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringssarbetet inom elområdet

Svenska Elektriska Kommissionen, SEK, svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringssarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringssverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK

Box 1284
164 29 Kista
Tel 08-444 14 00
www.sekom.se

EUROPEAN STANDARD

EN 60079-0

NORME EUROPÉENNE

EUROPÄISCHE NORM

March 2004

ICS 29.260.20

Supersedes EN 50014:1997 + A1:1999 + A2:1999
Incorporates Corrigendum April 2004

English version

Electrical apparatus for explosive gas atmospheres
Part 0: General requirements
(IEC 60079-0:2004)

Matériel électrique pour atmosphères
explosives gazeuses
Partie 0: Règles générales
(CEI 60079-0:2004)

Elektrische Betriebsmittel für
gasexplosionsgefährdete Bereiche
Teil 0: Allgemeine Anforderungen
(IEC 60079-0:2004)

This European Standard was approved by CENELEC on 2004-03-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

The text of document 31/474A/FDIS, future edition 4 of IEC 60079-0, prepared by IEC TC 31, Electrical apparatus for explosive atmospheres, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 60079-0 on 2004-03-01.

This European Standard supersedes EN 50014:1997 + A1:1999 + A2:1999.

The following dates were fixed:

- latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2004-12-01
- latest date by which the national standards conflicting with the EN have to be withdrawn (dow) 2007-03-01

This European Standard was prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association and supports the essential requirements of Directive 94/9/EC.

Annex ZA has been added by CENELEC.

The contents of the corrigendum of April 2004 have been included in this copy.

Endorsement notice

The text of the International Standard IEC 60079-0:2004 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60079-14 NOTE Harmonized as EN 60079-14:2003 (not modified).

IEC 60079-17 NOTE Harmonized as EN 60079-17:2003 (not modified).

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60034-5	- 1)	Rotating electrical machines Part 5: Degrees of protection provided by the integral design of rotating electrical machines (IP code) – Classification	EN 60034-5	2001 ²⁾
IEC 60079-1	- ¹⁾	Electrical apparatus for explosive gas atmospheres Part 1: Flameproof enclosures 'd'	EN 60079-1	2004 ²⁾
IEC 60079-2	- ¹⁾	Part 2: Pressurized enclosures "p"	-	-
IEC 60079-4	- ¹⁾	Part 4: Method of test for ignition temperature	-	-
IEC 60079-5	- ¹⁾	Part 5: Powder filling 'q'	-	-
IEC 60079-6	- ¹⁾	Part 6: Oil-immersion "o"	-	-
IEC 60079-7	- ¹⁾	Part 7: Increased safety "e"	EN 60079-7	2003 ²⁾
IEC 60079-10	- ¹⁾	Part 10: Classification of hazardous areas	EN 60079-10	2003 ²⁾
IEC 60079-11	- ¹⁾	Part 11: Intrinsic safety "i"	-	-
IEC 60079-15 (mod)	- ¹⁾	Part 15: Type of protection "n"	EN 60079-15	2003 ²⁾
IEC 60079-18	- ¹⁾	Part 18: Encapsulation "m"	-	-
IEC 60079-25	- ¹⁾	Part 25: Intrinsically safe systems	EN 60079-25	2004 ²⁾
IEC 60079-26	- 3)	Part 26: Construction, test and marking of Group II Zone 0 electrical apparatus	-	-
IEC 60086-1	- ¹⁾	Primary batteries Part 1: General	EN 60086-1	2001 ²⁾

1) Undated reference.

2) Valid edition at date of issue.

3) To be published.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60095-1 (mod)	- ¹⁾	Lead-acid starter batteries Part 1: General requirements and methods of test	EN 60095-1	1993 ²⁾
IEC 60192	- ¹⁾	Low pressure sodium vapour lamps - Performance specifications	EN 60192	2001 ²⁾
IEC 60216-1	- ¹⁾	Electrical insulating materials - Properties of thermal endurance Part 1: Ageing procedures and evaluation of test results	EN 60216-1	2001 ²⁾
IEC 60216-2	- ¹⁾	Part 2: Choice of test criteria	HD 611.2 S1	1992 ²⁾
IEC 60423 (mod)	- ¹⁾	Conduits for electrical purposes - Outside diameters of conduits for electrical installations and threads for conduits and fittings	EN 60423	1994 ²⁾
IEC 60529	- ¹⁾	Degrees of protection provided by enclosures (IP Code)	EN 60529	1991 ²⁾
IEC 60622	- ¹⁾	Secondary cells and batteries containing alkaline or other non-acid electrolytes - Sealed nickel-cadmium prismatic rechargeable single cells	EN 60622	2003 ²⁾
IEC 60623	- ¹⁾	Secondary cells and batteries containing alkaline or other non-acid electrolytes - Vented nickel-cadmium prismatic rechargeable single cells	EN 60623	2001 ²⁾
IEC 60662	- ¹⁾	High-pressure sodium vapour lamps	EN 60662	1993 ²⁾
IEC 60947-1 (mod)	- ¹⁾	Low-voltage switchgear and controlgear Part 1: General rules	EN 60947-1	1999 ²⁾
IEC 61056-1	- ¹⁾	General purpose lead-acid batteries (valve regulated types) Part 1: General requirements, functional characteristics - Methods of test	EN 61056-1	2003 ²⁾
IEC 61150	- ¹⁾	Alkaline secondary cells and batteries - Sealed nickel-cadmium rechargeable monobloc batteries in button cell design	EN 61150	1993 ²⁾
IEC 61436	- ¹⁾	Secondary cells and batteries containing alkaline or other non-acid electrolytes - Sealed nickel-metal hydride rechargeable single cells	EN 61436	1998 ²⁾
IEC 61951-1	- ¹⁾	Secondary cells and batteries containing alkaline or other non-acid electrolytes - Portable sealed rechargeable single cells Part 1: Nickel-cadmium	EN 61951-1	2003 ²⁾

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 62013-1 (mod)	- ¹⁾	Caplights for use in mines susceptible to firedamp Part 1: General requirements - Construction and testing in relation to the risk of explosion	EN 62013-1	2002 ²⁾
IEC 62086-1	- ¹⁾	Electrical apparatus for explosive gas atmospheres - Electrical resistance trace heating - Part 1: General and testing requirements	-	-
ISO 48	- ¹⁾	Rubber, vulcanized or thermoplastic Determination of hardness (hardness between 10 IRHD and 100 IRHD)	-	-
ISO 178	- ¹⁾	Plastics - Determination of flexural properties	EN ISO 178	1996 ²⁾
ISO 179	- ¹⁾	Plastics - Determination of Charpy impact strength	EN ISO 179	1996 ²⁾
ISO 262	- ¹⁾	ISO general-purpose metric screw threads Selected sizes for screws, bolts and nuts	-	-
ISO 273	- ¹⁾	Fasteners - Clearance holes for bolts and screws	EN 20273	1991 ²⁾
ISO 286-2	- ¹⁾	ISO system of limits and fits Part 2: Tables of standard tolerance grades and limit deviations for holes and shafts	EN 20286	1993 ²⁾
ISO 527-2	- ¹⁾	Plastics - Determination of tensile properties Part 2: Test conditions for moulding and extrusion plastics	EN ISO 527-2	1996 ²⁾
ISO 965-1	- ¹⁾	ISO general-purpose metric screw threads - Tolerances Part 1: Principles and basic data	-	-
ISO 965-3	- ¹⁾	ISO general purpose metric screw threads - Tolerances - Part 3: Deviations for constructional threads	-	-
ISO 1817	- ¹⁾	Rubber, vulcanized - Determination of the effect of liquids	-	-
ISO 4014	- ¹⁾	Hexagon head bolts - Product grades A and B	EN ISO 4014	2000 ²⁾
ISO 4017	- ¹⁾	Hexagon head screws - Product grades A and B	EN ISO 4017	2000 ²⁾
ISO 4026	- ¹⁾	Hexagon socket set screws with flat point	EN ISO 4026	2003 ²⁾

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
ISO 4027	- ¹⁾	Hexagon socket set screws with cone point	EN ISO 4027	2003 ²⁾
ISO 4028	- ¹⁾	Hexagon socket set screws with dog point	EN ISO 4028	2003 ²⁾
ISO 4029	- ¹⁾	Hexagon socket set screws with cup point	EN ISO 4029	2003 ²⁾
ISO 4032	- ¹⁾	Hexagon nuts, style 1 - Product grades A and B	EN ISO 4032	2000 ²⁾
ISO 4762	- ¹⁾	Hexagon socket head cap screws - Product grade A	EN ISO 4762	1997 ²⁾
ISO 4892-1	- ¹⁾	Plastics - Methods of exposure to laboratory light sources Part 1: General guidance	EN ISO 4892-1	2000 ²⁾
ANSI/UL 746B	- ¹⁾	Polymeric Materials - Long-Term Property Evaluations	-	-

CONTENTS

1	Scope.....	19
2	Normative references	21
3	Terms and definitions	27
4	Apparatus grouping and temperature classification.....	39
4.1	Apparatus grouping	39
4.2	Group II.....	39
5	Temperatures	39
5.1	Environmental influences	39
5.2	Service temperature	41
5.3	Maximum surface temperature	41
5.4	Surface temperature and ignition temperature	43
5.5	Small components	43
6	Requirements for all electrical apparatus.....	45
6.1	General	45
6.2	Mechanical strength of apparatus.....	45
6.3	Opening times	45
6.4	Circulating currents	47
6.5	Gasket retention.....	47
7	Non-metallic enclosures and non-metallic parts of enclosures	47
7.1	General	47
7.2	Thermal endurance	49
7.3	Electrostatic charges on external non-metallic materials of enclosures.....	49
7.4	Threaded holes	51
8	Enclosures containing light metals.....	53
8.1	Material composition	53
8.2	Threaded holes	53
	Fasteners	53
9.1	General	53
9.2	Special fasteners.....	55
9.3	Holes for special fasteners	55
10	Interlocking devices	59
11	Bushings	59
12	Materials used for cementing.....	59
13	Ex components.....	59
13.1	General	59
13.2	Mounting internal to apparatus	59
13.3	Mounting external to apparatus	61
14	Connection facilities and terminal compartments	61
14.1	General	61
14.2	Connection space.....	61
14.3	Type of protection	61
14.4	Creepage and clearance	61

15	Connection facilities for earthing or bonding conductors	61
15.1	Internal.....	61
15.2	External.....	61
15.3	Apparatus not requiring earthing	63
15.4	Size of conductor connection.....	63
15.5	Protection against corrosion	63
15.6	Secureness	63
16	Entries into enclosures	65
16.1	General	65
16.2	Identification of entries	65
16.3	Cable glands	65
16.4	Blanking elements.....	65
16.5	Conductor temperature.....	65
17	Supplementary requirements for rotating electrical machines	67
17.1	Fans and fan hoods.....	67
17.2	Ventilation openings for external fans.....	67
17.3	Construction and mounting of the ventilating systems	69
17.4	Clearances for the ventilating system	69
17.5	Materials for external fans and fan hoods	69
17.6	Equipotential bonding conductors	69
18	Supplementary requirements for switchgear	69
18.1	Flammable dielectric	69
18.2	Disconnectors	71
18.3	Group I – Provisions for locking.....	71
18.4	Doors and covers	71
19	Supplementary requirements for fuses	73
20	Supplementary requirements for plugs and sockets	73
20.1	Interlocking	73
20.2	Energized plugs	73
21	Supplementary requirements for luminaires	73
21.1	General	73
21.2	Covers	75
21.3	Special lamps.....	75
22	Supplementary requirements for caplights and handlights	75
22.1	Group I caplights and handlights	75
22.2	Group II caplights and handlights	75
23	Apparatus incorporating cells and batteries	77
23.1	Batteries.....	77
23.2	Cell types	77
23.3	Cells in a battery	79
23.4	Ratings of batteries	79
23.5	Mixture of cells	79
23.6	Interchangeability	79
23.7	Charging of primary batteries	79
23.8	Leakage	79

23.9	Connections	81
23.10	Orientation.....	81
23.11	Replacement of cells or batteries.....	81
24	Documentation	81
25	Compliance of prototype or sample with documents	81
26	Type tests	81
26.1	General	81
26.2	Test configuration.....	81
26.3	Tests in explosive test mixtures	81
26.4	Tests of enclosures	83
26.5	Thermal tests.....	91
26.6	Torque test for bushings	93
26.7	Non-metallic enclosures or non-metallic parts of enclosures	95
26.8	Thermal endurance to heat.....	95
26.9	Thermal endurance to cold	97
26.10	Resistance to light	97
26.11	Resistance to chemical agents for Group I electrical apparatus	99
26.12	Earth continuity	99
26.13	Surface resistance test of parts of enclosures of non-metallic materials.....	101
26.14	Charging tests	103
26.15	Measurement of capacitance	111
27	Routine verifications and tests.....	111
28	Manufacturer's responsibility	111
28.1	Certificate.....	111
28.2	Responsibility for marking.....	111
29	Marking	111
29.1	Location	113
29.2	General	113
29.3	Different types of protection.....	115
29.4	Order of marking.....	117
29.5	Ex components	117
29.6	Small apparatus and Ex components	117
29.7	Extremely small apparatus and Ex components	117
29.8	Warning markings.....	117
29.9	Cells and batteries.....	119
29.10	Examples of marking	119
30	Instructions.....	121
30.1	General	121
30.2	Cells and batteries.....	123
	Annex A (normative) Ex cable glands.....	125
	Annex B (normative) Requirements for Ex components.....	139
	Annex C (informative) Example of rig for resistance to impact test.....	143
	Bibliography.....	145

Figure 1 – Tolerances and clearance for threaded fasteners	57
Figure 2 – Contact surface under head of fastener with a reduced shank.....	57
Figure 3 – Illustration of entry points and branching points	67
Figure 4 – Assembly of test sample for earth-continuity test.....	101
Figure 5 – Test piece with painted electrodes	103
Figure 6 – Rubbing with a pure nylon cloth	107
Figure 7 – Discharging of a container with a probe connected to earth via a 0,1 µF capacitor.....	109
Figure 8 – Charging by influence with a d.c. voltage power supply.....	109
Figure A.1 – Illustration of the terms used for cable glands	125
Figure A.2 – Rounded edge of the point of entry of the flexible cable	129
Figure C.1 – Example of rig for resistance to impact test	143
Table 1 – Ambient temperatures in service and additional marking	41
Table 2 – Classification of maximum surface temperatures for Group II electrical apparatus	43
Table 3 – Assessment for T4 classification according to component size and ambient temperature	43
Table 4 – Limitations of areas	51
Table 5 – Minimum cross-sectional area of protective conductors	63
Table 6 – Primary cells	77
Table 7 – Secondary cells.....	79
Table 8 – Tests for resistance to impact.....	87
Table 9 – Torque to be applied to the stem of bushing used for connection facilities.....	95
Table 10 – Text of warning markings	119
Table B.1 – Clauses with which Ex components shall comply	139

ELECTRICAL APPARATUS FOR EXPLOSIVE GAS ATMOSPHERES –

Part 0: General requirements

1 Scope

This part of IEC 60079 specifies the general requirements for construction, testing and marking of electrical apparatus and Ex components intended for use in explosive gas atmospheres.

Unless modified by one of the parts in the IEC 60079 series, electrical apparatus complying with this standard is intended for use in hazardous areas in which explosive gas atmospheres, caused by mixtures of air and gases, vapours or mists, exist under normal atmospheric conditions of

- temperature –20 °C to +60 °C;
- pressure 80 kPa (0,8 bar) to 110 kPa (1,1 bar); and
- air with normal oxygen content, typically 21 % v/v.

The application of electrical apparatus in atmospheric conditions outside this range may need special consideration.

NOTE 1 The determination of the maximum surface temperature is based on an operational ambient temperature of –20 °C to +40 °C, if not otherwise specified by the manufacturer. See also 5.1.1.

NOTE 2 In designing apparatus for operation in explosive gas atmospheres under conditions other than the atmospheric conditions given above, this standard may be used as a guide. However, additional testing related specifically to the intended conditions of use is recommended. This is particularly important when the types of protection 'flameproof enclosures "d"' (IEC 60079-1) and 'intrinsic safety "i"' (IEC 60079-11) are applied.

NOTE 3 Requirements given in this standard result from an ignition hazard assessment made on electrical equipment. The ignition sources taken into account are those found associated with this type of equipment, such as hot surfaces, mechanically generated sparks, thermite reactions, electrical arcing and static electric discharge in normal industrial environments. For other ignition sources like adiabatic compression, shock waves, exothermic chemical reaction, self ignition of dust, naked flames, hot gases/liquids the apparatus are subjected to a hazard analysis that identifies and lists all of the potential sources of ignition by the electrical apparatus and the measures to be applied to prevent them becoming effective.

This standard does not specify requirements for safety, other than those directly related to the explosion risk.

This standard is supplemented or modified by the following parts of IEC 60079 concerning specific types of protection:

- IEC 60079-1: Flameproof enclosures "d";
- IEC 60079-2: Pressurized enclosures "p";
- IEC 60079-5: Powder filling "q";
- IEC 60079-6: Oil immersion "o";
- IEC 60079-7: Increased safety "e";
- IEC 60079-11: Intrinsic safety "i";
- IEC 60079-15: Type of protection "n";
- IEC 60079-18: Encapsulation "m".

This standard is supplemented or modified by the following apparatus standards:

- IEC 60079-25
- IEC 60079-26
- IEC 62013-1
- IEC 62086-1.

This part of IEC 60079, along with other parts in the IEC 60079 series and the additional standards mentioned above, is not applicable to the construction of electromedical apparatus, shot-firing exploders, test devices for exploders and for shot-firing circuits.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60034-5, *Rotating electrical machines – Part 5: Degrees of protection provided by the integral design of rotating electrical machines (IP code) – Classification*

IEC 60079-1, *Electrical apparatus for explosive gas atmospheres – Part 1: Flameproof enclosures "d"*

IEC 60079-2, *Electrical apparatus for explosive gas atmospheres – Part 2: Pressurized enclosures "p"*

IEC 60079-4, *Electrical apparatus for explosive gas atmospheres – Part 4: Method of test for ignition temperature*

IEC 60079-5, *Electrical apparatus for explosive gas atmospheres – Part 5: Powder filling "q"*

IEC 60079-6, *Electrical apparatus for explosive gas atmospheres – Part 6: Oil-immersion "o"*

IEC 60079-7, *Electrical apparatus for explosive gas atmospheres – Part 7: Increased safety "e"*

IEC 60079-10, *Electrical apparatus for explosive gas atmospheres – Part 10: Classification of hazardous areas*

IEC 60079-11, *Electrical apparatus for explosive gas atmospheres – Part 11: Intrinsic safety "i"*

IEC 60079-15, *Electrical apparatus for explosive gas atmospheres – Part 15: Type of protection "n"*

IEC 60079-18, *Electrical apparatus for explosive gas atmospheres – Part 18: Encapsulation "m"*

IEC 60079-25: *Electrical apparatus for explosive gas atmospheres – Part 25: Intrinsically safe systems*¹

IEC 60079-26: *Electrical apparatus for explosive gas atmospheres – Part 26: Construction, test and marking of zone 0 electrical apparatus*²

IEC 60086-1, *Primary batteries – Part 1: General*

IEC 60095-1, *Lead-acid starter batteries – Part 1: General requirements and methods of test*

IEC 60192, *Low-pressure sodium vapour lamps – Performance specifications*

IEC 60216-1, *Electrical insulating materials – Properties of thermal endurance – Part 1: Ageing procedures and evaluation of test results*

IEC 60216-2, *Guide for the determination of thermal endurance properties of electrical insulating materials – Part 2: Choice of test criteria*

IEC 60423, *Conduits for electrical purposes – Outside diameters of conduits for electrical installations and threads for conduits and fittings*

IEC 60529, *Degrees of protection provided by enclosures (IP Code)*

IEC 60622, *Secondary cells and batteries containing alkaline or other non-acid electrolytes – Sealed nickel-cadmium prismatic rechargeable single cells*

IEC 60623, *Secondary cells and batteries containing alkaline or other non-acid electrolytes – Vented nickel-cadmium prismatic rechargeable single cells*

IEC 60662, *High-pressure sodium vapour lamps*

IEC 60947-1, *Low-voltage switchgear and controlgear – Part 1: General rules*

IEC 61056-1, *General-purpose lead-acid cells and batteries (valve-regulated types) – Part 1: General requirements, functional characteristics – Methods of test*

IEC 61150, *Alkaline secondary cells and batteries – Sealed nickel-cadmium rechargeable monobloc batteries in button cell design*

IEC 61436, *Secondary cells and batteries containing alkaline or other non-acid electrolytes – Sealed nickel-metal hydride rechargeable single cells*

IEC 61951-1, *Secondary cells and batteries containing alkaline and other non-acid electrolytes – Portable sealed rechargeable single cells – Part 1: Nickel-cadmium*

IEC 62013-1, *Caplights for use in mines susceptible to firedamp – Part 1: General requirements – Construction and testing in relation to the risk of explosion*

IEC 62086-1: *Electrical apparatus for explosive gas atmospheres – Electrical resistance trace heating – Part 1: General and testing requirements*

¹ To be published.

² In preparation.

ISO 48, *Rubber, vulcanized or thermoplastic – Determination of hardness (hardness between 10 IRHD and 100 IRHD)*

ISO 178, *Plastics – Determination of flexural properties*

ISO 179, *Plastics – Determination of Charpy impact properties*

ISO 262, *ISO general-purpose metric screw threads – Selected sizes for screws, bolts and nuts*

ISO 273, *Fasteners – Clearance holes for bolts and screws*

ISO 286-2, *ISO system of limits and fits – Part 2: Tables of standard tolerance grades and limit deviations for holes and shafts*

ISO 527-2, *Plastics – Determination of tensile properties – Part 2: Test conditions for moulding and extrusion plastics*

ISO 965-1, *ISO general-purpose metric screw threads – Tolerances – Part 1: Principles and basic data*

ISO 965-3, *ISO general-purpose metric screw threads – Tolerances – Part 3: Deviations for constructional screw threads*

ISO 1817, *Rubber, vulcanized – Determination of the effect of liquids*

ISO 4014, *Hexagon head bolts – Product grades A and B*

ISO 4017, *Hexagon head screws – Product grades A and B*

ISO 4026, *Hexagon socket set screws with flat point*

ISO 4027, *Hexagon socket set screws with cone point*

ISO 4028, *Hexagon socket set screws with dog point*

ISO 4029, *Hexagon socket set screws with cup point*

ISO 4032, *Hexagon nuts, style 1 – Product grades A and B*

ISO 4762, *Hexagon socket head cap screws*

ISO 4892-1, *Plastics – Methods of exposure to laboratory light sources – Part 1: General guidance*

ANSI/UL 746B, *Polymeric Materials – Long-Term Property Evaluations*