

© Copyright SEK. Reproduction in any form without permission is prohibited.

Järnvägsanläggningar – Kablar med särskilda brandegenskaper avsedda för rälsfordon – Vägledning

*Railway applications –
Railway rolling stock cables having special fire performance –
Guide to use*

Som svensk standard gäller europastandarden EN 50355:2013. Den svenska standarden innehåller den officiella engelska språkversionen av EN 50355:2013.

Nationellt förord

Tidigare fastställd svensk standard SS-EN 50355, utgåva 1, 2003, gäller ej fr o m 2016-07-01.

ICS 13.220.20; 29.060.20; 45.060.01

Denna standard är fastställd av SEK Svensk Elstandard, som också kan lämna upplysningar om **sakinnehållet** i standarden.
Postadress: SEK, Box 1284, 164 29 KISTA
Telefon: 08 - 444 14 00. Telefax: 08 - 444 14 30
E-post: sek@elstandard.se. Internet: www.elstandard.se

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a säkerhet, prestanda, dokumentation, utförande och skötsel av elprodukter, elanläggningar och metoder. Genom att utforma sådana standarder blir säkerhetskraven tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

English version

**Railway applications -
Railway rolling stock cables having special fire performance -
Guide to use**

Applications ferroviaires -
Câbles à comportement au feu spécifié
pour matériel roulant ferroviaire -
Guide d'emploi

Bahnanwendungen -
Kabel und Leitungen für
Schienenfahrzeuge mit verbessertem
Verhalten im Brandfall -
Leitfaden für die Verwendung

This European Standard was approved by CENELEC on 2013-07-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B - 1000 Brussels

CONTENTS

| | |
|--|----|
| Foreword..... | 4 |
| Introduction | 5 |
| 1 Scope | 6 |
| 2 Normative references..... | 6 |
| 3 Terms, definitions and abbreviations..... | 7 |
| 4 Requirements for safety | 7 |
| 5 Fire..... | 10 |
| 6 Limiting conditions..... | 11 |
| 7 Cable designation..... | 16 |
| 8 Initial and periodic inspections | 16 |
| 9 Electrical test after installation..... | 16 |
| Annex A (informative) Recommended current ratings for railway rolling stock cables..... | 31 |
| Annex B (informative) Recommended short-circuit current ratings for rolling stock cables of 90 °C maximum conductor temperature..... | 34 |
| Bibliography | 36 |
| Figure 1 — Definition of internal bending radius | 15 |
| Table 1 - Properties Available | 9 |
| Table 2 - Voltages | 11 |
| Table 3 - Temperature for expected lifetime according to reference standard..... | 14 |
| Table 4 - Single-core cables Standard wall EN 50264-2-1 and reduced wall EN 50264-3-1 18 | |
| Table 5 - Single-core cables Use conditions Standard wall EN 50264-2-1 and reduced wall EN 50264-3-1 | 19 |
| Table 6 - Multicore cables Standard wall EN 50264-2-2 and reduced wall EN 50264-3-2 | 20 |
| Table 7 - Multicore cables Use conditions Standard wall EN 50264-2-2 and reduced wall EN 50264-3-2 | 21 |
| Table 8 - Single-core cables EN 50382-2 | 22 |
| Table 9 - Single-core cables Use conditions EN 50382-2 | 23 |
| Table 10 - Single-core cables Thin wall insulation, thin wall sheathed EN 50306-2 and -3 24 | |
| Table 11 - Single-core cables Use conditions Thin wall insulation, thin wall sheathed EN 50306-2 and -3 | 25 |
| Table 12 - Multicore cables (pairs, triples and quads) Thin wall insulation, thin wall sheathed EN 50306-3 | 26 |
| Table 13 - Multicore cables (pairs, triples and quads) Use conditions Thin wall insulation, thin wall sheathed EN 50306-3..... | 27 |
| Table 14 - Multicore and Multipair cables Thin wall insulation, Standard wall sheathed EN 50306-4 | 28 |
| Table 15 - Multicore and Multipair cables Use conditions Thin wall insulation, Standard wall sheathed EN 50306-4 | 29 |

| | |
|--|----|
| Table 16 - Minimum bending radii | 30 |
| Table A.1 - Railway applications – Cables for railway rolling stock , for 90 °C maximum conductor temperature, Current ratings..... | 32 |
| Table A.2 - Derating factors for other ambient temperatures | 33 |
| Table A.3 - Correction factors for other maximum conductor temperatures..... | 33 |
| Table B.1 - Recommended short-circuit current ratings for rolling stock cables of 90 °C maximum conductor temperature EN 50264 and EN 50382 | 34 |
| Table B.2 - Value of K..... | 35 |

Foreword

This document (EN 50355:2013) has been prepared by CLC/TC 20 "Electric cables" by Working Group 12 "Railway cables" as part of the overall programme of work in the Technical Committee CENELEC TC 9X "Electrical and electronic applications for railways".

The following dates are fixed:

- latest date by which this document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2014-07-01
- latest date by which the national standards conflicting with this document have to be withdrawn (dow) 2016-07-01

This document supersedes EN 50355:2003.

EN 50355:2013 includes the following significant technical changes with respect to EN 50355:2003:

- requirements for additional cable type: EN 50264-3-1, EN 50264-3-2 and EN 50382-2;
- modified voltage table.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Introduction

The railway industry is generally concerned with the movement of people as well as goods. It is therefore essential that safety is achieved, even when failures occur which may involve fire, however caused, affecting railway rolling stock.

Hence it is necessary to provide cables for use in railway environments which minimise the hazard to people when a fire may damage the cable, irrespective of whether the fire is caused by an external source or from within the electrical system.

The aims of this European Standard are to:

- inform railway vehicle manufacturers, installers of cables and railway operators of the properties and limiting conditions of rolling stock cables in order to safeguard life and equipment;
- avoid misuse of rolling stock cables.

The information is given as limiting values and illustrated by examples which cannot be exhaustive but nevertheless indicate ways by which safety (a tolerable level of risk) can be obtained.

It has been assumed in the preparation of this guidance document that the execution of its provisions will be entrusted to appropriately qualified and experienced people, for whose use it has been produced.

This European Standard should be used in conjunction with:

- EN 50264 series, *Railway applications — Railway rolling stock power and control cables having special fire performance*
- EN 50306 series, *Railway applications — Railway rolling stock cables having special fire performance — Thin wall*
- EN 50382 series, *Railway applications — Railway rolling stock high temperature power cables having special fire performance*
- EN 50343, *Railway applications — Rolling stock — Rules for installation of cabling*

1 Scope

This European Standard gives guidance on the safe use of rolling stock cables specified in EN 50264, EN 50306 and EN 50382. These cables will only be used for the wiring of railway rolling stock and within the limits given in the manner described in this European Standard. All these cables are for fixed installation where there is no free movement of cable, except for stresses due to typical service.

This European Standard will be applied in conjunction with the relevant product and installation standards. Stricter requirements than those given in this standard could be necessary; see in particular EN 50343.

This European Standard is not applicable to:

- intercarriage jumpers;
- cables subject to continual flexing;
- pantograph cables;
- coaxial, data and fibre optic cables;
- wire wrap;
- cables rated at voltages greater than 3,6/6 kV;
- applications other than the cabling of railway rolling stock;
- cables requiring circuit integrity.

Legal or statutory requirements do take precedence over the guidance given in this document.

In cases where no guidance exists or where it cannot be derived from general information, it is recommended that advice be sought from the cable manufacturer.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

| | |
|--------------|--|
| EN 50121-1 | <i>Railway applications — Electromagnetic compatibility — Part 1: General</i> |
| EN 50125-1 | <i>Railway applications – Environmental conditions for equipment — Part 1: Equipment on board rolling stock</i> |
| EN 50163 | <i>Railway Applications — Supply voltages of traction systems</i> |
| EN 50200 | <i>Method of test for resistance to fire of unprotected small cables for use in emergency circuits</i> |
| EN 50264-2-1 | <i>Railway applications — Railway rolling stock power and control cables having special fire performance — Part 2-1: Cables with crosslinked elastomeric insulation — Single core cables</i> |
| EN 50264-2-2 | <i>Railway applications — Railway rolling stock power and control cables having special fire performance — Standard wall — Part 2-2: Cables with crosslinked elastomeric insulation — Multicore cables</i> |

- EN 50264-3-1 *Railway applications — Railway rolling stock power and control cables having special fire performance — Part 3-1: Cables with crosslinked elastomeric insulation with reduced dimensions — Single core cables*
- EN 50264-3-2 *Railway applications — Railway rolling stock power and control cables having special fire performance — Part 3-2: Cables with crosslinked elastomeric insulation with reduced dimensions — Multicore cables*
- EN 50306-2 *Railway applications — Railway rolling stock cables having special fire performance — Thin wall — Part 2: Single core cables*
- EN 50306-3 *Railway applications — Railway rolling stock cables having special fire performance — Thin wall — Part 3: Single core and multicore cables (pairs, triples and quads) screened and thin wall sheathed*
- EN 50306-4 *Railway applications — Railway rolling stock cables having special fire performance — Thin wall — Part 4: Multicore and multipair cables standard wall sheathed*
- EN 50343 *Railway applications — Rolling stock — Rules for installation of cabling*
- EN 50362 *Method of test for resistance to fire of larger unprotected power and control cables for use in emergency circuits*
- EN 50382-2 *Railway applications — Railway rolling stock high temperature power cables having special fire performance — Part 2: Single core silicone rubber insulated cables for 120 °C or 150 °C*
- EN 60216-1 *Electrical Insulating Materials — Thermal endurance properties — Part 1: Ageing procedures and evaluation of test results.*