

© Copyright SEK. Reproduction in any form without permission is prohibited.

Belysningsmateriel – Lysdiodlampor (LED) för allmänna belysningsändamål för spänning överstigande 50 V – Prestandafordringar

*Self-ballasted LED lamps for general lighting services with supply voltages > 50 V –
Performance requirements*

Som svensk standard gäller europastandarden EN 62612:2013. Den svenska standarden innehåller den officiella engelska språkversionen av EN 62612:2013.

Nationellt förord

Europastandarden EN 62612:2013

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 62612, First edition, 2013 - Self-ballasted LED lamps for general lighting services with supply voltages > 50 V - Performance requirements**

utarbetad inom International Electrotechnical Commission, IEC.

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a säkerhet, prestanda, dokumentation, utförande och skötsel av elprodukter, elanläggningar och metoder. Genom att utforma sådana standarder blir säkerhetskraven tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

**Self-ballasted LED lamps for general lighting services with supply
voltages > 50 V -
Performance requirements
(IEC 62612:2013)**

Lampes à LED autoballastées pour
l'éclairage général avec des tensions
d'alimentation > 50 V -
Exigences de performances
(CEI 62612:2013)

LED-Lampen mit eingebautem
Vorschaltgerät für Allgemeinbeleuchtung
mit Versorgungsspannungen > 50 V -
Anforderungen an die Arbeitsweise
(IEC 62612:2013)

This European Standard was approved by CENELEC on 2013-07-23. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 34A/1662/FDIS, future edition 1 of IEC 62612, prepared by SC 34A "Lamps" of IEC/TC 34A "Lamps and related equipment" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62612:2013.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2014-04-23
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2016-07-23

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62612:2013 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated :

IEC 60598	NOTE	Harmonised as EN 60598.
IEC 60901	NOTE	Harmonised as EN 60901.
IEC 61547	NOTE	Harmonised as EN 61547.
CISPR 15:2005	NOTE	Harmonised as EN 55015:2006 (not modified)

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60050	Series	International Electrotechnical Vocabulary (IEV)	-	-
IEC 60068-2-14	-	Environmental testing - Part 2-14: Tests - Test N: Change of temperature	EN 60068-2-14	-
IEC 60081	-	Double-capped fluorescent lamps - Performance specifications	EN 60081	-
IEC 60630	-	Maximum lamp outlines for incandescent lamps	EN 60630	-
IEC 61000-3-2	2005	Electromagnetic compatibility (EMC) - Part 3-2: Limits - Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)	EN 61000-3-2	2006
IEC 61000-4-7	-	Electromagnetic compatibility (EMC) - Part 4-7: Testing and measurement techniques - General guide on harmonics and interharmonics measurements and instrumentation, for power supply systems and equipment connected thereto	EN 61000-4-7	-
IEC/TR 61341	-	Method of measurement of centre beam intensity and beam angle(s) of reflector lamps	EN 61341	-
IEC/TS 62504	-	General lighting - LEDs and LED modules - Terms and definitions	-	-
IEC 62560	-	Self-ballasted LED-lamps for general lighting services by voltage > 50 V - Safety specifications	EN 62560	-
IEC/TR 62732	-	Three-digit code for designation of colour rendering and correlated colour temperature	-	-
CIE 13.2	1974	Methods of measuring and specifying colour - rendering properties of light sources	-	-
CIE 13.3	1995	Method of measuring and specifying colour - rendering of light sources	-	-
CIE S 017/E	2011	ILV: International Lighting Vocabulary	-	-
CIE 191	1996	The photometry and goniophotometry of luminaires	-	-
CIE 177	2007	Colour rendering of white LED light sources	-	-

CONTENTS

INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms and definitions	8
4 General requirements on tests.....	11
5 Marking	11
5.1 General requirements for marking	11
5.2 Places of marking.....	12
6 Dimensions	12
7 Test conditions	12
7.1 General test conditions.....	12
7.2 Creation of lamp families to reduce test effort.....	13
7.2.1 General	13
7.2.2 Variations within a family	13
7.2.3 Compliance testing of family members.....	14
8 Lamp input	14
8.1 Lamp power	14
8.2 Displacement factor.....	15
9 Light output	15
9.1 Luminous flux	15
9.2 Luminous intensity distribution, peak intensity and beam angle	15
9.2.1 General	15
9.2.2 Measurement.....	15
9.2.3 Luminous intensity distribution.....	15
9.2.4 Peak intensity value	16
9.2.5 Beam angle value	16
9.3 Efficacy	16
10 Colour nomenclature, variation and rendering.....	16
10.1 Colour variation categories	16
10.2 Colour rendering index (CRI).....	18
11 Lamp life	18
11.1 General	18
11.2 Lumen maintenance	18
11.3 Endurance tests	20
11.3.1 General	20
11.3.2 Temperature cycling test	20
11.3.3 Supply switching test.....	21
11.3.4 Accelerated operational life test.....	21
12 Verification	21
Annex A (normative) Method of measuring lamp characteristics.....	23
Annex B (normative) Explanation of the photometric code.....	30
Annex C (normative) Measurement of displacement factor	31
Annex D (informative) Explanation of displacement factor.....	33
Annex E (informative) Explanation of recommended life time metrics	35

Annex F (informative) Examples of LED dies and LED packages	40
Bibliography	42
Figure 1 – Luminous flux depreciation over test time	20
Figure A.1 – Relation of rated voltage to test voltage	24
Figure A.2 – Relation of rated frequency to test frequency	24
Figure A.3 – Relation of type of tests to test voltage and test frequency	25
Figure C.1 – Definition of the 1 st harmonic current phase-angle (φ_1) (I_1 leads U_{mains} , $\varphi_1 > 0$)	31
Figure C.2 – Definition of the 1 st harmonic current phase-angle (φ_1) (I_1 lags U_{mains} , $\varphi_1 < 0$)	32
Figure E.1 – Life time specification for gradual light output degradation	35
Figure E.2 – Life time specification for abrupt light output degradation	37
Figure E.3 – Reliability curve R_{gradual} for gradual light output degradation	38
Figure E.4 – Reliability curve R_{abrupt} for abrupt light output degradation	38
Figure E.5 – Combined R_{gradual} and R_{abrupt} degradation	39
Figure F.1 – Schematic drawings of LED dies	40
Figure F.2 – Schematic drawings of LED packages	41
Table 1 – Required markings	12
Table 2 – Variations allowed within a family	14
Table 3 – Colour	17
Table 4 – Tolerance (categories) on rated chromaticity co-ordinate values	17
Table 5 – Lumen maintenance code at an operational time as stated in 7.1	18
Table 6 – Sample sizes	22
Table A.1 – Relation of rated voltage to test voltage	25
Table A.2 – Initial tests	27
Table A.3 – Lifetime and endurance tests	27
Table D.1 – Recommended values for displacement factor	34
Table E.1 – Recommended x and y values for life time metrics to be used in life time specification	39

INTRODUCTION

This International Standard is the first edition of a performance standard (precursor: IEC/PAS 62612) for self-ballasted LED lamps for general lighting applications and acknowledges the need for relevant tests for this new source of electrical light, sometimes called “solid state lighting”.

The provisions in this standard represent the technical knowledge of experts from the fields of the semiconductor (LED chip) industry and of those of the traditional electrical light sources.

SELF-BALLASTED LED LAMPS FOR GENERAL LIGHTING SERVICES WITH SUPPLY VOLTAGES > 50 V – PERFORMANCE REQUIREMENTS

1 Scope

This International Standard specifies the performance requirements, together with the test methods and conditions, required to show compliance of LED lamps with integral means for stable operation, intended for domestic and similar general lighting purposes, having:

- a rated power up to 60 W;
- a rated voltage of > 50 V a.c. up to 250 V a.c.;
- a lamp cap as listed in IEC 62560.

These performance requirements are additional to the safety requirements in IEC 62560.

The only feature provided by this standard, when applied for replacement purposes, is information on maximum lamp outlines.

The requirements of this standard relate to type testing. This standard covers LED lamps that intentionally produce white light, based on inorganic LEDs.

Recommendations for whole product testing or batch testing are under consideration.

The life time of LED lamps is in most cases much longer than the practical test times. Consequently, verification of manufacturer's life time claims cannot be made in a sufficiently confident way, because projecting test data further in time is not standardised. For that reason the acceptance or rejection of a manufacturer's life time claim, past an operational time as stated in 7.1, is out of the scope of this standard.

Instead of life time validation, this standard has opted for lumen maintenance codes at a defined finite test time. Therefore, the code number does not imply a prediction of achievable life time. The categories, represented by the code, are lumen-depreciation character categories showing behaviour in agreement with manufacturer's information, provided before the test is started.

In order to validate a life time claim, several methods of test data extrapolation exist. A general method of projecting measurement data beyond limited test time is under consideration.

The pass/fail criterion of the life time test as defined in this standard is different from the life time metrics claimed by manufacturers. For explanation of recommended life time metrics, see Annex E.

NOTE When lamps are operated in a luminaire the claimed performance data can deviate from the values established via this standard due to e.g. luminaire components that impact the performance of the lamp.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050 (all parts), *International Electrotechnical Vocabulary* (available at <<http://www.electropedia.org>>).

IEC 60068-2-14, *Environmental testing – Part 2-14: Tests – Test N: change of temperature*

IEC 60081, *Double-capped fluorescent lamps – Performance specifications*

IEC 60630, *Maximum lamp outlines for incandescent lamps*

IEC 61000-3-2:2005, *Electromagnetic compatibility (EMC) – Part 3-2: Limits – Limits for harmonic current emissions (equipment input current $\leq 16\text{A}$ per phase)*, Amendment 2:2009.

IEC 61000-4-7, *Electromagnetic compatibility (EMC) – Part 4-7: Testing and measurement techniques. General guide on harmonics and interharmonics measurements and instrumentation, for power supply systems and equipment connected thereto*

IEC/TR 61341, *Method of measurement of centre beam intensity and beam angle(s) of reflector lamps*

IEC/TS 62504, *General lighting – LEDs and LED modules – Terms and definitions*

IEC 62560, *Self-ballasted LED-lamps for general lighting services by voltage $> 50\text{ V}$ – Safety specifications*

IEC/TR 62732, *Three-digit code for designation of colour rendering and correlated colour temperature*

CIE 13.2:1974, *Methods of measuring and specifying colour rendering properties of light sources*

CIE 13.3:1995, *Method of measuring and specifying colour rendering of light sources*

CIE S 017/E:2011, *ILV: International Lighting Vocabulary*

CIE 121:1996, *The photometry and goniophotometry of luminaires*

CIE 177:2007, *Colour rendering of white LED light sources*