

© Copyright SEK. Reproduction in any form without permission is prohibited.

Tungreläer – Del 1-1: Artspecifikation – Kvalitetsbedömning

*Reed switches –
Part 1-1: Generic specification –
Quality assessment*

Som svensk standard gäller europastandarden EN 62246-1-1:2013. Den svenska standarden innehåller den officiella engelska språkversionen av EN 62246-1-1:2013.

Nationellt förord

Europastandarden EN 62246-1-1:2013

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 62246-1-1, First edition, 2013 - Reed switches - Part 1-1: Generic specification - Quality assessment**

utarbetad inom International Electrotechnical Commission, IEC.

Standarden ska användas tillsammans med SS-EN 62246-1, utgåva 2, 2011.

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a säkerhet, prestanda, dokumentation, utförande och skötsel av elprodukter, elanläggningar och metoder. Genom att utforma sådana standarder blir säkerhetskraven tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

**Reed switches -
Part 1-1: Generic specification -
Quality assessment
(IEC 62246-1-1:2013)**

Contacts à lames souples -
Partie 1-1: Spécification générique -
Evaluation de qualité
(CEI 62246-1-1:2013)

Reedschalter -
Teil 1-1: Fachgrundspezifikation –
Qualitätsbewertung
(IEC 62246-1-1:2013)

This European Standard was approved by CENELEC on 2013-06-28. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 94/358/FDIS, future edition 1 of IEC 62246-1-1, prepared by IEC TC 94 "All-or-nothing electrical relays" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62246-1-1:2013.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2014-03-28
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2016-06-28

This standard is intended to be used in conjunction with EN 62246-1:2011.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62246-1-1:2013 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61810-2-1:2011	NOTE Harmonised as EN 61810-2-1:2011 (not modified).
IEC 60068-2-1:2007	NOTE Harmonised as EN 60068-2-1:2007 (not modified).
IEC 60068-2-2:2007	NOTE Harmonised as EN 60068-2-2:2007 (not modified).
IEC 60068-2-7:1983+A1:1986	NOTE Harmonised as EN 60068-2-7:1993 (not modified).
IEC 60068-2-13:1983	NOTE Harmonised as EN 60068-2-13:1999 (not modified).
IEC 60068-2-17:1994	NOTE Harmonised as EN 60068-2-17:1994 (not modified).
IEC 60068-2-27:2008	NOTE Harmonised as EN 60068-2-27:2009 (not modified).
IEC 60068-2-30:2005	NOTE Harmonised as EN 60068-2-30:2005 (not modified).

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60068-2-6	2007	Environmental testing - Part 2-6: Tests - Test Fc: Vibration (sinusoidal)	EN 60068-2-6	2008
IEC 60068-2-11 + corr. December	1981 1999	Environmental testing - Part 2: Tests - Test Ka: Salt mist	EN 60068-2-11	1999
IEC 60068-2-14	2009	Environmental testing - Part 2-14: Tests - Test N: Change of temperature	EN 60068-2-14	2009
IEC 60068-2-20	2008	Environmental testing - Part 2-20: Tests - Test T: Test methods for solderability and resistance to soldering heat of devices with leads	EN 60068-2-20	2008
IEC 60068-2-21 + corr. January	2006 2012	Environmental testing - Part 2-21: Tests - Test U: Robustness of terminations and integral mounting devices	EN 60068-2-21	2006
IEC 60068-2-78	2001	Environmental testing - Part 2-78: Tests - Test Cab: Damp heat, steady state	EN 60068-2-78 ¹⁾	2001
IEC 60127-2	2003	Miniature fuses - Part 2: Cartridge fuse-links	EN 60127-2	2003
IEC 61373 + corr. October	2010 2011	Railway applications - Rolling stock equipment - Shock and vibration tests	EN 61373	2010
IEC 62246-1	2011	Reed switches - Part 1: Generic specification	EN 62246-1	2011

¹⁾ EN 60068-2-78 is superseded by EN 60068-2-78:2013, which is based on IEC 60068-2-78:2012.

CONTENTS

INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms and definitions	7
3.1 Reed switch types	8
3.2 Tests.....	8
3.3 Abbreviations	8
4 Test schedules	9
4.1 General.....	9
4.2 Qualification approval procedures	9
4.3 Quality conformance inspection.....	9
4.4 Formation of inspection lots.....	9
4.5 Intervals between tests.....	9
4.6 Standard conditions for testing	9
4.7 Mounting of test specimens during the test.....	9
4.8 General conditions for testing.....	10
5 Characteristic values of the reed switches	39
5.1 Characteristics values for general data for reed switches	39
5.2 Standard test coil number for tests	40
5.3 Contact data.....	40
5.3.1 Contact reliability, electrical endurance, making and breaking current capacities and switching frequency.....	40
5.3.2 Static contact-circuit resistance	45
5.3.3 Mechanical endurance.....	45
5.4 Environmental data	45
6 Reliability – Failure rate data	46
7 Marking and documentation.....	46
7.1 Marking of the reed switch.....	46
7.2 Marking of the packaging	46
Annex A (normative) Mounting in a standard coil	47
Annex B (normative) Variants	48
Annex C (informative) Typical applications.....	49
Bibliography.....	50
Figure A.1 – Switch direction and position in a standard coil.....	47
Table 1 – Quality conformance inspection (1 of 8)	11
Table 2 – Tests for qualification approval (1 of 17).....	19
Table 3 – Qualification approval (1 of 3)	36
Table 4 – Characteristic values for general data for reed switches (1 of 2).....	39
Table 5 – Standard test coil number for tests for reed switches.....	40
Table 6 – Variant A of reed switches (1 of 3)	41
Table 7 – Variant B of heavy-duty reed switches.....	44

Table 8 – Environmental data for reed switches	45
Table 9 – Reliability data for reed switches	46

INTRODUCTION

Reed switches which are in mass production and which are widely used in practice could be classified by the following characteristics:

a) Size:

- Normal or standard reed switches with a tube more than 50 mm in length and more than 5 mm in diameter;
- Sub-miniature reed switches with a tube more than 20 mm and up to 50 mm in length and up to 5 mm in diameter;
- Miniature reed switches with a tube more than 10 mm and up to 20 mm in length and more than 2 mm and up to 5 mm in diameter;
- Micro-miniature reed switches with a tube more than 4 mm and up to 10 mm in length and more than 1,5 mm and up to 5 mm in diameter.

b) Type of switching of electric circuit:

- Closing or normally open – A type;
- Opening or normally closed – B type;
- Changeover – C type.

c) Withstand voltage level:

- Low-voltage (up to 1 000 V);
- High-voltage (more than 1 000 V).

d) Switches power:

- Low-power (up to 60 W);
- Power (100 to 1 000 W);
- High-power (more than 1 000 W).

e) Types of electric contacts:

- The tube is filled with dry air, gas mixture, vacuumized, or high pressurized.

Based on the general provisions of IEC 62246-1, this standard selects and specifies test procedures for reed switches where enhanced requirements for the verification of quality assessment specification apply.

This standard describes sampling and test schedules for qualification approval procedures, quality conformance inspection, formation of inspection lots and intervals between tests.

NOTE All type of reed switches exclude mercury reed switches.

REED SWITCHES –

Part 1-1: Generic specification – Quality assessment

1 Scope

This part of the IEC 62246 which is a quality assessment specification defines requirements and tests to reed switches for use in general and industrial applications.

This standard is intended to be used in conjunction with IEC 62246-1:2011.

This standard selects from IEC 62246-1:2011 and from other sources the appropriate test procedures to be used in detail specifications derived from this specification.

Reed switch types are specified depending on characteristic values and tests.

NOTE Mercury wetted reed switches are not covered by this standard due to their possible environmental impact.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-2-6:2007, *Environmental testing – Part 2-6: Tests – Test Fc: Vibration (sinusoidal)*

IEC 60068-2-11:1981, *Basic environmental testing procedures – Part 2-11: Tests – Test Ka: Salt mist*

IEC 60068-2-14:2009, *Environmental testing – Part 2-14: Tests – Test N: Change of temperature*

IEC 60068-2-20:2008, *Environmental testing – Part 2-20: Tests – Test T: Test methods for solderability and resistance to soldering heat of devices with leads*

IEC 60068-2-21:2006, *Environmental testing – Part 2-21: Tests – Test U: Robustness of terminations and integral mounting devices*

IEC 60068-2-78:2001, *Environmental testing – Part 2-78: Tests – Test Cab: Damp heat, steady state*

IEC 60127-2:2003, *Miniature fuses – Part 2: Cartridge fuse-links*

IEC 61373:2010, *Railway applications – Rolling stock equipment – Shock and vibration tests*

IEC 62246-1: 2011, *Reed switches – Part 1: Generic specification*