SVENSK STANDARD SS-EN 61851-23



Fastställd 2014-09-16

Utgåva 1 Sida 1 (1+79) Ansvarig kommitté SEK TK 69

© Copyright SEK. Reproduction in any form without permission is prohibited.

Elbilsdrift – Konduktiv laddning – Del 23: Laddningsstation för likström

Electric vehicle conductive charging system – Part 23: DC electric vehicle charging station

Som svensk standard gäller europastandarden EN 61851-23:2014. Den svenska standarden innehåller den officiella engelska språkversionen av EN 61851-23:2014.

Nationellt förord

Europastandarden EN 61851-23:2014

består av:

- europastandardens ikraftsättningsdokument, utarbetat inom CENELEC
- IEC 61851-23, First edition, 2014 Electric vehicle conductive charging system -Part 23: DC electric vehicle charging station

utarbetad inom International Electrotechnical Commission, IEC.

ICS 43.120.00

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a säkerhet, prestanda, dokumentation, utförande och skötsel av elprodukter, elanläggningar och metoder. Genom att utforma sådana standarder blir säkerhetskraven tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284 164 29 Kista Tel 08-444 14 00 www.elstandard.se

EUROPEAN STANDARD NORME EUROPÉENNE

EUROPÄISCHE NORM

EN 61851-23

May 2014

ICS 43.120

English Version

Electric vehicle conductive charging system -Part 23: DC electric vehicle charging station (IEC 61851-23:2014)

Système de charge conductive pour véhicules électriques -Partie 23: Borne de charge en courant continu pour véhicules électriques (CEI 61851-23:2014) Konduktive Ladesysteme für Elektrofahrzeuge - Teil 23: Gleichstromladestationen für Elektrofahrzeuge (IEC 61851-23:2014)

This European Standard was approved by CENELEC on 2014-04-15. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

The text of document 69/272/FDIS, future edition 1 of IEC 61851-23, prepared by IEC/TC 69 "Electric road vehicles and electric industrial trucks" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61851-23:2014.

The following dates are fixed:

•	latest date by which the document has	(dop)	2015-01-15
	to be implemented at national level by		
	publication of an identical national		
	standard or by endorsement		
•	latest date by which the national	(dow)	2017-04-15
	standards conflicting with the		
	document have to be withdrawn		

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61851-23:2014 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60364-7-722 NOTE Harmonised as EN 60364-7-722 (not modified).

IEC 61851-21-2 NOTE Harmonised as en 61851-21-2 (not modified).

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu

Publication	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 60364-5-54	2011	Low-voltage electrical installations - Part 5-54: Selection and erection of electrical equipment - Earthing arrangements and protective conductors	HD 60364-5-54	2011
IEC 60950-1 (mod)	2005	Information technology equipment - Safety - Part 1: General requirements	EN 60950-1	2006
+A1 (mod) +A2 (mod)	2009 2013		+A1 +A2	2010 2013
IEC 61140		Protection against electric shock - Common aspects for installation and equipment	EN 61140	
IEC 61439-1	2011	Low-voltage switchgear and controlgear assemblies - Part 1: General rules	EN 61439-1	2011
IEC/TS 61479-1	2005	Effects of current on human beings and livestock - Part 1: General aspects	-	-
IEC 61557-8	-	Electrical safety in low voltage distribution systems up to 1 000 v a.c. And 1 500 v d.c Equipment for testing, measuring or monitoring of protective measures - Part 8: insulation monitoring devices for it systems	EN 61557-8	-
IEC 61558-1	2005	Safety of power transformers, power supplies reactors and similar products - Part 1: General requirements and tests	, EN 61558-1	2005
IEC 61851-1	2010	Electric vehicle conductive charging system - Part 1: General requirements	EN 61851-1	2011
IEC 61851-24	2014	Electric vehicle conductive charging system - Part 24: Digital communication between a d.c EV charging station and an electric vehicle for control of d.c. charging		2013
IEC 62052-11	-	Electricity metering equipment (AC) - General requirements, tests and test conditions - Part 11: Metering equipment	EN 62052-11	-
IEC 62053-21	-	Electricity metering equipment (a.c.) - Particular requirements - Part 21: Static meters for active energy (classes 1 and 2)	EN 62053-21	-

Publication IEC 62196-3	<u>Year</u> -	<u>Title</u> Plugs, socket-outlets, and vehicle couplers - conductive charging of electric vehicles - Part 3: Dimensional compatibility and interchangeability requirements for dedicated d.c. and combined a.c./d.c. pin and contact- tube vehicle couplers		<u>Year</u> -
ISO/IEC 15118-2	-	Road vehicles – Vehicle to grid communication interface - Part 2: Technical protocol description and open systems interconnections (OSI) layer requirements	-	-
ISO/IEC 15118-3	-	Road vehicles - Vehicle to grid communicatio interface - Part 3 Physical layer requirements	n-	-
IEC/TS 61479-1	2005	Effects of current on human beings and livestock - Part 1: General aspects	-	-
ISO 11898-1	-	Road vehicles - Controller area network (CAN) - Part 1: Data link layer and physical signalling	-	-
DIN SPEC 70121	-	Electromobility - Digital communication between a d.c. EV charging station and an electric vehicle for control of d.c. charging in the Combined Charging System	-	-

CONTENTS

FOF	REWORD	4
INT	RODUCTION	6
1	Scope	7
2	Normative references	7
3	Terms and definitions	8
4	General requirements	10
5	Rating of the supply a.c. voltage	10
6	General system requirement and interface	10
7	Protection against electric shock	18
8	Connection between the power supply and the EV	19
9	Specific requirements for vehicle coupler	
10	Charging cable assembly requirements	
11	EVSE requirements	
	Specific requirements for d.c. EV charging station	
	Communication between EV and d.c. EV charging station	
	ex AA (normative) DC EV charging station of system A	
	ex BB (normative) DC EV charging station of system B	47
Ann	ex CC (normative) DC EV charging station of system C (Combined charging system)	55
Ann	ex DD (informative) Typical d.c. charging systems	
	ex EE (informative) Typical configuration of d.c. charging system	
	iography	
Figu	ure 101 – Overvoltage protection in case of earth fault	16
	ure 102 – Measuring network of touch current weighted for perception or reaction	
_	ure 103 – Step response for constant value control	
	re 104 – Current ripple measurement equipment with capacitor	
•	ure 105 – Maximum ratings for voltage dynamics	
Ŭ	ure AA.1 – Overall schematic of system A station and EV	
•	ure AA.2 – Interface circuit for charging control of system A station	
•	ure AA.3 – Failure detection principle by detection of d.c. leakage current	
_	re AA.4 – Example of vehicle connector latch and lock monitoring circuit	
•	ure AA.5 – State transition diagram of charging process for system A	
•	ure AA.6 – Sequence diagram of system A	
	ure AA.7 – Charging current value requested by the vehicle	
	ure AA.8 – Output response performance of d.c. EV charging station	
_	are BB.1 – Schematic diagram for basic solution for d.c. charging system	
_		
_	ure BB.2 – Sequence diagram of charging process	
_	ure BB.3 – Operation flow chart of start charging	
	ure BB.4 – Operation flow chart of stop charging	
rigu	ıre CC.1 – Sequence diagram for normal start up	57

Figure CC.2 – Sequence diagram and description for normal shutdown	59
Figure CC.3 – Sequence diagram for d.c. supply initiated emergency shutdown	61
Figure CC.4 – Sequence diagram for EV initiated emergency shutdown	63
Figure CC.5 – Special components for configurations CC and EE coupler	66
Figure CC.6 – System schematics of combined d.c. charging system	68
Figure D.1 – Example of typical isolated system	70
Figure D.2 – Example of typical non-isolated system	71
Figure D.3 – Example of simplified isolated system	71
Figure D.4 – Example of DC mains system	72
Figure E.1 – Typical configuration of d.c. charging system	75
Table 101 – Current ripple limit of d.c. EV charging station	27
Table 102 – Charging state of d.c. EV charging station	30
Table 103 – Charging control process of d.c. EV charging station at system action level	31
Table AA.1 – Definition of symbols in Figure AA.1 and Figure AA.2	36
Table AA.2 – Parameters and values for interface circuit in Figure AA.2	37
Table AA.3 – Principle of fault protection	37
Table AA.4 – Requirements for earth fault monitoring	39
Table AA.5 – Recommended specification of charging current requested by the vehicle	45
Table AA.6 – Requirements for the output response performance of d.c. EV charging station	45
Table BB.1 – Definitions of charging states	50
Table BB.2 – Recommended parameters of d.c. charging security system	51
Table CC.1 – DC couplers and maximum system output voltage for combined charging system	55
Table CC.2 – Definition of proximity resistor for configurations DD and FF	55
Table CC.3 – Sequence description for normal start up	58
Table CC.4 – Sequence description for normal shutdown	
Table CC.5 – Definition and description of symbols / terms	69
Table D.1 – Example for categories of d.c. supply system to electric vehicles	
Table D.2 – Typical voltage ranges for isolated d.c. EV charging stations	74

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTRIC VEHICLE CONDUCTIVE CHARGING SYSTEM -

Part 23: DC electric vehicle charging station

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61851-23 has been prepared by IEC technical committee 69: Electric road vehicles and electric industrial trucks.

The text of this standard is based on the following documents:

FDIS	Report on voting
69/272/FDIS	69/279/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This standard is to be read in conjunction with IEC 61851-1:2010. It was established on the basis of the second edition (2010) of that standard.

The clauses of particular requirements in this standard supplement or modify the corresponding clauses in IEC 61851-1:2010. Where the text of subsequent clauses indicates an "addition" to or a "replacement" of the relevant requirement, test specification or explanation of Part 1, these changes are made to the relevant text of Part 1, which then becomes part of this standard. Where no change is necessary, the words "This clause of Part 1 is applicable" are used. Additional clauses, tables and figures which are not included in Part 1, have a number starting from 101. Additional annexes are lettered AA, BB etc.

A list of all parts in the IEC 61851 series, published under the general title *Electric vehicle conductive charging system*, can be found on the IEC website.

In this standard, the following print types are used:

- test specifications and instructions regarding application of Part 1: italic type.
- notes: smaller roman type.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed.
- withdrawn.
- · replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

The introduction and commercialisation of electric vehicles has been accelerated in the global market, responding to the global concerns on ${\rm CO_2}$ reduction and energy security. Concurrently, the development of charging infrastructure for electric vehicles has also been expanding. As a complement to the a.c. charging system, d.c. charging is recognized as an effective solution to extend the available range of electric vehicles. The international standardization of charging infrastructure is indispensable for the diffusion of electric vehicles, and this standard is developed for the manufacturers' convenience by providing general and basic requirements for d.c. EV charging stations for conductive connection to the vehicle.

ELECTRIC VEHICLE CONDUCTIVE CHARGING SYSTEM -

Part 23: DC electric vehicle charging station

1 Scope

This part of IEC 61851, together with IEC 61851-1:2010, gives the requirements for d.c. electric vehicle (EV) charging stations, herein also referred to as "DC charger", for conductive connection to the vehicle, with an a.c. or d.c. input voltage up to 1 000 V a.c. and up to 1 500 V d.c. according to IEC 60038.

NOTE 1 This standard includes information on EV for conductive connection, but limited to the necessary content for describing the power and signaling interface.

This part covers d.c. output voltages up to 1 500 V.

Requirements for bi-directional power flow are under consideration.

NOTE 2 Typical diagrams and variation of d.c. charging systems are shown in Annex DD.

This standard does not cover all safety aspects related to maintenance.

This part specifies the d.c. charging systems A, B and C as defined in Annexes AA, BB and CC.

NOTE 3 Typical configuration of d.c. EV charging system is shown in Annex EE.

EMC requirements for d.c. EV charging stations are defined in IEC 61851-21-2.

This standard provides the general requirements for the control communication between a d.c. EV charging station and an EV. The requirements for digital communication between d.c. EV charging station and electric vehicle for control of d.c. charging are defined in IEC 61851-24.

2 Normative references

This clause of Part 1 is applicable except as follows:

Addition:

IEC 60364-5-54:2011, Low-voltage electrical installations – Part 5-54: Selection and erection of electrical equipment – Earthing arrangements and protective conductors

IEC/TS 60479-1:2005, Effects of current on human beings and livestock - Part 1: General aspects

IEC 60950-1:2005, Information technology equipment - Safety - Part 1: General requirements Amendment 1:2009
Amendment 2:2013

IEC 61140, Protection against electric shock – Common aspects for installation and equipment

IEC 61439-1:2011, Low voltage switchgear and controlgear assemblies – Part 1: General rules

IEC 61557-8, Electrical safety in low voltage distribution systems up to 1 000 V a.c. and 1 500 V d.c. – Equipment for testing, measuring or monitoring of protective measures – Part 8: Insulation monitoring devices for IT systems

IEC 61558-1:2005, Safety of power transformers, power supplies, reactors and similar products – Part 1: General requirements and tests

IEC 61851-1:2010, Electric vehicle conductive charging system – Part 1: General requirements

IEC 61851-24:2014, Electric vehicle conductive charging system – Part 24: Digital communication between a d.c. EV charging station and an electric vehicle for control of d.c. charging

IEC 62052-11, Electricity metering equipment (AC) – General requirements, tests and test conditions – Part 11: Metering equipment

IEC 62053-21, Electricity metering equipment (a.c.) – Particular requirements – Part 21: Static meters for active energy (classes 1 and 2)

IEC 62196-3:—¹, Plugs, socket-outlets, and vehicle couplers – Conductive charging of electric vehicles – Part 3: Dimensional compatibility and interchangeability requirements for d.c. and a.c./d.c. pin and tube-type contact vehicle couplers

ISO/IEC 15118-2:—¹, Road Vehicles – Vehicle to grid communication interface – Part 2: Technical protocol description and Open Systems Interconnections (OSI) layer requirements

ISO/IEC 15118-3:—¹, Road Vehicles – Vehicle to grid communication interface – Part 3: Physical layer and data link layer requirements

ISO 11898-1, Road vehicles – Controller area network (CAN) – Part 1: Data link layer and physical signalling

DIN SPEC 70121, Electromobility – Digital communication between a d.c. EV charging station and an electric vehicle for control of d.c. charging in the Combined Charging System