

© Copyright SEK. Reproduction in any form without permission is prohibited.

Industriell processtyrning – Profiler – Del 1: Fältbussprofiler

*Industrial communication networks –
Profiles –
Part 1: Fieldbus profiles*

Som svensk standard gäller europastandarden EN 61784-1:2014. Den svenska standarden innehåller den officiella engelska språkversionen av EN 61784-1:2014.

Nationellt förord

Europastandarden EN 61784-1:2014

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 61784-1, Fourth edition, 2014 - Industrial communication networks - Profiles - Part 1: Fieldbus profiles**

utarbetad inom International Electrotechnical Commission, IEC.

Tidigare fastställd svensk standard SS-EN 61784-1, utgåva 2, 2010, gäller ej fr o m 2017-09-23.

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

English Version

**Industrial communication networks - Profiles - Part 1: Fieldbus
profiles
(IEC 61784-1:2014)**

Réseaux de communication industriels - Profils - Partie 1:
Profils de bus de terrain
(CEI 61784-1:2014)

Industrielle Kommunikationsnetze - Profile - Teil 1:
Feldbusprofile
(IEC 61784-1:2014)

This European Standard was approved by CENELEC on 2014-09-23. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

The text of document 65C/760/FDIS, future edition 4 of IEC 61784-1, prepared by IEC/TC 65C "Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61784-1:2014.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2015-06-23
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2017-09-23

This document supersedes EN 61784-1:2010.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61784-1:2014 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60079-14	NOTE	Harmonised as EN 60079-14.
IEC 60793 (Series)	NOTE	Harmonised as EN 60793 (Series).
IEC 61131-3	NOTE	Harmonised as EN 61131-3.
IEC 61158-1	NOTE	Harmonised as EN 61158-1.
IEC 61800-7-204	NOTE	Harmonised as EN 61800-7-204.
ISO/IEC 7498-3	NOTE	Harmonised as EN ISO/IEC 7498-1.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60079-11	-	Explosive atmospheres -- Part 11: Equipment protection by intrinsic safety "i"	EN 60079-11	-
IEC 60079-25	-	Explosive atmospheres -- Part 25: Intrinsically safe electrical systems	EN 60079-25	-
IEC 61010	series	Safety requirements for electrical equipment for measurement, control and laboratory use	+AC -	2013 series
IEC 61131-2	-	Programmable controllers -- Part 2: Equipment requirements and tests	EN 61131-2	-
IEC 61158	series	Industrial communication networks - Fieldbus specifications	EN 61158	series
IEC 61158-2	2014	Industrial communication networks - Fieldbus specifications - Part 2: Physical layer specification and service definition	EN 61158-2	2014
IEC 61158-3-1	2014	Industrial communication networks - Fieldbus specifications - Part 3-1: Data-link layer service definition - Type 1 elements	EN 61158-3-1	2014
IEC 61158-3-2	2014	Industrial communication networks - Fieldbus specifications - Part 3-2: Data-link layer service definition - Type 2 elements	EN 61158-3-2	2014
IEC 61158-3-3	2014	Industrial communication networks - Fieldbus specifications - Part 3-3: Data-link layer service definition - Type 3 elements	EN 61158-3-3	2014
IEC 61158-3-4	2014	Industrial communication networks - Fieldbus specifications - Part 3-4: Data-link layer service definition - Type 4 elements	EN 61158-3-4	2014
IEC 61158-3-7	2007	Industrial communication networks - Fieldbus specifications - Part 3-7: Data-link layer service definition - Type 7 elements	EN 61158-3-7	2008
IEC 61158-3-8	2007	Industrial communication networks - Fieldbus specifications - Part 3-8: Data-link layer service definition - Type 8 elements	EN 61158-3-8	2008
IEC 61158-3-16	2007	Industrial communication networks - Fieldbus specifications - Part 3-16: Data-link layer service definition - Type 16 elements	EN 61158-3-16	2008
IEC 61158-3-18	2007	Industrial communication networks - Fieldbus specifications - Part 3-18: Data-link layer service definition - Type 18 elements	EN 61158-3-18	2008
IEC 61158-3-19	2014	Industrial communication networks - Fieldbus specifications - Part 3-19: Data-link layer service definition - Type 19 elements	EN 61158-3-19	2014

IEC 61158-3-20	2014	Industrial communication networks - Fieldbus specifications - Part 3-20: Data- link layer service definition - Type 20 elements	EN 61158-3-20	2014
IEC 61158-3-24	2014	Industrial communication networks - Fieldbus specifications - Part 3-24: Data- link layer service definition - Type-24 elements	EN 61158-3-24	2014
IEC 61158-4-1	2014	Industrial communication networks - Fieldbus specifications - Part 4-1: Data-link layer protocol specification - Type 1 elements	EN 61158-4-1	2014
IEC 61158-4-2	2014	Industrial communication networks - Fieldbus specifications - Part 4-2: Data-link layer protocol specification - Type 2 elements	EN 61158-4-2	2014
IEC 61158-4-3	2014	Industrial communication networks - Fieldbus specifications - Part 4-3: Data-link layer protocol specification - Type 3 elements	EN 61158-4-3	2014
IEC 61158-4-4	2014	Industrial communication networks - Fieldbus specifications - Part 4-4: Data-link layer protocol specification - Type 4 elements	EN 61158-4-4	2014
IEC 61158-4-7	2007	Industrial communication networks - Fieldbus specifications - Part 4-7: Data-link layer protocol specification - Type 7 elements	EN 61158-4-7	2008
IEC 61158-4-8	2007	Industrial communication networks - Fieldbus specifications - Part 4-8: Data-link layer protocol specification - Type 8 elements	EN 61158-4-8	2008
IEC 61158-4-16	2007	Industrial communication networks - Fieldbus specifications - Part 4-16: Data- link layer protocol specification - Type 16 elements	EN 61158-4-16	2008
IEC 61158-4-16	2007	Industrial communication networks - Fieldbus specifications - Part 4-16: Data- link layer protocol specification - Type 16 elements	EN 61158-4-16	2008
IEC 61158-4-18	2010	Industrial communication networks - Fieldbus specifications -- Part 4-18: Data- link layer protocol specification - Type 18 elements	EN 61158-4-18	2012
IEC 61158-4-18	2010	Industrial communication networks - Fieldbus specifications -- Part 4-18: Data- link layer protocol specification - Type 18 elements	EN 61158-4-18	2012
IEC 61158-4-19	2014	Industrial communication networks - Fieldbus specifications - Part 4-19: Data- link layer protocol specification - Type 19 elements	EN 61158-4-19	2014
IEC 61158-4-20	2014	Industrial communication networks - Fieldbus specifications - Part 4-20: Data- link layer protocol specification - Type 20 elements	EN 61158-4-20	2014
IEC 61158-4-24	2014	Industrial communication networks - Fieldbus specifications - Part 4-24: Data- link layer protocol specification - Type 24 elements	EN 61158-4-24	2014

IEC 61158-5-2	2014	Industrial communication networks - Fieldbus specifications -- Part 5-2: Application layer service definition - Type 2 elements	EN 61158-5-2	2014
IEC 61158-5-3	2014	Industrial communication networks - Fieldbus specifications - Part 5-3: Application layer service definition - Type 3 elements	EN 61158-5-3	2014
IEC 61158-5-4	2014	Industrial communication networks - Fieldbus specifications - Part 5-4: Application layer service definition - Type 4 elements	EN 61158-5-4	2014
IEC 61158-5-5	2014	Industrial communication networks - Fieldbus specifications - Part 5-5: Application layer service definition - Type 5 elements	EN 61158-5-5	2014
IEC 61158-5-7	2007	Industrial communication networks - Fieldbus specifications - Part 5-7: Application layer service definition - Type 7 elements	EN 61158-5-7	2008
IEC 61158-5-8	2007	Industrial communication networks - Fieldbus specifications - Part 5-8: Application layer service definition - Type 8 elements	EN 61158-5-8	2008
IEC 61158-5-9	2014	Industrial communication networks - Fieldbus specifications - Part 5-9: Application layer service definition - Type 9 elements	EN 61158-5-9	2014
IEC 61158-5-16	2007	Industrial communication networks - Fieldbus specifications - Part 5-16: Application layer service definition - Type 16 elements	EN 61158-5-16	2008
IEC 61158-5-18	2010	Industrial communication networks - Fieldbus specifications -- Part 5-18: Application layer service definition - Type 18 elements	EN 61158-5-18	2012
IEC 61158-5-19	2014	Industrial communication networks - Fieldbus specifications - Part 5-19: Application layer service definition - Type 19 elements	EN 61158-5-19	2014
IEC 61158-5-20	2014	Industrial communication networks - Fieldbus specifications - Part 5-20: Application layer service definition - Type 20 elements	EN 61158-5-20	2014
IEC 61158-5-24	2014	Industrial communication networks - Fieldbus specifications - Part 5-24: Application layer service definition - Type 24 elements	EN 61158-5-24	2014
IEC 61158-6-2	2014	Industrial communication networks - Fieldbus specifications - Part 6-2: Application layer protocol specification - Type 2 elements	FprEN 61158-6-2	2014
IEC 61158-6-3	2014	Industrial communication networks - Fieldbus specifications - Part 6-3: Application layer protocol specification - Type 3 elements	EN 61158-6-3	2014
IEC 61158-6-4	2014	Industrial communication networks - Fieldbus specifications - Part 6-4: Application layer protocol specification - Type 4 elements	EN 61158-6-4	2014

IEC 61158-6-5	2014	Industrial communication networks - Fieldbus specifications - Part 6-5: Application layer protocol specification - Type 5 elements	EN 61158-6-5	2014
IEC 61158-6-7	2007	Industrial communication networks - Fieldbus specifications - Part 6-7: Application layer protocol specification - Type 7 elements	EN 61158-6-7	2008
IEC 61158-6-8	2007	Industrial communication networks - Fieldbus specifications - Part 6-8: Application layer protocol specification - Type 8 elements	EN 61158-6-8	2008
IEC 61158-6-9	2014	Industrial communication networks - Fieldbus specifications - Part 6-9: Application layer protocol specification - Type 9 elements	EN 61158-6-9	2014
IEC 61158-6-16	2007	Industrial communication networks - Fieldbus specifications - Part 6-16: Application layer protocol specification - Type 16 elements	EN 61158-6-16	2008
IEC 61158-6-18	2010	Industrial communication networks - Fieldbus specifications - Part 6-18: Application layer protocol specification - Type 18 elements	EN 61158-6-18	2012
IEC 61158-6-19	2014	Industrial communication networks - Fieldbus specifications - Part 6-19: Application layer protocol specification - Type 19 elements	EN 61158-6-19	2014
IEC 61158-6-20	2014	Industrial communication networks - Fieldbus specifications - Part 6-20: Application layer protocol specification - Type 20 elements	EN 61158-6-20	2014
IEC 61158-6-24	2014	Industrial communication networks - Fieldbus specifications - Part 6-24: Application layer protocol specification - Type-24 Elements	EN 61158-6-24	2014
IEC 61784-2	2014	Industrial communication networks - Profiles - Part 2: Additional fieldbus profiles for real-time networks based on ISO/IEC 8802-3	EN 61784-2	2014
IEC 61784-5-2	2013	Industrial communication networks - Profiles -- Part 5-2: Installation of fieldbuses - Installation profiles for CPF 2	EN 61784-5-2	2013
IEC 61918 (mod)	2013	Industrial communication networks - Installation of communication networks in industrial premises	EN 61918	2013
IEC 62026-3	-	Low-voltage switchgear and controlgear Controller-device interfaces (CDIs) -- Part 3: Device Net	+AC +AA -	2014 201X -
IEC 62591	2010	Industrial communication networks - Wireless communication network and communication profiles - WirelessHART™	EN 62591	2010
ISO 15745-3	2003	Industrial automation systems and integration - Open systems application integration framework -- Part 3: Reference description for IEC 61158 based control systems	-	-

ISO 15745-4	2003	Industrial automation systems and integration - Open systems application integration framework - Part 4: Reference description for Ethernet-based control systems	-	-
ISO/IEC 8482	-	Information technology - Telecommunications and information exchange between systems - Twisted pair multipoint interconnections	-	-
ISO/IEC 8802-2	1998	Information technology - Telecommunications and information exchange between systems - Local and metropolitan area networks - Specific requirements -- Part 2: Logical link control	-	-
ISO/IEC 8802-3	2000	Information technology - Telecommunications and information exchange between systems - Local and metropolitan area networks - Specific requirements - Part 3: Carrier sense multiple access with collision detection (CSMA/CD) access method and physical layer specifications	-	-
ISO/IEC 15802-3	-	Information technology - Telecommunications and information exchange between systems - Local and metropolitan area networks - Common specifications - Part 3: Media Access Control (MAC) Bridges	-	-
ANSI TIA/EIA-485-A		Electrical Characteristics of Generators and Receivers for Use in Balanced Digital Multipoint Systems	-	-
IEEE 802.3	2002	Information technology - Telecommunications and information exchange between systems; Local and metropolitan area networks; Specific requirements - Part 3: Carrier sense multiple access with collision detection (CSMA/CD) access method and physical layer specifications	-	-
IETF RFC 1112	-	Host Extensions for IP Multicasting	-	-
IETF RFC 1122	-	Requirements for Internet Hosts - Communication Layers	-	-
IETF RFC 1123	-	Requirements for Internet Hosts - Application and Support	-	-
IETF RFC 1127	-	A Perspective on the Host Requirements RFCs	-	-
IETF RFC 2236	-	Internet Group Management Protocol	-	-
IETF RFC 768	-	User Datagram Protocol	-	-
IETF RFC 791	-	Internet Protocol - DARPA Internet Program Protocol Specification	-	-
IETF RFC 792	-	Internet Control Message Protocol	-	-
IETF RFC 793	-	Transmission Control Protocol - DARPA Internet Program Protocol Specification	-	-
IETF RFC 826	-	An Ethernet Address Resolution Protocol - or - Converting Network Protocol Addresses to 48.bit Ethernet Address for Transmission on Ethernet Hardware	-	-
IETF RFC 894	-	Standard for the Transmission of IP Datagrams over Ethernet Networks	-	-

CONTENTS

FOREWORD.....	15
INTRODUCTION.....	17
1 Scope.....	18
2 Normative references	19
3 Definitions	23
3.1 Terms and definitions.....	23
3.2 Abbreviations and symbols	23
3.2.1 IEC 61158 abbreviations and symbols	23
3.2.2 Other abbreviations and symbols.....	24
3.3 Conventions.....	24
3.3.1 Conventions common to all layers	24
3.3.2 Physical layer	26
3.3.3 Data-link layer	26
3.3.4 Application layer	27
4 Conformance to communication profiles	27
5 Communication Profile Family 1 (FOUNDATION™ fieldbus)	28
5.1 General overview	28
5.2 Profile 1/1 (FOUNDATION™ H1)	29
5.2.1 Physical layer	29
5.2.2 Data-link layer	47
5.2.3 Application layer.....	118
5.3 Profile 1/2 (FOUNDATION™ HSE).....	120
5.3.1 Physical layer	120
5.3.2 Data-link layer	120
5.3.3 Network layer	120
5.3.4 Transport layer	120
5.3.5 Application layer	120
5.4 Profile 1/3 (FOUNDATION™ H2)	121
5.4.1 Physical layer	121
5.4.2 Data-link layer	124
5.4.3 Application layer	124
6 Communication Profile Family 2 (CIP™).....	124
6.1 General overview	124
6.2 Profile 2/1 (ControlNet)	125
6.2.1 Physical layer	125
6.2.2 Data-link layer	126
6.2.3 Application layer	128
6.3 Profile 2/2 (EtherNet/IP).....	129
6.3.1 Physical layer	129
6.3.2 Data-link layer	130
6.3.3 Application layer	131
6.4 Profile 2/3 (DeviceNet).....	133
6.4.1 Physical layer	133
6.4.2 Data-link layer	133
6.4.3 Application layer	135
7 Communication Profile Family 3 (PROFIBUS & PROFINET)	136

7.1	General overview	136
7.2	Profile 3/1 (PROFIBUS DP).....	138
7.2.1	Physical layer	138
7.2.2	Data-link layer	140
7.2.3	Application layer	164
7.3	Profile 3/2 (PROFIBUS PA).....	223
7.3.1	Physical layer	223
7.3.2	Data-link layer	228
7.3.3	Application layer	240
7.4	Profile 3/3 (PROFINET CBA)--- <i>Void</i>	241
8	Communication Profile Family 4 (P-NET®)	241
8.1	General overview	241
8.2	Profile 4/1 (P-NET RS-485).....	241
8.2.1	Physical layer	241
8.2.2	Data-link layer	242
8.2.3	Application layer	243
9	Communication Profile Family 5 (WorldFIP®)	244
9.1	General overview	244
9.2	Profile 5/1 (WorldFIP)	245
9.2.1	Physical layer	245
9.2.2	Data-link layer	247
9.2.3	Application layer	249
9.3	Profile 5/2 (WorldFIP)	255
9.3.1	Physical layer	255
9.3.2	Data-link layer	255
9.3.3	Application layer	255
9.4	Profile 5/3 (WorldFIP)	261
9.4.1	Physical layer	261
9.4.2	Data-link layer	261
9.4.3	Application layer	261
10	Communication Profile Family 6 (INTERBUS®)	262
10.1	General overview	262
10.2	Profile 6/1	263
10.2.1	Physical layer	263
10.2.2	Data-link layer	265
10.2.3	Application layer	267
10.3	Profile 6/2	268
10.3.1	Physical layer	268
10.3.2	Data-link layer	269
10.3.3	Application layer	270
10.4	Profile 6/3	271
10.4.1	Physical layer	271
10.4.2	Data-link layer	271
10.4.3	Application layer	272
11	Communication Profile Family 7 – <i>Void</i>	273
12	Communication Profile Family 8 (CC-Link).....	274
12.1	General overview	274
12.1.1	General	274

12.1.2	Profile 8/1	274
12.1.3	Profile 8/2	275
12.1.4	Profile 8/3	275
12.2	Profile 8/1	275
12.2.1	Physical layer	275
12.2.2	Data-link layer	276
12.2.3	Application layer	279
12.3	Profile 8/2	282
12.3.1	Physical layer	282
12.3.2	Data-link layer	282
12.3.3	Application layer	282
12.4	Profile 8/3	282
12.4.1	Physical layer	282
12.4.2	Data-link layer	283
12.4.3	Application layer	286
13	Communication Profile Family 9 (HART®)	289
13.1	General Overview	289
13.2	Profile 9/1, HART®	289
13.2.1	Physical layer	289
13.2.2	Data-link layer	290
13.2.3	Application layer	291
13.3	Profile 9/2, WirelessHART®	292
14	Communication Profile Family 16 (SERCOS)	292
14.1	General overview	292
14.2	Profile 16/1 (SERCOS I)	292
14.2.1	Physical layer selection	292
14.2.2	Data-link layer	293
14.2.3	Application layer	294
14.3	Profile 16/2 (SERCOS II)	294
14.3.1	Physical layer	294
14.3.2	Data-link layer	295
14.3.3	Application layer	296
15	Communication Profile Family 19 (MECHATROLINK)	296
15.1	General overview	296
15.2	Profile 19/1 (MECHATROLINK-II)	296
15.2.1	Physical layer selection	296
15.2.2	Data-link layer	298
15.2.3	Application layer	307
15.3	Profile 19/2 (M-III)	313
15.3.1	Physical layer	313
15.3.2	Data-link layer	313
15.3.3	Application layer	323
	Annex A (informative) Communication concepts	328
A.1	CPF 1 (FOUNDATION Fieldbus) communication concepts	328
A.1.1	Overview	328
A.1.2	Physical layer characteristics	328
A.1.3	Data-link layer characteristics	328
A.1.4	Application layer characteristics	329

A.1.5	Management characteristics	329
A.2	CPF 2 (CIP) communication concepts.....	329
A.2.1	Overview.....	329
A.2.2	CIP common characteristics.....	330
A.2.3	ControlNet	330
A.2.4	EtherNet/IP	331
A.2.5	DeviceNet	332
A.3	CPF 3 (PROFIBUS & PROFINET) communication concepts	332
A.3.1	Basic characteristics	332
A.3.2	Physical layer profiles	333
A.3.3	Communication feature list (GSD).....	334
A.3.4	PROFINET--- <i>Void</i>	334
A.4	CPF 4 (P-NET) communication concepts	334
A.5	CPF 5 (WorldFIP) communication concepts	336
A.5.1	Physical layer characteristics	336
A.5.2	Data-link layer characteristics	336
A.5.3	Application layer characteristics.....	336
A.6	CPF 6 (INTERBUS) communication concepts	336
A.7	CPF 8 (CC-LINK) communication concepts.....	338
A.7.1	Basic characteristics	338
A.7.2	Variants	338
A.8	CPF 9 (HART) communication concepts	339
A.9	CPF 16 (SERCOS) communication concepts	339
	Annex B (informative) Added value of IEC 61784-1.....	341
	Bibliography.....	342
	Figure 1 – Communication profile families and profiles	18
	Figure 2 – Example optical power budget for a 100/140 µm fiber system with a 16/16 optical passive star coupler.....	46
	Figure 3 – CP 3/2 Slave devices usable in applications.....	138
	Figure A.1 – Ring structure	339
	Figure A.2 – Topology example.....	340
	Table 1 – Relations of Communication Profile Families to type numbers	19
	Table 2 – Layout of profile (sub)clause selection tables	24
	Table 3 – Contents of (sub)clause selection tables	25
	Table 4 – Layout of service selection tables.....	25
	Table 5 – Contents of service selection tables	26
	Table 6 – Layout of parameter selection tables	26
	Table 7 – Contents of parameter selection tables	26
	Table 8 – Layout of class attribute selection tables	27
	Table 9 – Contents of class attribute selection tables.....	27
	Table 10 – CPF 1: overview of profile sets	29
	Table 11 – CP 1/1: PhL selection for communicating devices and their MAUs.....	29
	Table 12 – CP 1/1: PhL classification of MAUs and attached devices.....	31

Table 13 – CP 1/1: PhL selection of Clause 16 for devices and their MAUs	32
Table 14 – CP 1/1: PhL selection of Clause 12 for devices and their MAUs	32
Table 15 – Void	33
Table 16 – CP 1/1: PhL selection of recommended IS parameters for MAU classes 111, 112, 121, 122, 511 and 512	34
Table 17 – CP 1/1: PhL selection for media components.....	35
Table 18 – CP 1/1: PhL selection of imperative IS parameters for media in FISCO systems	36
Table 19 – CP 1/1: PhL selection for power supplies	37
Table 20 – CP 1/1: PhL selection of power supply types	38
Table 21 – CP 1/1: PhL selection of permissible output voltage and IS parameters for FISCO power supplies	38
Table 22 – CP 1/1: PhL selection for terminators	39
Table 23 – CP 1/1: PhL selection of IS parameters for terminators	40
Table 24 – CP 1/1: PhL selection of Clause 12 for intrinsic safety barriers	41
Table 25 – CP 1/1: PhL selection of recommended IS parameters for intrinsic safety barriers and galvanic isolators (Entity model only)	42
Table 26 – CP 1/1: PhL selection of Clause 12 for intrinsically safe galvanic isolators	43
Table 27 – CP 1/1: PhL selection of Clause 15, recommended optical fiber types	44
Table 28 – CP 1/1: PhL selection of passive star couplers, recommended maximum insertion loss	44
Table 29 – CP 1/1: PhL selection of active star couplers.....	45
Table 30 – CP 1/1: Optical power budget considerations	45
Table 31 – CP 1/1: DLL service selection.....	47
Table 32 – CP 1/1: DLL service selection of Clause 5	47
Table 33 – CP 1/1: DLL service selection of 5.4.....	47
Table 34 – CP 1/1: DLL service selection of 5.4.1	48
Table 35 – CP 1/1: DLL service selection of 5.4.3	48
Table 36 – CP 1/1: DLL service selection of 5.4.6	49
Table 37 – CP 1/1: DLL service selection of Clause 6	50
Table 38 – CP 1/1: DLL service selection of the summary of 6.3, DL-connection QoS.....	51
Table 39 – CP 1/1: DLL service selection of figures 9 to 14 of 6.4.....	51
Table 40 – CP 1/1: DLL service selection of 6.5.....	52
Table 41 – CP 1/1: DLL service selection: replacement for Table 13 of 6.5	53
Table 42 – CP 1/1: DLL service selection of 6.5, replacement for Table 14	54
Table 43 – CP 1/1: DLL service selection of 6.5 for use of addresses for peer DLC	54
Table 44 – CP 1/1: DLL service selection of 6.5 for use of addresses for multipeer DLC connect request at publisher	54
Table 45 – CP 1/1: DLL service selection of 6.5 for use of addresses for multipeer DLC connect request at subscriber	54
Table 46 – CP 1/1: DLL service selection of 6.6.....	55
Table 47 – CP 1/1: DLL service selection: replacement for Table 15 of 6.6	55
Table 48 – CP 1/1: DLL service selection of 6.7.....	56
Table 49 – CP 1/1: DLL service selection of 6.7, replacement for Table 16	56
Table 50 – CP 1/1: DLL service selection of 6.7, replacement for Table 17	56

Table 51 – CP 1/1: DLL service selection of 6.7, replacement for Table 18	57
Table 52 – CP 1/1: DLL service selection of Clause 7	57
Table 53 – CP 1/1: DLL service selection of 7.5, replacement for Table 23	58
Table 54 – CP 1/1: DLL service selection of Clause 8	59
Table 55 – CP 1/1: DLL service selection of 8.5, replacement for Table 28	59
Table 56 – CP 1/1: DLL protocol selection	60
Table 57 – CP 1/1: DLL protocol selection of Clause 4	60
Table 58 – CP 1/1: DLL protocol selection of 4.3	61
Table 59 – CP 1/1: DLL protocol selection of 4.3.2.1 for use of link designators	61
Table 60 – CP 1/1: DLL protocol selection of 4.3.2.2 for use of node designators	61
Table 61 – CP 1/1: DLL protocol selection of 4.3.3.1 for predefined flat non-local DL-addresses	62
Table 62 – CP 1/1: DLL protocol selection of 4.3.3.2 for predefined flat link-local DL-addresses	62
Table 63 – CP 1/1: DLL protocol selection of 4.3.3.3 for predefined node-local DL-addresses	62
Table 64 – CP 1/1: DLL protocol selection of 4.7	63
Table 65 – CP 1/1: DLL protocol selection of 4.7.4	64
Table 66 – CP 1/1: DLL protocol selection of 4.7.5	65
Table 67 – CP 1/1: DLL protocol selection of Clause 6	66
Table 68 – CP 1/1: DLL protocol selection, replacement for Table 10 of 6.0	67
Table 69 – CP 1/1: DLL protocol selection of 6.5	68
Table 70 – CP 1/1: DLL protocol selection of 6.7	71
Table 71 – CP 1/1: DLL protocol selection of 6.8	75
Table 72 – CP 1/1: DLL protocol selection of 6.11	76
Table 73 – CP 1/1: DLL protocol selection of 6.12	76
Table 74 – CP 1/1: DLL protocol selection of 6.15	77
Table 75 – CP 1/1: DLL protocol selection of 6.20	78
Table 76 – CP 1/1: DLL protocol selection of Clause 7	79
Table 77 – CP 1/1: DLL protocol selection of 7.4	80
Table 78 – CP 1/1: DLL protocol selection of Clause 8	81
Table 79 – CP 1/1: DLL protocol selection of 8.2	82
Table 80 – CP 1/1: DLL protocol selection of 8.2.2	93
Table 81 – CP 1/1: DLL protocol selection of 8.3	105
Table 82 – CP 1/1: DLL protocol selection of 8.4	106
Table 83 – CP 1/1: DLL protocol selection of Clause 9	107
Table 84 – CP 1/1: DLL protocol selection of 9.3	108
Table 85 – CP 1/1: DLL protocol selection of 9.3.5	110
Table 86 – CP 1/1: DLL protocol selection of 9.3.5.2.2, replacement for element encoding	111
Table 87 – CP 1/1: DLL protocol selection of Clause 10	111
Table 88 – CP 1/1: DLL protocol selection of 10.2	112
Table 89 – CP 1/1: DLL protocol selection of 10.3	113
Table 90 – CP 1/1: DLL protocol selection of 10.3.7, specification of errors	115

Table 91 – CP 1/1: DLL protocol selection of 10.4	116
Table 92 – CP 1/1: DLL protocol selection of 10.5	117
Table 93 – CP 1/1: DLL protocol selection of 10.6	118
Table 94 – CP 1/1: AL service selection.....	118
Table 95 – CP 1/1: AL data type selection of Clause 4.....	119
Table 96 – CP 1/1: AL protocol selection	119
Table 97 – CP 1/2: AL service selection.....	120
Table 98 – CP 1/2: AL protocol selection	121
Table 99 – CP 1/3: PhL selection for H2 devices.....	122
Table 100 – CP 1/3: PhL selection for H2 media and related components.....	123
Table 101 – CPF 2: overview of profile sets	125
Table 102 – CP 2/1: PhL selection	125
Table 103 – CP 2/1: DLL service selection.....	126
Table 104 – CP 2/1: DLL protocol selection	127
Table 105 – CP 2/1: DLL protocol selection of management objects	128
Table 106 – CP 2/1: AL service selection.....	128
Table 107 – CP 2/1: AL protocol selection	129
Table 108 – CP 2/2: DLL protocol selection	130
Table 109 – CP 2/2: DLL protocol selection of management objects	131
Table 110 – CP 2/2: AL service selection.....	131
Table 111 – CP 2/2: AL protocol selection	132
Table 112 – CP 2/3: DLL protocol selection	134
Table 113 – CP 2/3: DLL protocol selection of management objects	134
Table 114 – CP 2/3: AL service selection.....	135
Table 115 – CP 2/3: AL protocol selection	136
Table 116 – CPF 3: overview of profile sets	137
Table 117 – CP 3/1: PhL selection.....	138
Table 118 – CP 3/1: PhL selection of Clause 3	140
Table 119 – CP 3/1: PhL selection of Clause 4	140
Table 120 – CP 3/1: General DLL service selection	140
Table 121 – CP 3/1: DLL service selection for DP-V0 master (class 1).....	141
Table 122 – CP 3/1: DLM service selection for DP-V0 master (class 1).....	142
Table 123 – CP 3/1: DLL service selection for DP-V1 master (class 1).....	143
Table 124 – CP 3/1: DLM service selection for DP-V1 master (class 1).....	144
Table 125 – CP 3/1: DLL service selection for DP-V0 master (class 2).....	144
Table 126 – CP 3/1: DLL service selection for DP-V1 master (class 2).....	145
Table 127 – CP 3/1: DLL service selection for DP-V0 slave	147
Table 128 – CP 3/1: DLM service selection for DP-V0 slave	148
Table 129 – CP 3/1: DLL service selection for DP-V1 slave	149
Table 130 – CP 3/1: DLM service selection for DP-V1 slave	150
Table 131 – CP 3/1: General DLL protocol selection	151
Table 132 – CP 3/1: DLL protocol selection of Clause 5.....	151
Table 133 – CP 3/1: DLL protocol selection of Clause 6.....	152

Table 134 – CP 3/1: DLL protocol selection of Clause 7	152
Table 135 – CP 3/1: Time variable selection for DP-V0 master (class 1)	153
Table 136 – CP 3/1: Timer and counter selection for DP-V0 master (class 1)	154
Table 137 – CP 3/1: DLPDU selection for DP-V0 master (class 1)	154
Table 138 – CP 3/1: MAC state selection for DP-V0 master (class 1)	155
Table 139 – CP 3/1: Time selection for DP-V1 master (class 1)	156
Table 140 – CP 3/1: Timer and counter selection for DP-V1 master (class 1)	157
Table 141 – CP 3/1: DLPDU selection for DP-V1 master (class 1)	157
Table 142 – CP 3/1: MAC state selection for DP-V1 master (class 1)	158
Table 143 – CP 3/1: CS protocol selection for DP-V1 master (class 1)	158
Table 144 – CP 3/1: Time selection for DP-V1 master (class 2)	159
Table 145 – CP 3/1: Timer and counter selection for DP-V1 master (class 2)	159
Table 146 – CP 3/1: DLPDU selection for DP-V1 master (class 2)	160
Table 147 – CP 3/1: Time selection for DP-V0 slave	160
Table 148 – CP 3/1: Timer and counter selection for DP-V0 slave	161
Table 149 – CP 3/1: DLPDU selection for DP-V0 slave	161
Table 150 – CP 3/1: MAC state selection for DP-V0 slave	162
Table 151 – CP 3/1: Time selection for DP-V1 slave	162
Table 152 – CP 3/1: Timer and counter selection for DP-V1 slave	163
Table 153 – CP 3/1: DLPDU selection for DP-V1 slave	163
Table 154 – CP 3/1: CS protocol selection for DP-V1 slave	164
Table 155 – CP 3/1, 3/2: AL service selection	164
Table 156 – CP 3/1, 3/2: AL service selection of Clause 6	165
Table 157 – CP 3/1, 3/2: AL service selection of I/O data ASE	165
Table 158 – CP 3/1, 3/2: AL service selection of Diagnosis ASE	166
Table 159 – CP 3/1, 3/2: AL service selection of Context ASE	166
Table 160 – CP 3/1, 3/2: AL service selection of Management ASE	167
Table 161 – CP 3/1, 3/2: AL service selection of AR ASE	168
Table 162 – CP 3/1, 3/2: AL service selection of Clause 6	169
Table 163 – CP 3/1, 3/2: AL service selection of Process data ASE	169
Table 164 – CP 3/1, 3/2: AL service selection of I/O data ASE	170
Table 165 – CP 3/1, 3/2: AL service selection of Alarm ASE	170
Table 166 – CP 3/1, 3/2: AL service selection of Context ASE	170
Table 167 – CP 3/1, 3/2: AL service selection of Load region ASE	171
Table 168 – CP 3/1, 3/2: AL service selection of Function invocation ASE	171
Table 169 – CP 3/1, 3/2: AL service selection of Time ASE	171
Table 170 – CP 3/1, 3/2: AL service selection of AR ASE	172
Table 171 – CP 3/1, 3/2: AL service selection of Clause 6	173
Table 172 – CP 3/1, 3/2: AL service selection of I/O data ASE	173
Table 173 – CP 3/1, 3/2: AL service selection of Diagnosis ASE	174
Table 174 – CP 3/1, 3/2: AL service selection of Context ASE	174
Table 175 – CP 3/1, 3/2: AL service selection of Management ASE	175
Table 176 – CP 3/1, 3/2: AL service selection of AR ASE	175

Table 177 – CP 3/1, 3/2: AL service selection of Clause 6	176
Table 178 – CP 3/1, 3/2: AL service selection of Process data ASE	177
Table 179 – CP 3/1, 3/2: AL service selection of Context ASE	177
Table 180 – CP 3/1, 3/2: AL service selection of Load region ASE	178
Table 181 – CP 3/1, 3/2: AL service selection of Function invocation ASE	178
Table 182 – CP 3/1, 3/2: AL service selection of Time ASE	178
Table 183 – CP 3/1, 3/2: AL service selection of AR ASE	179
Table 184 – CP 3/1, 3/2: AL service selection of Clause 6	180
Table 185 – CP 3/1, 3/2: AL service selection of I/O data ASE	181
Table 186 – CP 3/1, 3/2: AL service selection of Diagnosis ASE	182
Table 187 – CP 3/1, 3/2: AL service selection of Context ASE	183
Table 188 – CP 3/1, 3/2: AL service selection of AR ASE	184
Table 189 – CP 3/1, 3/2: AL service selection of Clause 6	185
Table 190 – CP 3/1, 3/2: AL service selection of Process data ASE	185
Table 191 – CP 3/1, 3/2: AL service selection of I/O data ASE	186
Table 192 – CP 3/1, 3/2: AL service selection of diagnosis ASE	186
Table 193 – CP 3/1, 3/2: AL service selection of Alarm ASE	187
Table 194 – CP 3/1, 3/2: AL service selection of Context ASE	187
Table 195 – CP 3/1, 3/2: AL service selection of Load region ASE	188
Table 196 – CP 3/1, 3/2: AL service selection of Function invocation ASE	188
Table 197 – CP 3/1, 3/2: AL service selection of Time ASE	188
Table 198 – CP 3/1, 3/2: AL service selection of AR ASE	189
Table 199 – CP 3/1, 3/2: AL protocol selection	190
Table 200 – CP 3/1, 3/2: AL protocol selection of Clause 4 to 11	191
Table 201 – CP 3/1, 3/2: AL protocol selection of APDUs	193
Table 202 – CP 3/1, 3/2: AL protocol selection of FSPM services primitives	194
Table 203 – CP 3/1, 3/2: AL protocol selection of DMPM services primitives	195
Table 204 – CP 3/1, 3/2: AL protocol selection of Clause 4 to 11	196
Table 205 – CP 3/1, 3/2: AL protocol selection of APDUs	198
Table 206 – CP 3/1, 3/2: AL protocol selection of FSPM services primitives	199
Table 207 – CP 3/1, 3/2: AL protocol selection of DMPM services primitives	201
Table 208 – CP 3/1, 3/2: AL protocol selection of Clause 4 to 6	202
Table 209 – CP 3/1, 3/2: AL protocol selection of APDUs	204
Table 210 – CP 3/1, 3/2: AL protocol selection of FSPM services primitives	205
Table 211 – CP 3/1, 3/2: AL protocol selection of DMPM services primitives	205
Table 212 – CP 3/1, 3/2: AL protocol selection of Clause 4 to 11	206
Table 213 – CP 3/1, 3/2: AL protocol selection of APDUs	208
Table 214 – CP 3/1, 3/2: AL protocol selection of FSPM services primitives	210
Table 215 – CP 3/1, 3/2: AL protocol selection of DMPM services primitives	211
Table 216 – CP 3/1, 3/2: AL protocol selection of Clause 4 to 11	211
Table 217 – CP 3/1, 3/2: AL protocol selection of APDU selection	213
Table 218 – CP 3/1, 3/2: AL protocol selection of FSPM services primitives	214
Table 219 – CP 3/1, 3/2: AL protocol selection of DMPM services primitives	215

Table 220 – CP 3/1, 3/2: AL protocol selection of Clause 4 to 11	216
Table 221 – CP 3/1, 3/2: AL protocol selection of APDUs	218
Table 222 – CP 3/1, 3/2: AL protocol selection of FSPM services primitives	219
Table 223 – CP 3/1, 3/2: AL protocol selection of DMPM services primitives	221
Table 224 – CP 3/2: PhL selection	224
Table 225 – CP 3/2: PhL selection of Clause 12 for devices and their MAUs	226
Table 226 – CP 3/2: PhL selection of recommended IS parameters	227
Table 227 – CP 3/2: PhL selection of Clause 21 for devices and their MAUs	228
Table 228 – CP 3/2: General DLL protocol selection	229
Table 229 – CP 3/2: DLL protocol selection of Clause 4	229
Table 230 – CP 3/2: DLL protocol selection of Clause 5	230
Table 231 – CP 3/2: DLL protocol selection of Clause 6	230
Table 232 – CP 3/2: DLL protocol selection of Clause 7	231
Table 233 – CP 3/2: Time variable selection for DP-V0 master (class 1)	232
Table 234 – CP 3/2: Timer and counter selection for DP-V0 master (class 1)	232
Table 235 – CP 3/2: DLPDU selection for DP-V0 master (class 1)	233
Table 236 – CP 3/2: Time variable selection for DP-V1 master (class 1)	234
Table 237 – CP 3/2: Timer and counter selection for DP-V1 master (class 1)	235
Table 238 – CP 3/2: DLPDU selection for DP-V1 master (class 1)	235
Table 239 – CP 3/2: Time variable selection for DP-V1 master (class 2)	236
Table 240 – CP 3/2: Timer and counter selection for DP-V1 master (class 2)	237
Table 241 – CP 3/2: DLPDU selection for DP-V1 master (class 2)	237
Table 242 – CP 3/2: Time variable selection for DP-V0 slave	238
Table 243 – CP 3/2: Timer and counter selection for DP-V0 slave	238
Table 244 – CP 3/2: DLPDU selection for DP-V0 slave	239
Table 245 – CP 3/2: Time variable selection for DP-V1 slave	239
Table 246 – CP 3/2: Timer and counter selection for DP-V1 slave	240
Table 247 – CP 3/2: DLPDU selection for DP-V1 slave	240
Table 248 – CP 4/1: PhL selection	242
Table 249 – CP 4/1: DLL service selection	243
Table 250 – CP 4/1: DLL protocol selection	243
Table 251 – CP 4/1: AL service selection	244
Table 252 – CP 4/1: AL protocol selection	244
Table 253 – CPF 5: overview of profile sets	245
Table 254 – CPF 5: PhL selection	246
Table 255 – CPF 5: DLL service selection	247
Table 256 – CPF 5: DLL service selection of Clause 4	247
Table 257 – CPF 5: DLL protocol selection	248
Table 258 – CPF 5: DLL protocol selection of variables and resources	248
Table 259 – CPF 5: DLL protocol selection of DLPDUs	249
Table 260 – CP 5/1: AL service selection	249
Table 261 – CP 5/1: AL service selection of ASEs	250
Table 262 – CPF 5: AL service selection of MPS ASEs	250

Table 263 – CPF 5: AL service selection of variable elements	250
Table 264 – CPF 5: AL service selection of produced variable elements	251
Table 265 – CPF 5: AL service selection of consumed variable elements	251
Table 266 – CP 5/1: AL service selection of MPS services	251
Table 267 – CP 5/1, 5/2: AL service selection of A_Readloc service parameters	251
Table 268 – CP 5/1, 5/2: AL service selection of A_Readfar service parameters	252
Table 269 – CP 5/1, 5/2: AL service selection of A_Read service parameters	252
Table 270 – CP 5/1: AL service selection of MCS service classes	252
Table 271 – CP 5/1: AL service selection of QoS	252
Table 272 – CP 5/1: AL service selection of MCS services	253
Table 273 – CP 5/1, 5/2: AL service selection of A_Data parameters	253
Table 274 – CP 5/1: AL protocol selection	253
Table 275 – CPF 5/1: AL protocol selection of MPS data types	253
Table 276 – CPF 5/1: AL protocol selection of MPS PDUs	254
Table 277 – CPF 5/1: AL protocol selection of MPS encoding rules	254
Table 278 – CP 5/1, 5/2: AL protocol selection of MCS PDUs	254
Table 279 – CP 5/1: AL protocol selection of MCS state machines	255
Table 280 – CP 5/2: AL service selection	255
Table 281 – CP 5/2: AL service selection of ASEs	256
Table 282 – CP 5/2: AL service selection of MPS services	256
Table 283 – CP 5/2: AL service selection of MCS service classes	256
Table 284 – CP 5/2: AL service selection of QoS	257
Table 285 – CP 5/2: AL service selection of MCS services	257
Table 286 – CP 5/2: AL service selection of domain services	257
Table 287 – CP 5/2: AL service selection of domain object attributes	258
Table 288 – CP 5/2: AL service selection of program services	258
Table 289 – CP 5/2: AL service selection of program object attributes	258
Table 290 – CP 5/2: AL service selection of variable services	259
Table 291 – CP 5/2: AL service selection of variable classes	259
Table 292 – CP 5/2: AL service selection of variable class attributes	259
Table 293 – CP 5/2: AL protocol selection	259
Table 294 – CP 5/2: AL protocol selection of MCS state machines	260
Table 295 – CP 5/2: AL protocol selection of sub-MMS coding rules	260
Table 296 – CP 5/2: AL protocol selection of sub-MMS PDUs	261
Table 297 – CP 5/3: AL service selection	261
Table 298 – CP 5/3: AL service selection of ASEs	262
Table 299 – CP 5/3: AL protocol selection	262
Table 300 – CPF 6: device CP identifier assignment	263
Table 301 – CPF 6: PhL selection	264
Table 302 – CP 6/1: DLL service selection, assignment of DLL services to device types	266
Table 303 – CPF 6: DLL protocol selection of data widths supported by master	267
Table 304 – CP 6/1: AL service selection, assignment of AL services to device types	268
Table 305 – CP 6/2: DLL service selection, assignment of DLL services to device types	269

Table 306 – CP 6/2: AL service selection, assignment of AL services to device types	270
Table 307 – CP 6/2: AL service selection of AR-Data-Send-Acknowledge service parameters	271
Table 308 – CP 6/3: DLL service selection, assignment of DLL services to device types.....	272
Table 309 – CP 6/3: AL service selection, assignment of AL services to device types	273
Table 310 – CP 8/1 transmission support level	275
Table 311 – CP 8/1 PhL selection	276
Table 312 – CP 8/1 DLL services selection	277
Table 313 – CP 8/1 DLL protocol selection	278
Table 314 – CP 8/1 AL services selection	280
Table 315 – CP 8/1 AL protocol selection	281
Table 316 – CP 8/2 DLL protocol selection	282
Table 317 – CP 8/3 PhL selection	283
Table 318 – CP 8/3 DLL services selection	284
Table 319 – CP 8/3 DLL protocol selection	285
Table 320 – CP 8/3 AL services selection	287
Table 321 – CP 8/3 AL protocol selection	288
Table 322 – CP 9/1 PhL selection	290
Table 323 – CP 9/1: DLL service selection.....	291
Table 324 – CP 9/1: DLL protocol selection	291
Table 325 – CP 9/1: AL service selection.....	291
Table 326 – CP 9/1: AL protocol selection	292
Table 327 – CP 16/1: PhL selection	293
Table 328 – CP 16/1: DLL protocol selection	294
Table 329 – CP 16/1: AL service selection.....	294
Table 330 – CP 16/2: PhL selection	295
Table 331 – CPF 19: overview of profile sets	296
Table 332 – CP 19/1 profile: PhL selection	297
Table 333 – CP 19/1: DLL service selection.....	298
Table 334 – DLL service selection for C1 master of CP 19/1.....	299
Table 335 – DLL service selection for C2 master of CP 19//1.....	300
Table 336 – DLL service selection for slave of CP 19//1.....	301
Table 337 – CP 19/1: DLL protocol selection	302
Table 338 – DLL protocol selection for C1 master of CP 19/1	304
Table 339 – DLL protocol selection for C2 master of CP 19/1	305
Table 340 – DLL protocol selection for slave of CP 19/1	306
Table 341 – CP 19/1: AL service selection.....	308
Table 342 – Class selection for C1 master of CP 19/1	309
Table 343 – Master class attribute selection for C1 master of CP 19/1.....	309
Table 344 – Master class service selection	309
Table 345 – FDCMaster-AR class attribute selection for C1 master of CP 19/1	309
Table 346 – FDCMaster-AR class service selection	310
Table 347 – Class selection for C2 master of CP 19/1	310

Table 348 – Monitor class attribute selection for C2 master of CP 19/1	310
Table 349 – Monitor class service selection	310
Table 350 – FDCMonitor-AR class attribute selection for C2 master of CP 19/1	311
Table 351 – FDCMonitor-AR class service selection	311
Table 352 – Class selection for slave AP of CP 19/1	311
Table 353 – Slave class attribute selection for slave AP of CP 19/1	312
Table 354 – Slave class service selection	312
Table 355 – FDCSlave-AR class attribute selection for slave AP of CP 19/1	312
Table 356 – FDCSlave-AR class service selection	312
Table 357 – CP 19/1: AL protocol selection	312
Table 358 – CP 19/2: DLL service selection	313
Table 359 – DLL service selection for C1 master of CP 19/2	315
Table 360 – DLL service selection for C2 master of CP 19/2	316
Table 361 – DLL service selection for slave of CP 19/2	316
Table 362 – CP 19/2: DLL protocol selection	317
Table 363 – DLL protocol selection for C1 master of CP 19/2	319
Table 364 – DLL protocol selection for C2 master of CP 19/2	320
Table 365 – DLL protocol selection for slave of CP 19/2	322
Table 366 – CP 19/2: AL service selection	323
Table 367 – Class selection for C1 master of CP 19/2	324
Table 368 – EventManager class attribute selection for C1 master of CP 19/2	324
Table 369 – EventManager class service selection	324
Table 370 – Class selection for C2 master of CP 19/2	325
Table 371 – EventManager class attribute selection for C2 master of CP 19/2	325
Table 372 – EventManager class service selection	325
Table 373 – Class selection for slave AP of CP 19/2	326
Table 374 – EventManager class attribute selection for slave AP of CP 19/2	326
Table 375 – EventManager class service selection	326
Table 376 – CP 19/2: AL protocol selection	327
Table A.1 – Number of devices per CP16/1 and CP16/2 systems (examples)	340

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**INDUSTRIAL COMMUNICATION NETWORKS –
PROFILES –****Part 1: Fieldbus profiles****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

Attention is drawn to the fact that the use of some of the associated protocol types is restricted by their intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a layer protocol type to be used with other layer protocols of the same type, or in other type combinations explicitly authorized by their respective intellectual property right holders.

NOTE Combinations of protocol types are specified in IEC 61784-1 and IEC 61784-2.

International Standard IEC 61784-1 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation.

This fourth edition cancels and replaces the third edition published in 2010. This edition constitutes a technical revision.

The main changes with respect to the previous edition are listed below:

- update of the dated references to the IEC 61158 series, to IEC 61784-2, to the IEC 61784-3 series, to the IEC 61784-5 series and to IEC 61918 throughout the document;
- new profile family CPF 19;
- update of selection tables for CPF 1 and CPF 9.

The text of this standard is based on the following documents:

FDIS	Report on voting
65C/760/FDIS	65C/770/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61784 series, published under the general title *Industrial communication networks – Profiles*, can be found on the IEC web site

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This part of IEC 61784 provides a set of Communication Profiles (CP) in the sense of ISO/IEC TR 10000-1. These answer the need of identifying the protocol families co-existing within the IEC 61158 series, as a result of the international harmonization of fieldbus technologies available on the market. More specifically, these profiles help to correctly state the compliance to the IEC 61158 series, and to avoid the spreading of divergent implementations, which would limit its use, clearness and understanding. Additional profiles to address specific market concerns, such as functional safety or information security, may be addressed by future parts of this standard.

This standard contains several Communication Profile Families (CPF), which specify one or more communication profiles. Such profiles identify, in a strict sense, protocol subsets of the IEC 61158 series via protocol specific communication profiles. They do not define device-type-specific communication profiles for the purpose of guiding manufacturers in feature set selection – for example, in selecting the minimum set of communication services and protocol to implement a specific class of devices, such as generic slaves or transmitters ("implementation profiles"). Neither do they define device profiles that specify communication profiles together with application functions needed to answer the need of a specific application ("application profiles").

It is agreed that these latter classes of profiles would help the use of the IEC 61158 series of standards; the profiles defined in this document are a necessary step to achieve that task.

It is also important to clarify that interoperability – defined as the ability of two or more network systems to exchange information and to make mutual use of the information that has been exchanged (see 3.2.1 of ISO/IEC TR 10000-1) – can be directly achieved on the same link only for those devices complying to the same communication profile.

Profiles contained in this International Standard are constructed of references to IEC 61158-2 and the IEC 61158-3, IEC 61158-4, IEC 61158-5 and IEC 61158-6 series, and other IS, TS or worldwide-accepted standards, as appropriate¹. Each profile is required to reference at least one (sub)part of IEC 61158-2 through IEC 61158-6.

Two or more Profiles, which are related to a common family, are specified within a "Communication Profile Family" (CPF).

¹ International Standardised Profiles may contain normative references to specifications other than International Standards; see ISO/IEC JTC 1 N 4047.

INDUSTRIAL COMMUNICATION NETWORKS – PROFILES –

Part 1: Fieldbus profiles

1 Scope

This part of IEC 61784 defines a set of protocol specific communication profiles based primarily on the IEC 61158 series, to be used in the design of devices involved in communications in factory manufacturing and process control.

Each profile selects specifications for the communications protocol stack at a device. It contains a minimal set of required services at the application layer and specification of options in intermediate layers defined through references. If no application layer is included, then a minimal set of required services at the Data-link layer is specified. The appropriate references to the protocol specific types are given in each communication profile family or associated profiles.

NOTE All profiles are based on standards or draft standards or International Standards published by the IEC or from standards or International Standards established by other standards bodies or open standards processes.

The structure of communication profile families is specified in Figure 1.




Figure 1 – Communication profile families and profiles

Each profile selects an appropriate consistent and compatible subset of services and protocols from the total available set that is defined and modeled in IEC 61158. For the

selected subset of services and protocols, the profile also describes any possible or necessary constraints in parameter values.

Table 1 shows the communication profile families that are defined in this standard.

Table 1 – Relations of Communication Profile Families to type numbers

IEC 61784-1 contents			Corresponding IEC 61158 Types
CPF	Clause	Communication Profile Families (Note 1)	Type
1	5	Foundation® Fieldbus	1, 5, 9 (see Note 2)
2	6	CIP™	2
3	7	PROFIBUS & PROFINET	3 (see Note 3)
4	8	P-NET®	4
5	9	WorldFIP®	7
6	10	INTERBUS®	8
7	11	Has been removed based for lack of market relevance	6
8	12	CC-Link	18
9	13	HART	20
16	14	SERCOS	16
19	15	MECHATROLINK	24
NOTE 1 See the specific CPF clauses for information on the respective trademark holders. NOTE 2 CP 1/1 has a denigrated PhL device profile subclass, which uses a variant of a Type 3 PhL. NOTE 3 CP 3/2 has a denigrated PhL device profile subclass, which uses a variant of a Type 1 PhL. NOTE 4 Other CPFs can be found in IEC 61784-2.			

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE All parts of the IEC 61158 series, as well as IEC 61784-1 and IEC 61784-2 are maintained simultaneously. Cross-references to these documents within the text therefore refer to the editions as dated in this list of normative references.

IEC 60079-11, *Explosive atmospheres – Part 11: Equipment protection by intrinsic safety "i"*

IEC 60079-25, *Explosive atmospheres – Part 25: Intrinsically safe electrical systems*

IEC 61010 (all parts), *Safety requirements for electrical equipment for measurement, control and laboratory use*

IEC 61131-2, *Programmable controllers – Part 2: Equipment requirements and tests*

IEC 61158 (all parts), *Industrial communication networks – Fieldbus specifications*

IEC 61158-2:2014, *Industrial communication networks – Fieldbus specifications – Part 2: Physical layer specification and service definition*

IEC 61158-3-1:2014, *Industrial communication networks – Fieldbus specifications – Part 3-1: Data-link layer service definition – Type 1 elements*

IEC 61158-3-2:2014, *Industrial communication networks – Fieldbus specifications – Part 3-2: Data-link layer service definition – Type 2 elements*

IEC 61158-3-3:2014, *Industrial communication networks – Fieldbus specifications – Part 3-3: Data-link layer service definition – Type 3 elements*

IEC 61158-3-4:2014, *Industrial communication networks – Fieldbus specifications – Part 3-4: Data-link layer service definition – Type 4 elements*

IEC 61158-3-7:2007, *Industrial communication networks – Fieldbus specifications – Part 3-7: Data-link layer service definition – Type 7 elements*

IEC 61158-3-8:2007, *Industrial communication networks – Fieldbus specifications – Part 3-8: Data-link layer service definition – Type 8 elements*

IEC 61158-3-16:2007, *Industrial communication networks – Fieldbus specifications – Part 3-16: Data-link layer service definition – Type 16 elements*

IEC 61158-3-18:2007, *Industrial communication networks – Fieldbus specifications – Part 3-18: Data-link layer service definition – Type 18 elements*

IEC 61158-3-19:2014, *Industrial communication networks – Fieldbus specifications – Part 3-19: Data-link layer service definition – Type 19 elements*

IEC 61158-3-20:2014, *Industrial communication networks – Fieldbus specifications – Part 3-20: Data-link layer service definition – Type 20 elements*

IEC 61158-3-24:2014, *Industrial communication networks – Fieldbus specifications – Part 3-24: Data-link layer service definition – Type 24 elements*

IEC 61158-4-1:2014, *Industrial communication networks – Fieldbus specifications – Part 4-1: Data-link layer protocol specification – Type 1 elements*

IEC 61158-4-2:2014, *Industrial communication networks – Fieldbus specifications – Part 4-2: Data-link layer protocol specification – Type 2 elements*

IEC 61158-4-3:2014, *Industrial communication networks – Fieldbus specifications – Part 4-3: Data-link layer protocol specification – Type 3 elements*

IEC 61158-4-4:2014, *Industrial communication networks – Fieldbus specifications – Part 4-4: Data-link layer protocol specification – Type 4 elements*

IEC 61158-4-7:2007, *Industrial communication networks – Fieldbus specifications – Part 4-7: Data-link layer protocol specification – Type 7 elements*

IEC 61158-4-8:2007, *Industrial communication networks – Fieldbus specifications – Part 4-8: Data-link layer protocol specification – Type 8 elements*

IEC 61158-4-16:2007, *Industrial communication networks – Fieldbus specifications – Part 4-16: Data-link layer protocol specification – Type 16 elements*

IEC 61158-4-18:2010, *Industrial communication networks – Fieldbus specifications – Part 4-18: Data-link layer protocol specification – Type 18 elements*

IEC 61158-4-19:2014, *Industrial communication networks – Fieldbus specifications – Part 4-19: Data-link layer protocol specification – Type 19 elements*

IEC 61158-4-20:2014, *Industrial communication networks – Fieldbus specifications – Part 4-20: Data-link layer protocol specification – Type 20 elements*

IEC 61158-4-24:2014, *Industrial communication networks – Fieldbus specifications – Part 4-24: Data-link layer protocol specification – Type 24 elements*

IEC 61158-5-2:2014, *Industrial communication networks – Fieldbus specifications – Part 5-2: Application layer service definition – Type 2 elements*

IEC 61158-5-3:2014, *Industrial communication networks – Fieldbus specifications – Part 5-3: Application layer service definition – Type 3 elements*

IEC 61158-5-4:2014, *Industrial communication networks – Fieldbus specifications – Part 5-4: Application layer service definition – Type 4 elements*

IEC 61158-5-5:2014, *Industrial communication networks – Fieldbus specifications – Part 5-5: Application layer service definition – Type 5 elements*

IEC 61158-5-7:2007, *Industrial communication networks – Fieldbus specifications – Part 5-7: Application layer service definition – Type 7 elements*

IEC 61158-5-8:2007, *Industrial communication networks – Fieldbus specifications – Part 5-8: Application layer service definition – Type 8 elements*

IEC 61158-5-9:2014, *Industrial communication networks – Fieldbus specifications – Part 5-9: Application layer service definition – Type 9 elements*

IEC 61158-5-16:2007, *Industrial communication networks – Fieldbus specifications – Part 5-16: Application layer service definition – Type 16 elements*

IEC 61158-5-18:2010, *Industrial communication networks – Fieldbus specifications – Part 5-18: Application layer service definition – Type 18 elements*

IEC 61158-5-19:2014, *Industrial communication networks – Fieldbus specifications – Part 5-19: Application layer service definition – Type 19 elements*

IEC 61158-5-20:2014, *Industrial communication networks – Fieldbus specifications – Part 5-20: Application layer service definition – Type 20 elements*

IEC 61158-5-24:2014, *Industrial communication networks – Fieldbus specifications – Part 5-24: Application layer service definition – Type 24 elements*

IEC 61158-6-2:2014, *Industrial communication networks – Fieldbus specifications – Part 6-2: Application layer protocol specification – Type 2 elements*

IEC 61158-6-3:2014, *Industrial communication networks – Fieldbus specifications – Part 6-3: Application layer protocol specification – Type 3 elements*

IEC 61158-6-4:2014, *Industrial communication networks – Fieldbus specifications – Part 6-4: Application layer protocol specification – Type 4 elements*

IEC 61158-6-5:2014, *Industrial communication networks – Fieldbus specifications – Part 6-5: Application layer protocol specification – Type 5 elements*

IEC 61158-6-7:2007, *Industrial communication networks – Fieldbus specifications – Part 6-7: Application layer protocol specification – Type 7 elements*

IEC 61158-6-8:2007, *Industrial communication networks – Fieldbus specifications – Part 6-8: Application layer protocol specification – Type 8 elements*

IEC 61158-6-9:2014, *Industrial communication networks – Fieldbus specifications – Part 6-9: Application layer protocol specification – Type 9 elements*

IEC 61158-6-16:2007, *Industrial communication networks – Fieldbus specifications – Part 6-16: Application layer protocol specification – Type 16 elements*

IEC 61158-6-18:2010, *Industrial communication networks – Fieldbus specifications – Part 6-18: Application layer protocol specification – Type 18 elements*

IEC 61158-6-19:2014, *Industrial communication networks – Fieldbus specifications – Part 6-19: Application layer protocol specification – Type 19 elements*

IEC 61158-6-20:2014, *Industrial communication networks – Fieldbus specifications – Part 6-20: Application layer protocol specification – Type 20 elements*

IEC 61158-6-24:2014, *Industrial communication networks – Fieldbus specifications – Part 6-24: Application layer protocol specification – Type 24 elements*

IEC 61784-2:2014, *Industrial communication networks – Profiles – Part 2: Additional fieldbus profiles for real-time networks based on ISO/IEC 8802-3*

IEC 61784-5-2:2013, *Industrial communication networks – Profiles – Part 5-2: Installation of fieldbuses – Installation profiles for CPF 2*

IEC 61918:2013, *Industrial communication networks – Installation of communication networks in industrial premises*

IEC 62026-3, *Low-voltage switchgear and controlgear – Controller-device interfaces (CDIs) – Part 3: DeviceNet*

IEC 62591:2010, *Industrial communication networks – Wireless communication network and communication profiles – WirelessHART™*

ISO/IEC 8482, *Information technology – Telecommunications and information exchange between systems – Twisted pair multipoint interconnections*

ISO/IEC 8802-2:1998, *Information technology – Telecommunications and information exchange between systems – Local and metropolitan area networks – Specific requirements – Part 2: Logical link control*

ISO/IEC 8802-3:2000, *Information technology – Telecommunications and information exchange between systems – Local and metropolitan area networks – Specific requirements – Part 3: Carrier sense multiple access with collision detection (CSMA/CD) access method and physical layer specifications*

ISO/IEC 15802-3, *Information technology – Telecommunications and information exchange between systems – Local and metropolitan area networks – Common specifications – Part 3: Media Access Control (MAC) Bridges*

ISO 15745-3:2003, *Industrial automation systems and integration – Open systems application integration framework – Part 3: Reference description for IEC 61158-based control systems*

ISO 15745-4:2003, *Industrial automation systems and integration – Open systems application integration framework – Part 4: Reference description for Ethernet-based control systems*, Amendment 1:2006, *PROFINET profiles*

ANSI TIA/EIA-485-A:1998, *Electrical Characteristics of Generators and Receivers for Use in Balanced Digital Multipoint Systems*

IEEE 802.3-2002, *IEEE Standard for Information technology – Telecommunications and information exchange between systems – Local and metropolitan area networks – Specific requirements – Part 3: Carrier Sense Multiple Access with Collision Detection (CSMA/CD) Access Method and Physical Layer Specifications*

IETF RFC 768, *User Datagram Protocol*; available at <<http://www.ietf.org>>

IETF RFC 791, *Internet Protocol*; available at <<http://www.ietf.org>>

IETF RFC 792, *Internet Control Message Protocol*; available at <<http://www.ietf.org>>

IETF RFC 793, *Transmission Control Protocol*; available at <<http://www.ietf.org>>

IETF RFC 826, *Ethernet Address Resolution Protocol*; available at <<http://www.ietf.org>>

IETF RFC 894, *A standard for the Transmission of IP Datagrams over Ethernet Networks*; available at <<http://www.ietf.org>>

IETF RFC 1112, *Host Extensions for IP Multicasting*; available at <<http://www.ietf.org>>

IETF RFC 1122, *Requirements for Internet Hosts – Communication Layers*; available at <<http://www.ietf.org>>

IETF RFC 1123, *Requirements for Internet Hosts – Application and Support*; available at <<http://www.ietf.org>>

IETF RFC 1127, *A Perspective on the Host Requirements RFCs*; available at <<http://www.ietf.org>>

IETF RFC 2236, *Internet Group Management Protocol, Version 2*; available at <<http://www.ietf.org>>