

© Copyright SEK. Reproduction in any form without permission is prohibited.

Miljötålighetsprovning – Del 2-75: Provningsmetoder – Eh: Slag, provning med hammare

*Environmental testing –
Part 2-75: Tests –
Test Eh: Hammer tests*

Som svensk standard gäller europastandarden EN 60068-2-75:2014. Den svenska standarden innehåller den officiella engelska språkversionen av EN 60068-2-75:2014.

Nationellt förord

Europastandarden EN 60068-2-75:2014

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 60068-2-75, Second edition, 2014 - Environmental testing - Part 2-75: Tests - Test Eh: Hammer tests**

utarbetad inom International Electrotechnical Commission, IEC.

Tidigare fastställd svensk standard SS-EN 60068-2-75, utgåva 1, 2001, gäller ej fr o m 2017-10-08.

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

English Version

**Environmental testing - Part 2-75: Tests - Test Eh: Hammer tests
(IEC 60068-2-75:2014)**

Essais d'environnement -
Partie 2-75: Essais - Test Eh: Essais au marteau
(CEI 60068-2-75:2014)

Umgebungseinflüsse -
Teil: 2-75: Prüfungen - Prüfung Eh: Hammerprüfungen
(IEC 60068-2-75:2014)

This European Standard was approved by CENELEC on 2014-10-08. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

The text of document 104/635/FDIS, future edition 2 of IEC 60068-2-75, prepared by IEC/TC 104 "Environmental conditions, classification and methods of test" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60068-2-75:2014.

The following dates are fixed:

- latest date by which the document has to be (dop) 2015-07-08
implemented at national level by
publication of an identical national
standard or by endorsement
- latest date by which the national (dow) 2017-10-08
standards conflicting with the
document have to be withdrawn

This document supersedes EN 60068-2-75:1997.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60068-2-75:2014 was approved by CENELEC as a European Standard without any modification.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60068-1	-	Environmental testing - Part 1: General and guidance	EN 60068-1	-
IEC 60721-1	-	Classification of environmental conditions - Part 1: Environmental parameters and their severities	EN 60721-1	-
IEC Guide 104	-	The preparation of safety publications and the use of basic safety publications and group safety publications	-	-
IEC Guide 108	-	Guidelines for ensuring the coherency of IEC publications - Application of horizontal standards	-	-
ISO 1052	-	Steels for general engineering purposes	-	-
ISO 2039-2	-	Plastics - Determination of hardness - Part 2: Rockwell hardness	EN ISO 2039-2	-
ISO 2041	-	Mechanical vibration, shock and condition monitoring - Vocabulary	-	-
ISO 2768-1	-	General tolerances - Part 1: Tolerances for linear and angular dimensions without individual tolerance indications	EN 22768-1	-
ISO 6508	Series	Metallic materials - Rockwell hardness test	EN ISO 6508	Series

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references.....	7
3 Terms and definitions.....	8
4 Provisions common to all hammer test methods.....	8
4.1 Severities.....	8
4.1.1 General.....	8
4.1.2 Impact energy value.....	8
4.1.3 Number of impacts.....	9
4.2 Test apparatus.....	9
4.2.1 Description.....	9
4.2.2 Mounting.....	10
4.3 Preconditioning.....	10
4.4 Initial measurements.....	10
4.5 Testing.....	10
4.5.1 General.....	10
4.5.2 Attitudes and impact locations.....	11
4.5.3 Preparation of the specimen.....	11
4.5.4 Operating mode and functional monitoring.....	11
4.6 Recovery.....	11
4.7 Final measurements.....	11
4.8 Information to be given in the relevant specification.....	11
5 Test Eha: Pendulum hammer.....	12
5.1 Test apparatus.....	12
5.1.1 General.....	12
5.1.2 Test apparatus for severities not exceeding 1 J.....	12
5.1.3 Test apparatus for severities of 2 J and above.....	12
5.2 Height of fall.....	12
5.3 Testing.....	13
6 Test Ehb: Spring hammer.....	13
6.1 Test apparatus.....	13
6.2 Influence of earth's gravity.....	14
6.3 Calibration.....	14
7 Test Ehc: Vertical hammer.....	14
7.1 Test apparatus.....	14
7.2 Height of fall.....	14
Annex A (normative) Shapes of striking elements.....	15
Annex B (normative) Procedure for the calibration of spring hammers.....	18
B.1 Principle of calibration.....	18
B.2 Construction of the calibration device.....	18
B.3 Method of calibration of the calibration device.....	18
B.4 Use of the calibration device.....	19
Annex C (informative) Guidance notes.....	25
C.1 When is an impact test appropriate?.....	25

C.2	Choice of test apparatus.....	25
C.3	Choice of energy level.....	25
C.4	Information for testing.....	26
Annex D (informative)	Example of pendulum hammer test apparatus.....	27
Annex E (informative)	Example of spring hammer test apparatus.....	30
Bibliography	32
Figure 1	– Example sketch of a striking element.....	10
Figure 2	– Derivation of measuring point.....	13
Figure 3	– Shape of release head for 2 J.....	14
Figure A.1	– Example of a striking element for ≤ 1 J.....	15
Figure A.2	– Example of a striking element for 2 J.....	15
Figure A.3	– Example of a striking element for 5 J.....	16
Figure A.4	– Example of a striking element for 10 J.....	16
Figure A.5	– Example of a striking element for 20 J.....	17
Figure A.6	– Example of a striking element for 50 J.....	17
Figure B.1	– Calibration device.....	20
Figure B.2	– Pendulum "c".....	21
Figure B.3	– Steel spring of pendulum "c".....	21
Figure B.4	– Details of calibration device.....	22
Figure B.5	– Arrangement for the calibration of the calibration device.....	23
Figure B.6	– Division of scale plate "f".....	24
Figure D.1	– Test apparatus.....	27
Figure D.2	– Striking element of the pendulum hammer for energies ≤ 1 J.....	28
Figure D.3	– Mounting fixture.....	28
Figure D.4	– Adapter for flush-type switches.....	29
Figure D.5	– Adapter for lamp holders.....	29
Figure E.1	– Spring hammer test apparatus.....	31
Table 1	– Coordinated characteristics of the striking elements.....	9
Table 2	– Height of fall.....	12
Table C.1	– Energy levels in joules.....	25
Table E.1	– Kinetic energy of striking element.....	30

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ENVIRONMENTAL TESTING –**Part 2-75: Tests –
Test Eh: Hammer tests**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60068-2-75 has been prepared by IEC technical committee 104: Environmental conditions, classification and methods of test.

This second edition cancels and replaces the first edition, published in 1997, and constitutes a technical revision.

This edition includes the following significant technical change with respect to the previous edition:

- reconsideration of some values in Tables 1 and 2. Although some values are no longer recommended, they have been retained as alternatives for historical consistency purposes.

It has the status of: a basic safety publication in accordance with IEC Guide 104.

The text of this standard is based on the following documents:

FDIS	Report on voting
104/635/FDIS	104/637/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60068 series, published under the general title *Environmental testing*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

Mechanical impacts likely to stress electrotechnical equipment in service can be generated by hammers of various types. For standardization purposes, the results of such testing should not depend on the type of testing apparatus and therefore, the characteristics of the various types of test hammers described in this part of IEC 60068 are intended to be as close as practicable for the same severity level.

It is important to note that both Clause 3 and the test method selected from Clauses 4, 5, and 6 need to be complied with in order to satisfy the requirements of this International Standard.

The severity levels are, in general, taken from IEC 60721-1.

For coordination purposes, it has been necessary to change certain fundamental parameters of the previous tests Ef: Impact, pendulum hammer, and Eg: Impact, spring hammer. In all cases, both sets of parameters are shown at the appropriate places in the text. Although some values are no longer recommended, they have been retained as alternatives for historical consistency purposes. This is because they have application in certain industries as historic comparators.

ENVIRONMENTAL TESTING –

Part 2-75: Tests – Test Eh: Hammer tests

1 Scope

This part of IEC 60068 provides three standardized and coordinated test methods for determining the ability of a specimen to withstand specified severities of impact. It is used, in particular, to demonstrate an acceptable level of robustness when assessing the safety of a product and is primarily intended for the testing of electrotechnical items. It consists of the application to the specimen of a prescribed number of impacts defined by their impact energy and applied in the prescribed directions.

This part of IEC 60068 covers energy levels ranging from 0,14 J (joules) to 50 J (joules).

Three types of test apparatus are applicable to perform these tests. Annex C provides some guidance as to this aspect.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-1, *Environmental testing – Part 1: General and guidance*

IEC 60721-1, *Classification of environmental conditions – Part 1: Environmental parameters and their severities*

IEC Guide 104, *The preparation of safety publications and the use of basic safety publications and group safety publications*

IEC Guide 108, *Guidelines for ensuring the coherency of IEC publications – Application of horizontal standards*

ISO 1052, *Steels for general engineering purposes*

ISO 2039-2, *Plastics – Determination of hardness – Part 2: Rockwell hardness*

ISO 2041, *Vibration and shock and condition monitoring – Vocabulary*

ISO 2768-1, *General tolerances – Part 1: Tolerances for linear and angular dimensions without individual tolerances indications*

ISO 6508 (all parts), *Metallic materials – Rockwell hardness test*