

## SVENSK STANDARD SS-EN 62196-1

FastställdUtgåvaSidaAnsvarig kommitté2015-01-2831 (1+90)SEK TK 23

© Copyright SEK. Reproduction in any form without permission is prohibited.

# Anslutningsdon för konduktiv laddning av elfordon – Del 1: Allmänna fordringar

Plugs, socket-outlets, vehicle connectors and vehicle inlets – Conductive charging of electric vehicles – Part 1: General requirements

Som svensk standard gäller europastandarden EN 62196-1:2014. Den svenska standarden innehåller den officiella engelska språkversionen av EN 62196-1:2014.

Nationellt förord

Europastandarden EN 62196-1:2014

består av:

- europastandardens ikraftsättningsdokument, utarbetat inom CENELEC
- IEC 62196-1, Third edition, 2014 Plugs, socket-outlets, vehicle connectors and vehicle inlets -Conductive charging of electric vehicles - Part 1: General requirements

utarbetad inom International Electrotechnical Commission, IEC.

Tidigare fastställd svensk standard SS-EN 62196-1, utgåva 2, 2012, SS-EN 62196-1/A11, utgåva 1, 2013 och SS-EN 62196-1/A12, utgåva 1, 2014, gäller ej fr o m 2019-10-06.

Denna standard är fastställd av SEK Svensk Elstandard, som också kan lämna upplysningar om **sakinnehållet** i standarden. Postadress: Box 1284, 164 29 KISTA Telefon: 08 - 444 14 00. E-post: sek@elstandard.se. Internet: www.elstandard.se

#### Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

#### SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

#### Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

#### Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

#### SEK Svensk Elstandard

Box 1284 164 29 Kista Tel 08-444 14 00 www.elstandard.se

# EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

# EN 62196-1

November 2014

ICS 29.120.30; 43.120

Supersedes EN 62196-1:2012

English Version

### Plugs, socket-outlets, vehicle connectors and vehicle inlets -Conductive charging of electric vehicles - Part 1: General requirements (IEC 62196-1:2014, modified)

Fiches, socles de prise de courant, prises mobiles de véhicule et socles de connecteur de véhicule - Charge conductive des véhicules électriques - Partie 1: Règles générales (CEI 62196-1:2014, modifiée) Stecker, Steckdosen, Fahrzeugkupplungen und Fahrzeugstecker - Konduktives Laden von Elektrofahrzeugen - Teil 1: Allgemeine Anforderungen (IEC 62196-1:2014, modifiziert)

This European Standard was approved by CENELEC on 2014-10-06. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

© 2014 CENELEC All rights of exploitation in any form and by any means reserved worldwide for CENELEC Members.

Ref. No. EN 62196-1:2014 E

SEK Svensk Elstandard

## Foreword

The text of document 23H/302/FDIS, future edition 3 of IEC 62196-1, prepared by IEC/SC 23H "Plugs, socket-outlets and couplers for industrial and similar applications, and for electric vehicles" of IEC/TC 23 "Electrical accessories" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62196-1:2014.

A draft amendment, which covers common modifications to IEC 62196-1, was prepared by CLC/TC 23BX "Switches, boxes and enclosures for household and similar purposes, plugs and socket outlets for d.c. and for the charging of electrical vehicles including their connectors" and approved by CENELEC.

This document supersedes EN 62196-1:2012.

The following dates are fixed:

have to be withdrawn

•	latest date by which this document has to be implemented at national level by publication of an identical	(dop)	2015-10-06
	national standard or by endorsement		
•	latest date by which the national standards conflicting with this document	(dow)	2019-10-06

Clauses, subclauses, notes, tables, figures and annexes which are additional to those in IEC 62196-1:2014 are prefixed "Z".

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

This standard covers the Principle Elements of the Safety Objectives for Electrical Equipment Designed for Use within Certain Voltage Limits (LVD - 2006/95/EC).

#### **Endorsement notice**

The text of the International Standard IEC 62196-1:2014 was approved by CENELEC as a European Standard with agreed common modifications.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60068-2-75:1997	NOTE	Harmonized as EN 60068-2-75:1997 (not modified).
IEC 60309-1	NOTE	Harmonized as EN 60309-1.
IEC 60947-1	NOTE	Harmonized as EN 60947-1.
IEC 60999-1:1999	NOTE	Harmonized as EN 60999-1:2000 (not modified).
IEC 60999-2:2003	NOTE	Harmonized as EN 60999-2:2003 (not modified).
IEC 61008-1	NOTE	Harmonized as EN 61008-1.
IEC 61009-1	NOTE	Harmonized as EN 61009-1.
IEC 61300-2-4	NOTE	Harmonized as EN 61300-2-4.
IEC 61300-2-6	NOTE	Harmonized as EN 61300-2-6.
IEC 61300-2-7	NOTE	Harmonized as EN 61300-2-7.
IEC 62752	NOTE	Harmonized as EN 62752.

#### Annex ZA

#### (normative)

# Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies. NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

Publication	Year	Title	<u>EN/HD</u>	<u>Year</u>
IEC 60068-2-14	-	Environmental testing Part 2-14: Tests - Test N: Change of temperature	EN 60068-2-14	-
IEC 60112	-	Method for the determination of the proof and the comparative tracking indices of solic insulating materials	EN 60112 J	-
IEC 60227	series	Polyvinyl chloride insulated cables of rated voltages up to and including 450/750	-	-
IEC 60228	2004	Conductors of insulated cables	EN 60228	2005
			+corrigendum May 2005	2005
IEC 60245-4	-	Rubber insulated cables - Rated voltages up to and including 450/750 V - Part 4: Cords and flexible cables	)-	-
IEC 60269-1	-	Low-voltage fuses Part 1: General requirements	EN 60269-1	-
IEC 60269-2	-	Low-voltage fuses Part 2: Supplementary requirements for fuses for use by authorized persons (fuses mainly for industrial application) - Examples of standardized systems of fuses A to K		-
IEC 60309-4 (mod)	2006	Plugs, socket-outlets and couplers for industrial purposes Part 4: Switched socket-outlets and connectors with or without interlock	EN 60309-4	2007
IEC 60449	-	Voltage bands for electrical installations of buildings	HD 193 S2	-
IEC 60529	1989	Degrees of protection provided by enclosures (IP Code)	EN 60529	1991
			+corrigendum May 1993	1993
IEC 60664-1	2007	Insulation coordination for equipment within low-voltage systems Part 1: Principles, requirements and tests	EN 60664-1	2007

IEC 60664-3	-	Insulation coordination for equipment within low-voltage systems Part 3: Use of coating, potting or moulding for protection against pollution	EN 60664-3	-
IEC 60695-2-11	-	Fire hazard testing Part 2-11: Glowing/hot wire based test methods - Glow-wire flammability test method for end-products (GWEPT)	-EN 60695-2-11	-
IEC 60695-10-2	-	Fire hazard testing Part 10-2: Abnormal heat - Ball pressure test method	EN 60695-10-2	-
IEC 61851-1	2010	Electric vehicle conductive charging system Part 1: General requirements	EN 61851-1	2011
IEC 61851-23	2014	Electric vehicle conductive charging system Part 23: D.C. electric vehicle charging station	EN 61851-23	2014
ISO 1456	-	Metallic and other inorganic coatings - Electrodeposited coatings of nickel, nickel plus chromium, copper plus nickel and of copper plus nickel plus chromium	EN ISO 1456	-
ISO 2081	-	Metallic and other inorganic coatings Electroplated coatings of zinc with supplementary treatments on iron or steel	EN ISO 2081	-
ISO 2093	-	Electroplated coatings of tin; Specification and test methods	-	-

### CONTENTS

		DRD	
IN		JCTION	
1	Scop	ре	9
2	Norm	native references	9
3	Term	ns and definitions	11
4	Gene	eral	19
	4.1	General requirements	19
	4.2	General notes on tests	19
5	Ratir	ngs	20
	5.1	Preferred rated operating voltage ranges	20
	5.2	Preferred rated currents	20
	5.2.1		
	5.2.2		20
	5.2.3	under load	21
	5.2.4	Accessories suitable for, or not suitable for, making and breaking an electrical circuit under load	21
6	Conr	nection between the power supply and the electric vehicle	
•	6.1	General	
	6.2	Types of vehicle inlets	
	6.3	Types of vehicle connectors	
	6.4	Universal interface	
	6.5	Basic interface	23
	6.6	D.C. configurations	24
	6.7	Combined interface	25
	6.8	Contact sequencing	26
7	Clas	sification of accessories	26
	7.1	According to purpose	26
	7.2	According to the method of connecting the conductors	
	7.3	According to serviceability	
	7.4	According to electrical operation	
	7.5	According to interface	
	7.6	According to use with cable management systems	
	7.7	According to the locking and interlock functions:	
	7.7.1	5 5	
	7.8	According to Interlock facilities.	
8		ing	
9		ensions	
3 10		ection against electric shock	
-		-	
11		and colour of protective earthing conductors	
12		isions for protective earthing	
13		ninals	
	13.1	Common requirements	
	13.2	Screw type terminals	40

	13.3	Mechanical tests on terminals	.43
14	Interl	locks	.45
	14.1	Accessories with interlock	.45
	14.2	Accessories with integral switching device	
	14.3	Control circuit devices and switching elements	.49
	14.4	Pilot contacts and auxiliary circuits	.49
15	Resis	stance to ageing of rubber and thermoplastic material	. 50
16	Gene	eral construction	. 50
17	Cons	truction of socket-outlets	. 53
	17.1	General	. 53
	17.2	Contact tubes	. 53
18	Cons	truction of plugs and vehicle connectors	. 55
19	Cons	truction of vehicle inlets	. 56
20	Degr	ees of protection	. 56
21		ation resistance and dielectric strength	
22		king capacity	
23		nal operation	
23 24		perature rise	
25		ble cables and their connection	
-	25.1	Strain relief	
4	25.2	Requirements for plugs and vehicle connectors	
	25.2. 25.2.	1 3	
	ZD.Z.		nn
	25.3	· •	
	25.3 Mech	Plugs and vehicle connectors provided with a flexible cable	.66
26	Mech	Plugs and vehicle connectors provided with a flexible cable	.66 .67
26 2	Mech 26.1	Plugs and vehicle connectors provided with a flexible cable nanical strength General	.66 .67 .67
26 2	Mech 26.1 26.2	Plugs and vehicle connectors provided with a flexible cable nanical strength General Degree of protection	.66 .67 .67 .68
26	Mech 26.1 26.2 26.3	Plugs and vehicle connectors provided with a flexible cable nanical strength General Degree of protection Rewirable plugs and vehicle connectors	.66 .67 .67 .68 .69
26	Mech 26.1 26.2 26.3 26.4	Plugs and vehicle connectors provided with a flexible cable nanical strength General Degree of protection Rewirable plugs and vehicle connectors Non-rewirable accessories	.66 .67 .67 .68 .69 .70
26	Mech 26.1 26.2 26.3	Plugs and vehicle connectors provided with a flexible cable nanical strength General Degree of protection Rewirable plugs and vehicle connectors Non-rewirable accessories Cable glands	.66 .67 .67 .68 .69 .70 .72
26	Mech 26.1 26.2 26.3 26.4 26.5	Plugs and vehicle connectors provided with a flexible cable nanical strength General Degree of protection Rewirable plugs and vehicle connectors Non-rewirable accessories	.66 .67 .68 .69 .70 .72 .72
26	Mech 26.1 26.2 26.3 26.4 26.5 26.6	Plugs and vehicle connectors provided with a flexible cable nanical strength General Degree of protection Rewirable plugs and vehicle connectors Non-rewirable accessories Cable glands Shutters	.66 .67 .68 .69 .70 .72 .72 .72
26	Mech 26.1 26.2 26.3 26.4 26.5 26.6 26.7	Plugs and vehicle connectors provided with a flexible cable nanical strength General Degree of protection Rewirable plugs and vehicle connectors Non-rewirable accessories Cable glands Shutters Insulated end caps	.66 .67 .68 .69 .70 .72 .72 .72 .72
26	Mech 26.1 26.2 26.3 26.4 26.5 26.6 26.7 26.8 26.9	Plugs and vehicle connectors provided with a flexible cable nanical strength	.66 .67 .68 .69 .70 .72 .72 .72 .72 .73 .73
26	Mech 26.1 26.2 26.3 26.4 26.5 26.6 26.7 26.8 26.9 Screv	Plugs and vehicle connectors provided with a flexible cable	.66 .67 .68 .69 .70 .72 .72 .72 .73 .73 .73
26	Mech 26.1 26.2 26.3 26.4 26.5 26.6 26.7 26.8 26.9 Screv Cree	Plugs and vehicle connectors provided with a flexible cable nanical strength	.66 .67 .68 .69 .70 .72 .72 .72 .72 .73 .73 .73
26 2 2 2 2 2 2 7 28	Mech 26.1 26.2 26.3 26.4 26.5 26.6 26.7 26.8 26.9 Screv Cree Resis	Plugs and vehicle connectors provided with a flexible cable	.66 .67 .68 .69 .70 .72 .72 .72 .73 .73 .73 .73 .73
26 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Mech 26.1 26.2 26.3 26.4 26.5 26.6 26.7 26.8 26.9 Screv Cree Resis Corro	Plugs and vehicle connectors provided with a flexible cable	.66 .67 .68 .69 .70 .72 .72 .72 .72 .73 .73 .73 .73 .76 .79
26 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Mech 26.1 26.2 26.3 26.4 26.5 26.6 26.7 26.8 26.9 Screv Cree Resis Corro Conc	Plugs and vehicle connectors provided with a flexible cable	.66 .67 .68 .69 .70 .72 .72 .72 .73 .73 .73 .73 .73 .77 .79 .79
26 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Mech 26.1 26.2 26.3 26.4 26.5 26.6 26.7 26.8 26.9 Cree Resis Corro Conc 31.1	Plugs and vehicle connectors provided with a flexible cable nanical strength	.66 .67 .67 .68 .70 .72 .72 .72 .73 .73 .73 .73 .76 .77 .79 .79
26 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Mech 26.1 26.2 26.3 26.4 26.5 26.6 26.7 26.8 26.9 Screv Cree Resis Corro 31.1 31.2	Plugs and vehicle connectors provided with a flexible cable	.66 .67 .68 .69 .70 .72 .72 .72 .73 .73 .73 .73 .73 .73 .77 .79 .79 .79
26 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Mech 26.1 26.2 26.3 26.4 26.5 26.6 26.7 26.8 26.9 Screy Cree Resis Corro 31.1 31.2 31.3	Plugs and vehicle connectors provided with a flexible cable	.66 .67 .67 .68 .70 .72 .72 .72 .73 .73 .73 .73 .76 .77 .79 .79 .79 .79 .80
26 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Mech 26.1 26.2 26.3 26.4 26.5 26.6 26.7 26.8 26.9 Screv Cree Resis Corro 31.1 31.2	Plugs and vehicle connectors provided with a flexible cable	.66 .67 .68 .69 .70 .72 .72 .73 .73 .73 .73 .73 .73 .77 .79 .79 .80 .83
26 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Mech 26.1 26.2 26.3 26.4 26.5 26.6 26.7 26.8 26.9 Screv Cree Resis Corro 31.1 31.2 31.3 31.4	Plugs and vehicle connectors provided with a flexible cable	.66 .67 .68 .69 .72 .72 .72 .73 .73 .73 .73 .73 .73 .75 .79 .79 .79 .80 .83 .83

32 Electromagnetic compatibility	
32.1 Immunity	
32.2 Emission	
33 Vehicle driveover	
Bibliography	
Figure 1 – Diagram showing the use of the accessories	s11
Figure 2 – Examples of terminals	
Figure 3 – Standard test finger	
Figure 4 – Gauge "A" for checking shutters	
Figure 5 – Gauge "B" for checking shutters	
Figure 6 – Gauges for testing insertability of round unp maximum specified cross-section	prepared conductors having the
Figure 7 – Equipment test arrangement	
Figure 8 – Apparatus for checking the withdrawal force	
Figure 9 – Verification of the latching device	
Figure 10 – Circuit diagrams for breaking capacity and	
Figure 11 – Apparatus for testing the cable anchorage	
Figure 12 – Ball Impact test	
Figure 13 – Arrangement for mechanical strength test connectors	for plugs and vehicle
Figure 14 – Apparatus for flexing test	
Figure 15 – Diagram of the test circuit for the verificati withstand of a two-pole equipment on a single-phase a	on of short-circuit current
Figure 16 – Diagram of the test circuit for the verificati withstand of a three-pole equipment	
Figure 17 – Diagram of the test circuit for the verificati withstand of a four-pole equipment	
Table 1 Compatibility of moting appaganias at vahia	
Table 1 – Compatibility of mating accessories at vehic	
Table 2 – Overview of the universal vehicle interface	
Table 3 – Overview of the basic vehicle interfaceTable 4 – Overview of the d.c. vehicle interface	
Table 5 – Overview of the combined a.c./d.c. vehicle in	
Table 5 – Overview of the combined a.c./u.c. venicle if     Table 6 – Short-time test currents	
Table 0 – Short-time test currents   Table 7 – Size for conductors	
Table 8 – Values for flexing under mechanical load tes	
Table 9 – Values for iterminal pull test	
Table 10 – Withdrawal force with respect to ratings	
Table $11 - Cable length used to determine pull force of$	
Table 12 – Gauges to measure withdrawal force	-
Table 13 – Diameter of pins of the test plug	
Table 19 – Drameter of pins of the test plug   Table 14 – Maximum withdrawal force	
Table 15 – Test voltage for dielectric strength test	
Table 16 – Breaking capacity	

- 4 -

Table 17 – Normal operation	63
Table 18 – Test current and nominal cross-sectional areas of copper conductors for       temperature rise test.	64
Table 19 – Pull force and torque test values for cable anchorage	67
Table 20 – Impact energy for ball impact test	69
Table 21 – Mechanical load flexing test	71
Table 22 – Torque test values for glands	72
Table 23 – Pulling force on insulated end caps	73
Table 24 – Tightening torque for verification of mechanical strength of screw-type       terminals	74

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

#### PLUGS, SOCKET-OUTLETS, VEHICLE CONNECTORS AND VEHICLE INLETS – CONDUCTIVE CHARGING OF ELECTRIC VEHICLES –

#### Part 1: General requirements

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62196-1 has been prepared by subcommittee 23H: Plugs, socketoutlets and couplers for industrial and similar applications, and for electric vehicles, of IEC technical committee 23: Electrical accessories.

This third edition cancels and replaces the second edition published in 2011 and constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) addition of a preferred operating voltage of 1 000 V d.c.;
- b) addition of a preferred rated current of 80 A d.c.;
- c) addition of a provision for a combined interface a.c./d.c.;
- d) description of d.c. configurations (previously under consideration);

- e) addition of requirements pertaining to the locking mechanism, the interlock and the latching device;
- f) addition of a test for accessories not suitable for making and breaking an electrical circuit under load;
- g) addition of requirements and tests for insulated end caps.

The text of this standard is based on the following documents:

FDIS	Report on voting
23H/302/FDIS	23H/305/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 62196 series, under the general title *Plugs, socket-outlets, vehicle connectors and vehicle inlets – Conductive charging of electric vehicles*, can be found on the IEC website.

Subsequent parts of IEC 62196 deal with the requirements of particular types of accessories. The clauses of these particular requirements supplement or modify the corresponding clauses in Part 1.

In this standard, the following print types are used:

- requirements proper: in roman type;
- test specifications: in italic type;
- notes: in smaller roman type.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

#### INTRODUCTION

IEC 61851-1 specifies electric vehicle conductive charging equipment.

The IEC 62196 series specifies the requirements for plugs, socket-outlets, vehicle connectors, vehicle inlets and cable assemblies as described in IEC 61851-1.

Some charging can be achieved by direct connection from an electric vehicle to common mains socket-outlets.

Some modes of charging require a dedicated supply and charging equipment incorporating control and communication circuits.

IEC 62196 covers the mechanical, electrical and performance requirements for dedicated plugs, socket outlets, vehicle connectors and vehicle inlets for interfacing between such dedicated charging equipment and the electric vehicle.

IEC 62196 is divided into several parts as follows:

- Part 1: General requirements, comprising clauses of a general character.
- Part 2: Dimensional compatibility and interchangeability requirements for a.c. pin and contact-tube accessories.
- Part 3<sup>1</sup>: Dimensional compatibility and interchangeability requirements for d.c. and a.c./d.c. pin and contact-tube vehicle couplers.

<sup>1</sup> To be published

#### PLUGS, SOCKET-OUTLETS, VEHICLE CONNECTORS AND VEHICLE INLETS – CONDUCTIVE CHARGING OF ELECTRIC VEHICLES –

#### Part 1: General requirements

#### 1 Scope

This part of IEC 62196 is applicable to plugs, socket-outlets, vehicle connectors, vehicle inlets and cable assemblies for electric vehicles, herein referred to as "accessories", intended for use in conductive charging systems which incorporate control means, with a rated operating voltage not exceeding

- 690 V a.c. 50 Hz to 60 Hz, at a rated current not exceeding 250 A,
- 1 500 V d.c. at a rated current not exceeding 400 A.

These accessories are intended to be installed by instructed persons (IEC 60050-195:1998, IEC 60050-195/AMD1:2001, 195-04-02) or skilled persons (IEC 60050-195:1998, IEC 60050-195/AMD1:2001, 195-04-01) only.

These accessories and cable assemblies are intended to be used for circuits specified in IEC 61851-1 which operate at different voltages and frequencies and which may include extra-low voltage and communication signals.

These accessories and cable assemblies are to be used at an ambient temperature between -30 °C and +50 °C.

- NOTE 1 In some countries, other requirements may apply.
- NOTE 2 the following countries, -35 °C applies: SE.

These accessories are intended to be connected only to cables with copper or copper-alloy conductors.

The accessories covered by this part of IEC 62196 are for use in certain modes of charging electric vehicles. These modes are defined in IEC 61851-1. These definitions and a description of the types of connection (cases A, B and C), are described in IEC 61851-1:2010, 6.2 and 6.3.1.

NOTE 3 In the following countries, mode 1 will not be allowed: UK, US, CA, SG.

This part of IEC 62196 does not apply to those standardised accessories used in charging systems where the use of such accessories constructed to the requirements of other standards is permitted (e.g. in mode 1 and mode 2). Such standardized accessories may be used for those situations (mode and case) identified in IEC 61851-1.

This part of IEC 62196 may be used as a guide for accessories with a lesser number of contacts and lower ratings for use with light duty vehicles.

#### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-2-14, Environmental testing – Part 2-14: Tests – Test N: Change of temperature

IEC 60112, Method for the determination of the proof and the comparative tracking indices of solid insulating materials

IEC 60227 (all parts), Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V

IEC 60228:2004, Conductors of insulated cables

IEC 60245-4, Rubber insulated cables of rated voltages up to and including 450/750 V – Part 4: Cords and flexible cables

IEC 60269-1, Low-voltage fuses – Part 1: General requirements

IEC 60269-2, Low-voltage fuses – Part 2: Supplementary requirements for fuses for use by authorised persons (fuses mainly for industrial application) – Examples of standardized systems of fuses A to K

IEC 60309-4:2006, *Plugs, socket-outlets and couplers for industrial purposes – Part 4: Switched socket-outlets and connectors with or without interlock* 

IEC 60449, Voltage bands for electrical installations of buildings

IEC 60529:1989, Degrees of protection provided by enclosures (IP code)

IEC 60664-1:2007, Insulation coordination for equipment within low-voltage systems – Part 1: *Principles, requirements and tests* 

IEC 60664-3, Insulation coordination for equipment within low-voltage systems – Part 3: Use of coating, potting or moulding for protection against pollution

IEC 60695-2-11, Fire hazard testing – Part 2-11: Glowing/hot-wire based test methods – Glow-wire flammability test method for end-products

IEC 60695-10-2, Fire hazard testing – Part 10-2: Abnormal heat – Ball pressure test

IEC 61851-1:2010, *Electric vehicle conductive charging system – Part 1: General requirements* 

IEC 61851-23:2014, Electric vehicle conductive charging system – Part 23: d.c. electric vehicle charging station

ISO 1456, Metallic and other inorganic coatings – Electrodeposited coatings of nickel, nickel plus chromium, copper plus nickel and of copper plus nickel plus chromium

ISO 2081, Metallic and other inorganic coatings – Electroplated coatings of zinc with supplementary treatments on iron or steel

ISO 2093, Electroplated coatings of tin – Specification and test methods