

© Copyright SEK. Reproduction in any form without permission is prohibited.

**Ekodesign för elektriska drivsystem med startkopplare,  
kraftelektronik och tillhörande mekaniska last –  
Del 1: Utarbetande av standarder för verkningsgrad hos elmotordriven  
utrustning med tillämpning av ett systemperspektiv och den semi-  
analytiska modellen**

*Ecodesign for power drive systems, motor starters, power electronics & their driven applications –  
Part 1: General requirements for setting energy efficiency standards for power driven equipment using the  
extended product approach (EPA), and semi analytic model (SAM)*

Som svensk standard gäller europastandarden EN 50598-1:2014. Den svenska standarden innehåller den officiella engelska språkversionen av EN 50598-1:2014.

---

ICS 29.160.30

Denna standard är fastställd av SEK Svensk Elstandard, som också kan lämna upplysningar om **sakinnehållet** i standarden.  
Postadress: Box 1284, 164 29 KISTA  
Telefon: 08 - 444 14 00.  
E-post: sek@elstandard.se. Internet: [www.elstandard.se](http://www.elstandard.se)

---

## *Standarder underlättar utvecklingen och höjer elsäkerheten*

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

## *SEK är Sveriges röst i standardiseringsarbetet inom elområdet*

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

## *Stora delar av arbetet sker internationellt*

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

## *Var med och påverka!*

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

## **SEK Svensk Elstandard**

Box 1284  
164 29 Kista  
Tel 08-444 14 00  
[www.elstandard.se](http://www.elstandard.se)

December 2014

ICS 29.160.30

English Version

Ecodesign for power drive systems, motor starters, power electronics & their driven applications - Part 1: General requirements for setting energy efficiency standards for power driven equipment using the extended product approach (EPA), and semi analytic model (SAM)

Ecoconception des entraînements électriques de puissance, des démarreurs de moteur, de l'électronique de puissance et de leurs applications entraînées - Partie 1: Exigences générales pour définir les normes d'efficacité énergétique d'un équipement entraîné via l'approche produit étendu (EPA) et par le modèle semi-analytique (SAM)

Ökodesign für Antriebssysteme, Motorstarter, Leistungselektronik und deren angetriebene Einrichtungen - Teil 1: Allgemeine Anforderungen zur Erstellung von Normen zur Energieeffizienz von Ausrüstungen mit Elektroantrieb nach dem erweiterten Produktansatz (EPA) mit semi-analytischen Modellen (SAM)

This European Standard was approved by CENELEC on 2014-11-17. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

## Contents

	Page
Foreword.....	3
1 Scope .....	6
2 Normative references .....	6
3 Terms, definitions, symbols, units and abbreviated terms .....	6
4 Requirements for the development of energy efficiency standards for extended products .....	9
4.1 General .....	9
4.2 Responsibility of the driven equipment technical committee .....	10
4.3 Elements included in the extended product approach.....	10
5 Requirements for the semi analytical model (SAM) of the extended product.....	11
5.1 General .....	11
5.2 Torque/Power versus speed profiles .....	12
5.3 Operating points over time.....	13
6 Requirements for the semi analytical model (SAM) of the motor system .....	14
6.1 General .....	14
6.2 Speed versus torque loss points of a PDS and the associated power losses.....	15
6.3 Requirements if the motor system contains no CDM .....	15
7 Merging the semi analytical models (SAMs) to the extended product approach.....	16
7.1 General .....	16
7.2 Speed versus torque loss points of a motor system .....	17
7.3 How to determine intermediate speed versus torque loss points of a motor system .....	17
7.3.1 General .....	17
7.3.2 Determination of intermediate relative losses for speed versus torque operating points of a motor system .....	17
7.3.3 Loss determination by maximum losses of neighboured loss points .....	18
7.3.4 Loss determination by two-dimensional interpolation of losses of neighboured loss points.....	18
Annex A (informative) Example how to apply the SAM in the EPA for pump systems with a required speed versus torque loss points using the PDS .....	20
Annex B (informative) General calculation of the energy consumption based on the duty profile.....	22
Annex C (informative) Illustration of the collaboration of different responsibilities in the extended product approach.....	23
Bibliography.....	24

## Foreword

This document (EN 50598-1:2014) has been prepared by CLC/TC 22X "Power electronics".

The following dates are fixed:

- latest date by which this document has (dop) 2015-11-17  
to be implemented at national level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with this document have to be withdrawn (dow) 2017-11-17

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association.

EN 50598, *Ecodesign for power drive systems, motor starters, power electronics & their driven applications*, will consist of the following parts:

- *Part 1: General requirements for setting energy efficiency standards for power driven equipment using the extended product approach (EPA), and semi analytical model (SAM);*
- *Part 2: Energy efficiency indicators for power drive systems and motor starters;*
- *Part 3: Quantitative ecodesign approach through life cycle assessment including product category rules and the content of environmental declarations.*

The CLC/TC 22X/WG 06 is the enabled task force for dealing with the Mandate M/476 from European Commission for the standardization in the field of variable speed drives and/or power drive system products.

It has been set a close collaboration with several other technical committees (i.e. CLC/TC 2; CLC/TC 17B) in order to provide a comprehensive standard for energy efficiency aspects and ecodesign requirements together with a pilot stakeholder committee CEN/TC 197 from the customers side.

Key points:

- Requirements on the content of semi analytical models for motor system driven equipment;
- Requirements how to use them in the extended product approach.

The content could be of interest for the following technical committees CLC/TC 59X, CLC/TC 111X, CEN/TC 44, CEN/TC 113, CEN/TC 121, CEN/TC 123, CEN/TC 142, CEN/TC 143, CEN/TC 156, CEN/TC 228, CEN/TC 232 and CEN/TC 299.

It is the intention of the working group that this document, once finalized as European standard series, will be further processed to an international consensus in IEC and ISO.

## Introduction

The Technical Committee CLC/TC 22X has circulated at 2010-03-31 the document CLC/TC 22X/Sec0100/DC document including the mandate M/476 from European Commission for standardization in the field of variable speed drives and/or power drive system products.


As the PDS contains converter driven motors, the requirements for measuring of the energy efficiency of motors with non-sinusoidal supply is under the responsibility of CLC/TC2 covering the requirement from Mandate M/470.

The document is based on the CENELEC technical board document referenced BT137/DG8058/INF also reproducing this EC-mandate.

The CLC/TC 22X/WG 06 as being the standardization task force for dealing with this Mandate has close collaboration with several other technical committees (i.e. CLC/TC 2; CLC/TC 17B).

Therefore CLC/TC 22X committee has been enabled responsible to clarify all relevant aspects in the field of energy efficiency and ecodesign requirements for power electronics, switchgear, control gear, and power drive systems and their industrial applications.

The sometimes controversial requirements are illustrated in Figure 1. The work has been agreed to provide the reasonable target as a best compromise.



**Figure 1 — Illustration of controversial requirements for the energy related product (ErP) standardization**

EN 50598 is developed under the CENELEC projects number 24602 to 24604 for compliance with requirements from the horizontal mandate M/495.

Its three parts are together directly related to the mandates M/470 and M/476.

For the other mandates listed in Table 1, this standard could be applied if the future product standards developed will make reference to it.

**Table 1 — Mandates of the European Commission given to CEN, CENELEC and ETSI and how they are contributed by these standard series parts**

Mandates	Part 1	Part 2	Part 3
<b>M/470</b> Motors		✓	✓
<b>M/476</b> PDS		✓	✓
<b>M/495</b> Horizontal all future Applications	✓	✓	✓
<b>M/488</b> HVAC comfort fans	✓	✓	(✓)
<b>M/498</b> Pumps	✓	✓	(✓)
<b>M/500</b> Compressors	✓	✓	(✓)

## 1 Scope

This European Standard provides a general methodology to energy efficiency standardization for any extended product including a motor system by using the methodological guidance of the extended product approach (EPA).

It enables product committees for driven equipment with included motor systems to interact with the relative power losses of the included motor system (e.g. PDS) in order to determine the system energy efficiency aspects for the extended product by calculation.

This should be based on specified calculation models for speed/load profiles, the duty profiles and relative power losses of appropriate torque versus speed operating points.

This part of the EN 50598 series specifies the methodology of determination of losses of the extended product including a motor system and its sub-parts.

This framework is explained by an example for pumps.

This part of the standard does not specify requirements for environmental impact declarations.

## 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 50598-2, *Ecodesign for power drive systems, motor starters, power electronics & their driven applications — Part 2: Energy efficiency indicators for power drive systems and motor starters*

IEC 60050-161, *International Electrotechnical Vocabulary. Chapter 161: Electromagnetic compatibility*