

© Copyright SEK. Reproduction in any form without permission is prohibited.

Gasutrustningar – Kraftvärmeenheter med högst 70 kW nominell tillförd effekt (mCHP)

Gas appliances –

Combined heat and power appliance of nominal heat input inferior or equal to 70 kW

Som svensk standard gäller europastandarden EN 50465:2015. Den svenska standarden innehåller den officiella engelska språkversionen av EN 50465:2015.

Nationellt förord

Tidigare fastställd svensk standard SS-EN 50465, utgåva 1, 2008, gäller ej fr o m 2017-10-29.

ICS 27.070.00; 97.100.20

Denna standard är fastställd av SEK Svensk Elstandard,
som också kan lämna upplysningar om **sakinnehållet** i standarden.
Postadress: Box 1284, 164 29 KISTA
Telefon: 08 - 444 14 00.
E-post: sek@elstandard.se. Internet: www.elstandard.se

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

English Version

Gas appliances - Combined heat and power appliance of nominal heat input inferior or equal to 70 kW

Appareils à gaz - Appareils produisant de la chaleur et de l'électricité combinées dont le débit calorifique nominal est inférieur ou égal à 70 kW

Gasgeräte - Geräte zur Kraft-Wärme-Kopplung mit einer Nennwärmelast kleiner oder gleich 70 kW

This European Standard was approved by CENELEC on 29 October 2014. CEN and CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN and CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN and CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN and CENELEC members are the national standards bodies and national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Foreword	6
1 Scope	8
2 Normative references	8
3 Terms and definitions	11
4 Classification	26
4.1 Gases/Categories	26
4.2 Mode of air supply and evacuation of combustion products.....	26
4.3 Maximum water side operating pressure	28
4.4 Expansion system	28
5 Constructional requirements	28
5.1 General construction	28
5.2 Use and servicing.....	30
5.3 Connections to the gas and water pipes.....	30
5.4 Soundness	31
5.5 Supply of air and evacuation of combustion products	32
5.6 Requirements for a fan incorporated in a mCHP appliance	33
5.7 Gas/air ratio controls	33
5.8 Air proving	34
5.9 Checking the state of operation	35
5.10 Operational safety in the event of failure of the energy supply for the control systems	35
5.11 Drainage.....	35
5.12 Conversion to different gases	35
5.13 Materials and thickness.....	36
5.14 Thermal insulation	42
5.15 Durability against corrosion of metallic combustion product circuits	42
5.16 Requirements for valves as parts of the gas circuit	43
5.17 Combustion products evacuation duct.....	44
5.18 Design	44
5.19 Gas carrying circuit	45
5.20 Electrical equipment.....	47
5.21 Requirements for adjusting, control and safety devices	48
5.22 Burners.....	54
6 Operational requirements	54
6.1 General requirements	54
6.2 Soundness	55
6.3 Heat input and heat and electrical output	58
6.4 Safety of operation (temperature / limit gas).....	58
6.5 Start / Release and adjusting, control and safety devices (if applicable)	63
6.6 Efficiency	68
6.7 Operation	68
6.8 Combustion	68
6.9 Resistance of materials to pressure.....	69
6.10 Hydraulic resistance	70
6.11 Formation of condensate	70
6.12 Designation and measurement of reference temperatures of flue systems	70
6.13 Mechanical resistance and stability of ducts, terminal and fitting pieces.....	71
6.14 Requirements for plastic in the combustion product evacuation ducts, terminals and fitting pieces for mCHP appliances.....	71
6.15 Requirements for elastomeric seals and elastomeric sealants in the combustion product evacuation ducts, terminals and fitting pieces	75
6.16 Special provisions for mCHP appliances intended to be installed in a partially protected place	77
7 Test methods	77
7.1 General test conditions	77

7.2	Soundness	86
7.3	Heat input and heat and electrical output	90
7.4	Safety of operation	92
7.5	Start / Release and adjusting, control and safety devices	107
7.6	Efficiency	112
7.7	Operation	120
7.8	Combustion	120
7.9	Resistance of the materials to pressure.....	126
7.10	Hydraulic resistance	126
7.11	Formation of condensate	127
7.12	Designation and measurement of reference temperatures of flue systems	128
7.13	Mechanical resistance and stability of ducts, terminal and fitting pieces.....	128
7.14	Requirements for plastic in the combustion product evacuation ducts, terminals and fitting pieces for mCHP appliances.....	129
7.15	Tests for elastomeric seals and elastomeric sealants in the combustion product evacuation ducts, terminals and fitting pieces	132
7.16	Special provisions for mCHP appliances intended to be installed in a partially protected place.....	134
8	EMC / electrical requirements	134
8.1	Relevant for the Gas safety	134
8.2	Relevant for the Electrical safety related to the grid with indirect effect to gas safety.....	134
8.3	Relevant for the EMC.....	134
9	Marking, installation and operating instructions	135
9.1	mCHP appliance marking	135
9.2	Installation instructions.....	138
9.3	Operating instructions (i.e. users' instructions).....	141
9.4	Conversion instructions.....	142
9.5	Presentation	142
Annex A (informative) Different gas connections in common use in the various countries.....		143
Annex B (informative) Classification of type B and type C mCHP appliances		144
Annex C (informative) Composition of the gas circuit.....		149
Annex D (informative) Practical method of calibrating the test rig to enable the heat loss D_p to be determined		151
Annex E (informative) A-deviations		152
Annex F (informative) Main symbols and abbreviations used.....		153
Annex G (informative) Examples for marking.....		154
Annex H (informative) Calculation of conversions of NO_x		155
Annex I (informative) Test rig for the measurement of the stand-by heat losses.....		156
Annex CC (normative) Test methods to determine the effects of long-term thermal load, long-term condensate exposure, condensing/ non- condensing cycling and resistance to UV radiation		158
Annex DD (informative) Variations in gas quality		159
Annex EE (informative) Calculation of the efficiency for ErP		164
Annex ZZ (informative) Coverage of Essential Requirements of EU Directives		167
Bibliography		170

Figures

Figure 1 – Typical set-up for a fuel cell mCHP appliance.....	15
Figure 2 – Typical set-up for a Stirling engine mCHP appliance	15
Figure 3 – Typical set-up for an internal combustion engine mCHP appliance.....	16
Figure 4 – Example of a sampling probe for the measurement of the products of combustion	79
Figure 5 – Example of the location of the probe for a C type appliance.....	80
Figure 6 – Test rig for the soundness of the gas carrying circuit	85
Figure 7 – Test rig for the soundness of components (pressure drop method).....	86
Figure 8 – Test rig for thermostats: short cut circulation.....	94
Figure 9 – Test rig for thermostats with heat exchanger	95
Figure 10 – Test rig for type C ₁ appliances, equipped with horizontal wind protection device at a vertical wall.....	99
Figure 11 – Test rig for type C ₁ appliances for installation in buildings with tilted roof.....	100
Figure 12 – Test rig for type C ₃ and C ₉ appliances for installation in flat roofed buildings	101
Figure 13 – Test rig for type C ₃ and C ₉ appliances for installation in buildings with tilted roof.....	102
Figure 14 – Measuring points for the stand-by heat losses	114
Figure 15 – Test rig for the determination of hydraulic resistance.....	127
Figure B.1 – Type B ₂	144
Figure B.2 – Type B ₃	144
Figure B.3 – Type C ₁	145
Figure B.4 – Type C ₃	145
Figure B.5 – Type C ₄	146
Figure B.6 – Type C ₅	146
Figure B.7 – Type C ₆	147
Figure B.8 – Type C ₈	147
Figure B.9 – Type C ₉	148
Figure C.1 – Automatic gas shut off valves in the gas supply line for mCHP appliances	149
Figure C.2 – Automatic gas shut off valves in the gas supply line for permanent or alternating mCHP appliances	150
Figure I.1 – Test rig	156
Figure DD.1 – The relation between the (extreme) limit gases (ELG), the reference gas (RG) and the normal distribution gas (NDG) the appliance is designed for. The current standard assumes that the normal distribution is close to the reference gas.....	160
Figure DD.2 – The relation between the (extreme)limit gases (ELG), the reference gas (RG), the distribution limit gases (DLG),and the normal distribution gas(NDG) the appliance is designed for. The DLG are to be considered if the normal distribution gas may vary to a large extent over the lifetime of the appliance.....	162
Figure EE.1 – Equivalent heating efficiency and linear extrapolation from $\eta_{el} = 0,75/CC$	165

Tables

Table 1 – Mechanical properties and chemical compositions of carbon and stainless steels.....	37
Table 2 – Minimum requirements for cast iron.....	37
Table 3 – Parts in aluminium and aluminium alloys.....	38
Table 4 – Parts in copper or copper alloys	38
Table 5 – Minimum thicknesses for rolled parts	38
Table 6 – Nominal minimum thicknesses of mCHP appliance sections.....	38
Table 7 – Weld joints and welding processes.....	39
Table 8 – Metallic combustion products circuit material specifications	43
Table 9 – Composition of the gas circuit.....	47
Table 10 – Maximum admissible leakage rates.....	56
Table 11 – NO _x classes.....	69
Table 12 – Criteria for testing long-term resistance to thermal load	72
Table 13 – Criteria for testing long-term resistance to condensate exposure	73
Table 14 – Criteria for testing resistance to condensing/non-condensing cycling.....	74
Table 15 – Group sizes of internal flue diameters	74
Table 16 – Criteria for testing long-term resistance to thermal load	75
Table 17 – Criteria for testing-long term resistance to condensate exposure	76
Table 18 – Weighting factor F_{CHP} for weighting $\eta_{eq,CHP}$ in the η_{son} calculation*	116
Table 19 – (CO ₂) _N concentration of the combustion products, in percent	120
Table 20 – Weighting factors	124
Table 21 – Weighting factors	125
Table 22 – Exposure time in weeks at raised temperatures.....	130
Table 23 – Composition of test condensate for corrosion	130
Table 24 – Condensate composition, related to construction classes.....	132
Table 25 – Supplementary markings	137
Table A.1 – Gas connections conditions in common use in the various countries.....	143
Table F.1 – Main symbols and abbreviations used	153
Table G.1 – Category(ies), direct and indirect country(ies) of destination.....	154
Table G.2 – Example 1: Possibilities for the second gas family	154
Table G.3 – Example 2: Possibilities for the third gas family.....	154
Table H.1 – Conversion of the emission value of NO _x for second family gases.....	155
Table H.2 – Conversion of the emission value of NO _x for third family gases.....	155
Table EE.1 – Energy outputs and primary energy inputs.	164
Table ZZ.1 – Clauses of this European Standard addressing essential requirements or other provisions of EC Directives	167

Foreword

This document (EN 50465:2015) has been prepared by CEN/CLC Joint Working Group FCGA, "Fuel cell gas appliances".

The following dates are fixed:

- | | | |
|---|-------|------------|
| • latest date by which this document has to be implemented at national level by publication of an identical national standard or by endorsement | (dop) | 2015-10-29 |
| • latest date by which the national standards conflicting with this document have to be withdrawn | (dow) | 2017-10-29 |

This document supersedes EN 50465:2008.

EN 50465:2015 includes the following significant technical changes with respect to EN 50465:2008:

- inclusion of requirements for „Stirling Engine“ and „Internal Combustion Engine“;
- modification of requirements for fuel cell heating appliances to reflect experience since the first edition;
- partly adaptation to EN 15502-1 and EN 15502-2-1, especially to reflect the new requirements for air proving devices;
- introduction of additional types of combustion air and flue duct systems;
- modification of the total efficiency calculation;
- modifications of NO_x weighting and calculation.

Micro-cogeneration is also known as micro combined heat and power [mCHP]. mCHP is an efficient way to deliver heating, cooling and electricity. It is based on the simultaneous production of electrical and thermal energy, both of which are used. The central and most fundamental principle of mCHP is that in order to maximize the many benefits that arise from it, systems should be based according to the heat demand of the application.

A fuel cell, Stirling engine and internal combustion engine are just some of the significant technologies to be the thermal heart of a mCHP appliance.

mCHP appliances that are already established in the market are used to provide central heating and domestic hot water in residential buildings.

Due to the development of new technology other solutions than those described in this European Standard are possible if these solutions provide at least an equivalent level of safety.

Matters related to quality assurance systems, tests during production, and certificates of conformity of auxiliary devices are not dealt with in this European Standard.

Due to the change in scope to include technologies in addition to fuel cells, the title of this European Standard has been changed from "fuel cell gas heating appliance" into "combined heat and power appliance".

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For the relationship with EU Directive(s) see informative Annex ZZ, which is an integral part of this document. The essential requirements of EC Directive 2009/142/EC relating to "rational use of energy" is defined by the maximum quantity of energy recovered (thermal and electrical energy output) from the gas energy input.

1 Scope

This European Standard specifies the requirements and test methods for the construction, safety, fitness for purpose, rational use of energy and the marking of a micro combined heat and power appliance; (hereafter referred to as “mCHP appliance”).

This European Standard applies to mCHP appliances of types B₂₂, B₂₃, B₃₂, B₃₃, B₅₂, B₅₃, C₁, C₃, C₄₂, C₄₃, C₅₂, C₅₃, C₆₂, C₆₃, C₈₂, C₈₃ and C₉ based on the classifications of CEN/TR 1749:

- that use one or more supplied gases of the three gas families at the pressures stated in EN 437,
- where the temperature of the heat transfer fluid of the heating system (heating water circuit) does not exceed 105 °C during normal operation,
- where the maximum operating pressure in the
 - heating water circuit does not exceed 6 bar,
 - domestic hot water circuit (if installed) does not exceed 10 bar,
- which are either intended to be installed indoors or outdoors in a partially protected place,
- which are intended to produce hot water either by the instantaneous or storage principle,
- which have a maximum heat input (based on net calorific value) not exceeding 70 kW,
- which are designed for sealed or open water systems.

NOTE 1 For applications where the maximum allowable water temperature exceeds 110 °C or where volume multiplied by maximum allowable pressure exceeds 50 bar litres, further requirements may be necessary to comply with the essential requirements of Directive 97/23/EC (Pressure Equipment Directive (PED)).

NOTE 2 For mCHP appliances with constructions that might not be fully covered by this European Standard or by another specific standard, the risk associated with the alternative construction will be assessed.

NOTE 3 prEN 13203-4 will specify the assessment of energy consumption for domestic hot water production of gas combined heat and power appliances (mCHP).

This European Standard does not contain the requirements necessary for appliance capable of producing electrical energy without using the thermal energy.

This European Standard does not cover all the requirements for mCHP appliances that are intended to be connected to gas grids where the quality of the distributed gas is likely to vary to a large extent over the lifetime of the appliance (see Annex DD).

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 88-1, *Pressure regulators and associated safety devices for gas appliances – Part 1: Pressure regulators for inlet pressures up to and including 500 kPa*

EN 125, *Flame supervision devices for gas burning appliances – Thermoelectric flame supervision devices*

EN 126, *Multifunctional controls for gas burning appliances*

EN 161, *Automatic shut-off valves for gas burners and gas appliances*

EN 298, *Automatic burner control systems for burners and appliances burning gaseous or liquid fuels*

EN 437:2003+A1:2009, *Test gases – Test pressures – Appliance categories*

EN 513, *Unplasticized polyvinylchloride (PVC-U) profiles for the fabrication of windows and doors - Determination of the resistance to artificial weathering*

- EN 549, *Rubber materials for seals and diaphragms for gas appliances and gas equipment*
- EN 573-1, *Aluminium and aluminium alloys – Chemical composition and form of wrought products – Part 1: Numerical designation system*
- EN 1057, *Copper and copper alloys – Seamless, round copper tubes for water and gas in sanitary and heating applications*
- EN 1092 (all parts), *Flanges and their joints – Circular flanges for pipes, valves, fittings and accessories, PN designated*
- CR 1404, *Determination of emissions from appliances burning gaseous fuels during type-testing*
- EN 1561, *Founding – Grey cast irons*
- EN 1856-1:2009, *Chimneys – Requirements for metal chimneys – Part 1: System chimney products*
- EN 1856-2:2009, *Chimneys – Requirements for metal chimneys – Part 2: Metal flue liners and connecting flue pipes*
- EN 10029, *Hot-rolled steel plates 3 mm thick or above – Tolerances on dimensions and shape*
- EN 10088-1, *Stainless steels – Part 1: List of stainless steels*
- EN 10226-1, *Pipe threads where pressure tight joints are made on the threads – Part 1: Taper external threads and parallel internal threads; Dimensions, tolerances and designation*
- EN 10226-2, *Pipe threads where pressure tight joints are made on the threads – Part 2: Taper external threads and taper internal threads – Dimensions, tolerances and designation*
- EN 12067-2, *Gas/air ratio controls for gas burners and gas burning appliances – Part 2: Electronic types*
- EN 13203-1, *Gas-fired domestic appliances producing hot water – Appliances not exceeding 70 kW heat input and 300 l water storage capacity – Part 1: Assessment of performance of hot water deliveries*
- EN 13216-1:2004, *Chimneys – Test methods for system chimneys – Part 1: General test methods*
- EN 13501-1, *Fire classification of construction products and building elements – Part 1: Classification using data from reaction to fire tests*
- EN 13611, *Safety and control devices for gas burners and gas burning appliances – General requirements*
- EN 14459, *Control functions in electronic systems for gas burners and gas burning appliances – Methods for classification and assessment*
- EN 14471:2013, *Chimneys – System chimneys with plastic flue liners – Requirements and test methods*
- EN 50090 (all parts), *Home and Building Electronic Systems (HBES)*
- EN 50438, *Requirements for micro-generating plants to be connected in parallel with public low-voltage distribution networks*
- CLC/TS 50549-1, *Requirements for the connection of generators above 16 A per phase – Part 1: Connection of the LV distribution system*
- EN 55014-1, *Electromagnetic compatibility – Requirements for household appliances, electric tools and similar apparatus – Part 1: Emission (CISPR 14-1)*
- EN 55014-2, *Electromagnetic compatibility – Requirements for household appliances, electric tools and similar apparatus – Part 2: Immunity – Product family standard (CISPR 14-2)*
- EN 60335-1, *Household and similar electric appliances – Safety – Part 1: General requirements (IEC 60335-1)*
- EN 60335-2-102, *Household and similar electrical appliances – Safety – Part 2-102: Particular requirements for gas, oil and solid-fuel burning appliances having electrical connections (IEC 60335-2-102)*
- EN 60529:1991, *Degrees of protection provided by enclosures (IP code) (IEC 60529:1989)*
- EN 60730-2-9, *Automatic electrical controls for household and similar use – Part 2-9: Particular requirements for temperature sensing controls (IEC 60730-2-9)*
- EN 61000-3-2, *Electromagnetic compatibility (EMC) – Part 3-2: Limits – Limits for harmonic current emissions (equipment input current up to and including 16 A per phase) (IEC 61000-3-2)*

EN 61000-3-3, *Electromagnetic compatibility (EMC) – Part 3-3: Limits – Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection (IEC 61000-3-3)*

EN 61000-3-11, *Electromagnetic compatibility (EMC) – Part 3-11: Limits – Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems – Equipment with rated current ≤ 75 A and subject to conditional connection (IEC 61000-3-11)*

EN 61000-3-12, *Electromagnetic compatibility (EMC) – Part 3-12: Limits – Limits for harmonic currents produced by equipment connected to public low-voltage systems with input current > 16 A and ≤ 75 A per phase (IEC 61000-3-12)*

EN 61000-6-1, *Electromagnetic compatibility (EMC) – Part 6-1: Generic standards – Immunity for residential, commercial and light-industrial environments (IEC 61000-6-1)*

EN 61000-6-3, *Electromagnetic compatibility (EMC) – Part 6-3: Generic standards – Emission standard for residential, commercial and light-industrial environments (IEC 61000-6-3)*

EN 62282-3-100:2012, *Fuel cell technologies – Part 3-100: Stationary fuel cell power systems – Safety (IEC 62282-3-100:2012)*

EN ISO 178, *Plastics – Determination of flexural properties (ISO 178)*

EN ISO 179-1, *Plastics – Determination of Charpy impact properties – Part 1: Non-instrumented impact test (ISO 179-1)*

EN ISO 228-1, *Pipe threads where pressure-tight joints are not made on the threads – Part 1: Dimensions, tolerances and designation (ISO 228-1)*

EN ISO 527-1, *Plastics – Determination of tensile properties – Part 1: General principles (ISO 527-1)*

EN ISO 527-2, *Plastics – Determination of tensile properties – Part 2: Test conditions for moulding and extrusion plastics (ISO 527-2)*

EN ISO 1183 (all parts), *Plastics – Methods for determining the density of non-cellular plastics (ISO 1183)*

EN ISO 2553, *Welding and allied processes – Symbolic representation on drawings - Welded joints (ISO 2553)*

EN ISO 3166-1, *Codes for the representation of names of countries and their subdivisions – Part 1: Country codes (ISO 3166-1)*

EN ISO 4063, *Welding and allied processes – Nomenclature of processes and reference numbers (ISO 4063)*

EN ISO 8256, *Plastics – Determination of tensile-impact strength (ISO 8256)*

EN ISO 9969, *Thermoplastics pipes – Determination of ring stiffness (ISO 9969)*

EN ISO 16852, *Flame arresters – Performance requirements, test methods and limits for use (ISO 16852)*

ISO 7-1, *Pipe threads where pressure-tight joints are made on the threads – Part 1: Dimensions, tolerances and designation*

ISO 37, *Rubber, vulcanized or thermoplastic – Determination of tensile stress-strain properties*

ISO 188, *Rubber, vulcanized or thermoplastic – Accelerated ageing and heat resistance tests*

ISO 262, *ISO general purpose metric screw threads – Selected sizes for screws, bolts and nuts*

ISO 815 (all parts), *Rubber, vulcanized or thermoplastic – Determination of compression set*

ISO 857-1, *Welding and allied processes – Vocabulary – Part 1: Metal welding processes*

ISO 857-2, *Welding and allied processes – Vocabulary – Part 2: Soldering and brazing processes and related terms*

ISO 1817, *Rubber, vulcanized or thermoplastic – Determination of the effect of liquids*

ISO 2781, *Rubber, vulcanized or thermoplastic – Determination of density*

ISO 6914, *Rubber, vulcanized or thermoplastic – Determination of ageing characteristics by measurement of stress relaxation in tension*

ISO 7619 (all parts), *Rubber, vulcanized or thermoplastic – Determination of indentation hardness*