

© Copyright SEK. Reproduction in any form without permission is prohibited.

Explosiv atmosfär – Del 5: Utrustning i utförande med sand "q"

*Explosive atmospheres –
Part 5: Equipment protection by powder filling "q"*

Som svensk standard gäller europastandarden EN 60079-5:2015. Den svenska standarden innehåller den officiella engelska språkversionen av EN 60079-5:2015.

Nationellt förord

Europastandarden EN 60079-5:2015

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 60079-5, Fourth edition, 2015 - Explosive atmospheres - Part 5: Equipment protection by powder filling "q"**

utarbetad inom International Electrotechnical Commission, IEC.

Tidigare fastställd svensk standard SS-EN 60079-5, utgåva 1, 2008, gäller ej fr o m 2018-03-24.

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

EUROPEAN STANDARD

EN 60079-5

NORME EUROPÉENNE

EUROPÄISCHE NORM

April 2015

ICS 29.260.20

Supersedes EN 60079-5:2007

English Version

**Explosive atmospheres - Part 5: Equipment protection by
powder filling "q"
(IEC 60079-5:2015)**

Atmosphères explosives - Partie 5: Protection du matériel
par remplissage pulvérulent "q"
(IEC 60079-5:2015)

Explosionsgefährdete Bereiche - Teil 5: Geräteschutz durch
Sandkapselung "q"
(IEC 60079-5:2015)

This European Standard was approved by CENELEC on 2015-03-24. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

The text of document 31/1156/FDIS, future edition 4 of IEC 60079-5, prepared by IEC/TC 31 "Equipment for explosive atmospheres" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60079-5:2015.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2015-12-24
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2018-03-24

This document supersedes EN 60079-5:2007.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive.

For the relationship with EU Directive see informative Annex ZZ, which is an integral part of this document.

Endorsement notice

The text of the International Standard IEC 60079-5:2015 was approved by CENELEC as a European Standard without any modification.

IEC 60050 (series)	NOTE	Harmonized as EN 60050 (series).
IEC 60664-1:2007	NOTE	Harmonized as EN 60664-1:2007.
IEC 60079 (series)	NOTE	Harmonized as EN 60079. (series)
IEC 61140	NOTE	Harmonized as EN 61140.
IEC 60747-5-5	NOTE	Harmonized as EN 60747-5-5.

Annex ZA
(normative)

**Normative references to international publications
with their corresponding European publications**

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60079-0	-	Explosive atmospheres - Part 0: Equipment - General requirements	-	-
IEC 60079-7	-	Explosive atmospheres - Part 7: Equipment protection by increased safety "e"	EN 60079-7	-
IEC 60079-11	-	Explosive atmospheres - Part 11: Equipment protection by intrinsic safety "i"	EN 60079-11	-
IEC 60127	series	Miniature fuses	EN 60127	series
IEC 60529	-	Degrees of protection provided by enclosures (IP Code)	-	-
IEC 61558-1	-	Safety of power transformers, power supplies, reactors and similar products - Part 1: General requirements and tests	EN 61558-1	-
			+EN 61558-1:2005/corrigendum Aug. 2006	2006
IEC 61558-2-6	-	Safety of transformers, reactors, power supply units and similar products for supply voltages up to 1 100 V - Part 2-6: Particular requirements and tests for safety isolating transformers and power supply units incorporating safety isolating transformers	EN 61558-2-6	-
ISO 2591-1	-	Test sieving - Part 1: Methods using test sieves of woven wire cloth and perforated metal plate	-	-
ISO 2859-1	-	Sampling procedures for inspection by attributes - Part 1: Sampling schemes indexed by acceptance quality limit (AQL) for lot-by-lot inspection	-	-
ISO 3310-1	-	Test sieves - Technical requirements and testing - Part 1: Test sieves of metal wire cloth	-	-
ISO 3310-2	-	Test sieves - Technical requirements and testing - Part 2: Test sieves of perforated metal plate	-	-

CONTENTS

FOREWORD.....	4
1 Scope.....	6
2 Normative references.....	6
3 Terms and definitions	7
4 Constructional requirements	7
4.1 Containers	7
4.1.1 Closing and sealing.....	7
4.1.2 Pressure test of container	8
4.1.3 Degree of protection of the container	8
4.1.4 Filling procedure	8
4.1.5 Containers that are not external enclosures	8
4.2 Filling material	9
4.2.1 Material specification	9
4.2.2 Documentation.....	9
4.2.3 Testing	9
4.3 Distances.....	9
4.3.1 Distances through filling material.....	9
4.3.2 Distances surrounding free space.....	11
4.4 Connections.....	12
4.4.1 Equipment	12
4.4.2 Ex Components	12
4.5 Capacitors	12
4.6 Cells and batteries	12
4.7 Temperature limitations under overload conditions.....	12
4.8 Temperature limitations under malfunction conditions	12
4.8.1 General	12
4.8.2 Fuse	12
4.8.3 Malfunction exclusions	13
4.8.4 Protective devices for temperature limitation.....	16
4.8.5 Power supply prospective short-circuit current	16
5 Verifications and tests	16
5.1 Type verifications and tests	16
5.1.1 Pressure type test of container.....	16
5.1.2 Verification of the degree of protection of the enclosure	17
5.1.3 Dielectric strength test of the filling material	17
5.1.4 Maximum temperatures	17
5.2 Routine verifications and tests.....	18
5.2.1 Routine pressure test of container	18
5.2.2 Dielectric strength test of the filling material	18
6 Marking	19
7 Instructions.....	20
Bibliography	21

Figure 1 – Distances through filling material 11

Figure 2 – Test arrangement for the dielectric strength test of the filling material 19

Table 1 – Distances through the filling material..... 10

Table 2 – Creepage distances and distances through filling material 15

INTERNATIONAL ELECTROTECHNICAL COMMISSION

EXPLOSIVE ATMOSPHERES –**Part 5: Equipment protection by powder filling “q”**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60079-5 has been prepared by IEC technical committee 31: Equipment for explosive atmospheres.

This fourth edition cancels and replaces the third edition, published in 2007, and constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

NOTE The technical changes referred to include the significant technical changes in the revised IEC standard, but they do not form an exhaustive list of all modifications from the previous edition. More guidance may be found by referring to the redline version of the IEC standard, if available.

Significant changes	Clause/subclause	Type		
		Minor and editorial changes	Extension	Major technical changes
Specific references to IEC 60079-0 have been reworded so the references to IEC 60079-0 can be non-dated references	4.1.3 4.8 4.8.3	X		
The "housing" surrounding the powder filled equipment or Ex Component has been redefined as a "container" to avoid confusion with the "enclosure" requirements of IEC 60079-0	4.1	X		
A relaxation has been introduced to permit reduced distances through filling material for instances where there is no adjacent gap in the container	4.3.1		X	
A relaxation has been introduced to permit the use of creepage dimensions per IEC 60079-7 where CTI is better than 175	4.8.3		X	
An evaluation of joints employed when the reduced distances according to Table 1 are applied, has been added.	5.1.1		X	
Text for determination of maximum temperature clarified with respect to overloads and malfunctions	5.1.4	X		
A batch routine test has been introduced	5.2.1		X	

The text of this standard is based on the following documents:

FDIS	Report on voting
31/1156/FDIS	31/1171/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The list of all parts of IEC 60079 series, under the general title *Explosive atmospheres*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

EXPLOSIVE ATMOSPHERES –

Part 5: Equipment protection by powder filling “q”

1 Scope

This part of IEC 60079 contains specific requirements for the construction, testing and marking of electrical equipment, parts of electrical equipment and Ex components in the type of protection powder filling “q”, intended for use in explosive gas atmospheres.

NOTE 1 Electrical equipment and Ex components protected by powder filling “q” can contain electronic circuits, transformers, protection fuses, relays, intrinsically safe electrical apparatus, associated electrical apparatus, switches, etc.

NOTE 2 Type of protection powder filling “q” provides Equipment Protection Level (EPL) Gb or Mb.

This standard supplements and modifies the general requirements of IEC 60079-0. Where a requirement of this standard conflicts with a requirement of IEC 60079-0, the requirement of this standard takes precedence.

This standard applies to electrical equipment, parts of electrical equipment and Ex components with:

- a rated supply current less than or equal to 16 A;
- a rated supply voltage less than or equal to 1 000 V;
- a rated power consumption less than or equal to 1 000 W.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60079-0, *Explosive atmospheres – Part 0: Equipment – General requirements*

IEC 60079-7, *Explosive atmospheres – Part 7: Equipment protection by increased safety “e”*

IEC 60079-11, *Explosive atmospheres – Part 11: Equipment protection by intrinsic safety “i”*

IEC 60127 (all parts), *Miniature fuses*

IEC 60529, *Degrees of protection provided by enclosures (IP Code)*

IEC 61558-1, *Safety of power transformers, power supplies, reactors and similar products – Part 1: General requirements and tests*

IEC 61558-2-6, *Safety of transformers, reactors, power supply units and similar products for supply voltages up to 1 100 V – Part 2-6: Particular requirements and tests for safety isolating transformers and power supply units incorporating safety isolating transformers*

ISO 2859-1, *Sampling procedures for inspection by attributes – Part 1: Sampling schemes indexed by acceptance quality limit (AQL) for lot-by-lot inspection*

ISO 3310-1, *Test sieves – Technical requirements and testing – Part 1: Test sieves of metal wire cloth*

ISO 3310-2, *Test sieves – Technical requirements and testing – Part 2: Test sieves of perforated metal plate*

ISO 2591-1, *Test sieving – Methods using test sieves of woven wire cloth and perforated metal plate*