

© Copyright SEK. Reproduction in any form without permission is prohibited.

Explosiv atmosfär – Del 29-2: Gasdetektorer (gasvarnare) – Vägledning vid val, installation, användning och underhåll av utrustning för detektering av brännbara gaser och syrgas

Explosive atmospheres –

Part 29-2: Gas detectors –

Selection, installation, use and maintenance of detectors for flammable gases and oxygen

Som svensk standard gäller europastandarden EN 60079-29-2:2015. Den svenska standarden innehåller den officiella engelska språkversionen av EN 60079-29-2:2015.

Nationellt förord

Europastandarden EN 60079-29-2:2015

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 60079-29-2, Second edition, 2015 - Explosive atmospheres - Part 29-2: Gas detectors - Selection, installation, use and maintenance of detectors for flammable gases and oxygen**

utarbetad inom International Electrotechnical Commission, IEC.

Tidigare fastställd svensk standard SS-EN 60079-29-2, utgåva 1, 2008, gäller ej fr o m 2018-04-20.

ICS 29.260.20

Denna standard är fastställd av SEK Svensk Elstandard, som också kan lämna upplysningar om **sakinnehållet** i standarden.
Postadress: Box 1284, 164 29 KISTA
Telefon: 08 - 444 14 00.
E-post: sek@elstandard.se. Internet: www.elstandard.se

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

English Version

Explosive atmospheres - Part 29-2: Gas detectors - Selection,
installation, use and maintenance of detectors for flammable
gases and oxygen
(IEC 60079-29-2:2015)

Atmosphères explosives - Partie 29-2: Détecteurs de gaz -
Sélection, installation, utilisation et maintenance des
détecteurs de gaz inflammables et d'oxygène
(IEC 60079-29-2:2015)

Explosionsfähige Atmosphäre - Teil 29-2: Gasmessgeräte -
Auswahl, Installation, Einsatz und Wartung von Geräten für
die Messung von brennbaren Gasen und Sauerstoff
(IEC 60079-29-2:2015)

This European Standard was approved by CENELEC on 2015-04-20. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

The text of document 31/1169/FDIS, future edition 2 of IEC 60079-29-2, prepared by IEC TC 31, Equipment for explosive atmospheres, was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60079-29-2:2015.

The following dates are fixed:

- latest date by which the document has to be (dop) 2016-01-20
implemented at national level by
publication of an identical national
standard or by endorsement
- latest date by which the national (dow) 2018-04-20
standards conflicting with the
document have to be withdrawn

This document supersedes EN 60079-29-2:2007.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60079-29-2:2015 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60079-14	NOTE	Harmonized as EN 60079-14.
IEC 60079-20-1	NOTE	Harmonized as EN 60079-20-1.
IEC 61326-1	NOTE	Harmonized as EN 61326-1.
IEC 60079-29-3	NOTE	Harmonized as EN 60079-29-3.

Annex ZA
(normative)

**Normative references to international publications
with their corresponding European publications**

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60079-0	-	Explosive atmospheres -- Part 0: Equipment - General requirements	EN 60079-0	-
-	-		+A11	-
IEC 60079-10-1	2008	Explosive atmospheres -- Part 10-1: Classification of areas - Explosive gas atmospheres	EN 60079-10-1	2009
IEC 60079-10-2	-	Explosive atmospheres -- Part 10-2: Classification of areas - Combustible dust atmospheres	EN 60079-10-2	-
IEC 60079-13	-	Explosive atmospheres -- Part 13: Equipment protection by pressurized room "p"	EN 60079-13	-
IEC 60079-17	-	Explosive atmospheres -- Part 17: Electrical installations inspection and maintenance	EN 60079-17	-
IEC 60079-19	-	Explosive atmospheres -- Part 19: Equipment repair, overhaul and reclamation	EN 60079-19	-
IEC 60079-29-1 (mod)	2007	Explosive atmospheres -- Part 29-1: Gas detectors - Performance requirements of detectors for flammable gases	EN 60079-29-1	2007
IEC 60079-29-4	-	Explosive atmospheres -- Part 29-4: Gas detectors - Performance requirements of open path detectors for flammable gases	EN 60079-29-4	-
IEC 61285	-	Industrial-process control - Safety of analyzer houses	EN 61285	-

CONTENTS

FOREWORD.....	8
INTRODUCTION.....	11
1 Scope.....	13
2 Normative references	14
3 Terms and definitions	14
3.1 Gas properties and other physics.....	14
3.2 Types of equipment	16
3.3 Sensors and detectors	18
3.4 Supply of gas to instruments.....	19
3.5 Signals and alarms	19
3.6 Times, checks and equipment behaviour.....	20
3.7 Terms exclusive to open path equipment	21
4 Basic information on the properties, behaviour, gases and vapours, and specific applications of gas detection	23
4.1 Detecting gases and vapours	23
4.1.1 General	23
4.1.2 Safety when monitoring for flammable gases where personnel could be present	24
4.2 Some common properties of gases and vapours	25
4.3 The differences between detecting gases and vapours	26
4.3.1 General	26
4.3.2 Detection of gases.....	26
4.3.3 Detection of vapours.....	28
4.4 Oxygen deficiency.....	31
4.4.1 General	31
4.4.2 Chemical reaction of oxygen, with solid products	31
4.4.3 Chemical reaction of oxygen, with gaseous products	31
4.4.4 Dilution of the air by displacement by some other gas or vapour.....	32
4.5 Specific applications of gas detection	32
4.5.1 Gas detection as means of reducing risk of explosion.....	32
4.5.2 Gas free work permit	35
4.5.3 Monitoring of air inlets	36
4.6 Specific considerations for open path detection	36
5 Measuring principles.....	37
5.1 General.....	37
5.2 Catalytic sensors	39
5.2.1 General	39
5.2.2 Common applications	39
5.2.3 Limitations	39
5.2.4 Interferences	40
5.2.5 Poisoning	40
5.3 Thermal conductivity sensors.....	41
5.3.1 General	41
5.3.2 Common applications	41
5.3.3 Limitations.....	41
5.3.4 Interferences	41

5.3.5	Poisoning	41
5.4	Infrared sensors	41
5.4.1	General	41
5.4.2	Common applications	42
5.4.3	Limitations	42
5.4.4	Interferences	42
5.4.5	Poisoning	42
5.5	Semiconductor sensors	43
5.5.1	General	43
5.5.2	Common applications	43
5.5.3	Limitations	43
5.5.4	Interferences	43
5.5.5	Poisoning	43
5.6	Electrochemical sensors	44
5.6.1	General	44
5.6.2	Common applications	44
5.6.3	Limitations	44
5.6.4	Interferences	44
5.6.5	Poisoning	44
5.7	Flame ionization detectors (FID)	45
5.7.1	General	45
5.7.2	Common applications	45
5.7.3	Limitations	45
5.7.4	Interferences	45
5.7.5	Poisoning	45
5.8	Flame temperature analysers (FTA)	45
5.8.1	General	45
5.8.2	Common applications	45
5.8.3	Limitations	46
5.8.4	Interferences	46
5.8.5	Poisoning	46
5.9	Photo ionisation detector (PID)	46
5.9.1	General	46
5.9.2	Common applications	46
5.9.3	Limitations	46
5.9.4	Interferences	46
5.9.5	Poisoning	47
5.10	Paramagnetic oxygen detector	47
5.10.1	General	47
5.10.2	Common applications	47
5.10.3	Limitations	47
5.10.4	Interference	47
5.10.5	Poisoning	47
6	Selection of equipment	47
6.1	General	47
6.2	Selection criteria	48
6.2.1	General criteria	48
6.2.2	Gases to be detected by the equipment	49
6.2.3	Application of fixed equipment	50

6.2.4	Application of transportable and portable equipment.....	54
6.3	Miscellaneous factors affecting selection of equipment	55
6.3.1	Electromagnetic immunity.....	55
6.3.2	Intended Zone(s) of use.....	55
7	Behaviour of gas releases	55
7.1	Nature of a release	55
7.1.1	General	55
7.1.2	Release rate of gas or vapour.....	55
7.1.3	Flammable limits.....	56
7.1.4	Ventilation	56
7.1.5	Relative density of the released gas or vapour.....	56
7.1.6	Temperature and/or pressure.....	57
7.1.7	Other parameters to be considered.....	57
7.1.8	Outdoor sites and open structures	57
7.2	Buildings and enclosures	57
7.2.1	General	57
7.2.2	Unventilated buildings and enclosures.....	57
7.2.3	Ventilated buildings and enclosures.....	58
7.3	Environmental considerations	59
8	Design and installation of fixed gas detection systems.....	59
8.1	General.....	59
8.2	Basic considerations for the installation of fixed systems	59
8.2.1	General	59
8.2.2	Point detection equipment and remote sensors.....	60
8.2.3	Systems consisting of sampling equipment.....	60
8.2.4	Open path (line of sight) equipment	61
8.3	Location of detection points	61
8.3.1	General	61
8.3.2	General site considerations	61
8.3.3	Environmental conditions.....	62
8.4	Access for calibration and maintenance	65
8.5	Additional considerations for sample lines.....	65
8.6	Additional considerations for open path equipment	66
8.7	Summary of considerations for the location of measuring points and open paths	66
8.8	Installation of measuring point and open path equipment.....	67
8.9	Integrity and safety of fixed systems	67
8.9.1	General	67
8.9.2	Redundancy in fixed systems.....	68
8.9.3	Protection against loss of main power supply.....	68
8.10	Timing of installation during construction operations	68
8.11	Commissioning	68
8.11.1	Inspection.....	68
8.11.2	Initial gas calibration.....	69
8.11.3	Adjustment of alarm set points.....	69
8.12	Operating instructions, plans and records	70
9	Use of portable and transportable flammable gas detection equipment.....	70
9.1	General.....	70

9.2	Initial and periodic check procedures for portable and transportable instrumentation	71
9.2.1	General	71
9.2.2	Inspection and functional checks	72
9.2.3	Routine tests and recalibration	73
9.2.4	Maintenance and recalibration	73
9.3	Guidance on the use of portable and transportable equipment	74
9.3.1	Electrical safety in hazardous atmospheres	74
9.3.2	Safety of personnel	74
9.3.3	Spot tests and sampling	75
9.3.4	Sampling above liquids	75
9.3.5	Avoidance of condensation	75
9.3.6	Poisoning of sensors	75
9.3.7	Changes of temperature	76
9.3.8	Accidental damage	76
9.3.9	Minimalist operation, the “Read and run” concept	76
10	Training of operational personnel	76
10.1	General	76
10.2	General training – Basic limitations and safety	77
10.3	Operator training	77
10.4	Maintenance training	78
11	Maintenance, routine procedures and general administrative control	78
11.1	General	78
11.2	Operational checks	80
11.2.1	General	80
11.2.2	Fixed systems	80
11.2.3	Portable and transportable gas detection equipment	81
11.3	Maintenance	81
11.3.1	General	81
11.3.2	Fixed equipment	81
11.3.3	Portable and transportable gas detection equipment	82
11.3.4	Off-site maintenance, general	82
11.3.5	Maintenance procedures	82
11.4	Sensors	82
11.4.1	General	82
11.4.2	Flame arrestor	83
11.5	Flow systems	83
11.5.1	General	83
11.5.2	Inspection	83
11.5.3	Filters, traps and flame arrestors	83
11.5.4	Flow system and sample chamber	83
11.5.5	Flow connections	83
11.5.6	Moving parts	83
11.5.7	Automatic sample-draw systems	83
11.5.8	Loss-of-flow signals	83
11.6	Readout devices	83
11.6.1	General	83
11.6.2	Other readouts	84
11.7	Alarms	84

11.8	Calibration	84
11.8.1	Calibration kits and test equipment	84
11.8.2	Calibration procedure	85
Annex A	(normative) Measuring principles	87
A.1	General.....	87
A.2	Catalytic sensors	89
A.2.1	General	89
A.2.2	Common applications	90
A.2.3	Limitations	90
A.2.4	Interferences	90
A.2.5	Poisoning	91
A.3	Thermal conductivity sensors.....	92
A.3.1	General	92
A.3.2	Common applications	92
A.3.3	Limitations	93
A.3.4	Interferences	93
A.3.5	Poisoning	93
A.4	Infrared sensors.....	93
A.4.1	General	93
A.4.2	Common applications	95
A.4.3	Limitations	96
A.4.4	Interferences	96
A.4.5	Poisoning	97
A.5	Semi-conductor sensors.....	97
A.5.1	General	97
A.5.2	Common applications	97
A.5.3	Limitations	97
A.5.4	Interferences	98
A.5.5	Poisoning	98
A.6	Electrochemical sensors	98
A.6.1	General	98
A.6.2	Common applications	99
A.6.3	Limitations	99
A.6.4	Interferences	100
A.6.5	Poisoning	100
A.7	Flame ionization detectors (FID)	101
A.7.1	General	101
A.7.2	Common applications	102
A.7.3	Limitations	102
A.7.4	Interferences	102
A.7.5	Poisoning	102
A.8	Flame temperature analysers (FTA).....	103
A.8.1	General	103
A.8.2	Common applications	103
A.8.3	Limitations	103
A.8.4	Interferences	103
A.8.5	Poisoning	103
A.9	Photo ionisation detector (PID)	104
A.9.1	General	104

A.9.2	Common applications	104
A.9.3	Limitations	105
A.9.4	Interferences	105
A.9.5	Poisoning	105
A.10	Paramagnetic oxygen detector	105
A.10.1	General	105
A.10.2	Common applications	106
A.10.3	Limitations	106
A.10.4	Interference	106
A.10.5	Poisoning	106
Annex B (informative)	Environmental parameters	107
Annex C (informative)	Typical environmental and application check-list for flammable gas detectors (for both Group I and Group II equipment)	108
Annex D (informative)	Typical instrument maintenance record for flammable gas detectors	110
Annex E (informative)	Atmospheric visibility	112
Bibliography	113
Figure 1	– Integral concentration over the path length	37
Figure 2	– Average concentration over the path length	37
Table 1	– Typical Tasks and Most Relevant Causes	12
Table 2	– Overview of gas detection equipment with different measuring principles	38
Table A.1	– Overview of gas detection equipment with different measuring principles	88
Table B.1	– Environmental parameters	107

INTERNATIONAL ELECTROTECHNICAL COMMISSION

EXPLOSIVE ATMOSPHERES –

Part 29-2: Gas detectors – Selection, installation, use and maintenance of detectors for flammable gases and oxygen

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60079-29-2 has been prepared by IEC technical committee 31: Equipment for explosive atmospheres.

This second edition cancels and replaces the first edition published in 2007. This edition constitutes a technical revision.

This edition includes the following significant changes with respect to the previous edition:

Changes	Clause	Type		
		Minor and editorial changes	Extension	Major technical changes
Addition of group 1 to scope	1		x	
Addition of Open Path Gas Detection	3, 4.6, 5.4, 6.2.3.5, 8.2, 8.6, 8.7, 8.8, 11, A4		x	
Changed “combustible” to “flammable”	Throughout	x		
Addition of specific applications	4.5		x	
Improvements to sampling systems	6.2.3.4, 8.2.3, 8.5, 11.2.2	x		

NOTE The technical changes referred to include the significance of technical changes in the revised IEC Standard, but they do not form an exhaustive list of all modifications from the previous version. More guidance may be found by referring to the Redline Version of the standard.

Explanations:

- 1) **Minor and editorial changes** clarification
 decrease of technical requirements
 minor technical change
 editorial corrections

These are changes which modify requirements in an editorial or a minor technical way. They include changes of the wording to clarify technical requirements without any technical change, or a reduction in level of existing requirement.

- 2) **Extension** addition of technical options

These are changes which add new or modify existing technical requirements, in a way that new options are given, but without increasing requirements for equipment that was fully compliant with the previous standard. Therefore, these will not have to be considered for products in conformity with the preceding edition.

NOTE These changes represent current technological knowledge. However, these changes should not normally have an influence on equipment already placed on the market.

- 3) **Major technical changes** addition of technical requirements
 increase of technical requirements

These are changes to technical requirements (addition, increase of the level or removal) made in a way that a product in conformity with the preceding edition will not always be able to fulfil the requirements given in the later edition. These changes have to be considered for products in conformity with the preceding edition.

NOTE These changes represent current technological knowledge. However, these changes should not normally have an influence on equipment already placed on the market.

The text of this standard is based on the following documents:

FDIS	Report on voting
31/1169/FDIS	31/1179/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60079 series, published under the general title *Explosive atmospheres*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this standard may be issued at a later date.

INTRODUCTION

Flammable gas detection equipment may be used whenever there is the possibility of a hazard to life or property caused by the accumulation of a flammable gas-air mixture. Such equipment can provide a means of reducing the hazard by detecting the presence of a flammable gas and issuing suitable audible or visual warnings. Gas detectors may also be used to initiate precautionary steps (for example plant shutdown, evacuation, and operation of fire extinguishing procedures).

Equipment may be used to monitor a gas atmosphere below the lower flammable limit in circumstances where accumulation of gas may result in a concentration of the gas/air mixture to potentially explosive levels. Performance requirements for gas detecting equipment for such purposes are set out in IEC 60079-29-1 and IEC 60079-29-4. Guidance for functional safety of fixed gas detection systems are set out in IEC 60079-29-3.

However performance capability alone cannot ensure that the use of such equipment will properly safeguard life or property where flammable gases may be present. The level of safety obtained depends heavily upon correct selection, installation, calibration and periodic maintenance of the equipment, combined with knowledge of the limitations of the detection technique required. This cannot be achieved without responsible informed management.

An additional hazard to life is the toxicity of some gases and of the vapours of all liquids except water. It is not generally appreciated that all flammable vapours are potentially toxic at concentration levels which are very small fractions of their respective lower flammable limits. Equipment covered by IEC 60079-29-1 and IEC 60079-29-4 is not specifically intended for toxic protection, and additional personal protection precautions will normally be needed where personnel could be exposed to toxic vapours.

Portable equipment covered by IEC 60079-29-1 and IEC 60079-29-2 commonly have additional detectors for specific toxic gases and also for oxygen deficiency. Users are cautioned that even mild oxygen deficiency may be due to toxic concentrations of some other gas or vapour, which may not be detectable or adequately detected by the equipment in use.

General requirements for the handbook or manual of any particular flammable gas detection equipment are specified in IEC 60079-29-1 and IEC 60079-29-4. These standards provide some necessary background knowledge on the points mentioned above.

This standard has been specifically written to cover all the functions necessary from selection to ongoing maintenance for a successful gas detection operation. Different clauses are appropriate for different tasks within this range of operations. Each clause has been written as stand-alone as far as practicable. This means that some information is repeated in different clauses but with a different emphasis.

Table 1 gives a broad suggestion as to the most relevant clauses to the typical tasks to be performed.

Table 1 – Typical Tasks and Most Relevant Causes

Tasks	Definitions	Basic information properties of gas and vapours	Measuring principles	Selection of equipment	Behaviour of gas releases	Design and installation of fixed gas detection systems	Use of portable and transportable flammable gas detection equipment	Training of operational personnel	Maintenance, routine procedures General administrative control	Measuring principles (full detail) (normative)	Environmental parameters (informative)
Function (Clause)	3	4	5	6	7	8	9	10	11	Annex A	Annex B
Authorities	+	+++	+++	+	+	-	-	-	+	-	-
General management	+	+++	+++	+	+	-	-	+	+	-	+
Selection	+++	+++	+	+++	+++	+	++	-	+	+++	+++
Design engineering / management	+++	+++	+	+++	+++	+++	-	-	-	+++	+++
Installation engineering / management	+++	+++	+	++	+++	+++	-	-	-	+++	+++
Installation, technical	++	+++	++	++	++	++	-	-	-	+	++
Commissioning	+++	+++	++	+	++	+++	-	++	+	-	-
Operations management	++	+++	++	+	+	++	++	+++	+++	+	+++
Operation training	+++	+++	+	+	+	+++	+++	+++	+++	+++	+++
Servicing / Calibration	+++	+++	-	-	-	++	++	+	+++	++	++
Repair	++	+++	++	-	-	+	+	+	+++	++	-
“+++” Most appropriate “++” Advisable “+” Useful “-“ Not applicable It should be noted that Clause 5 is a simplified version of Annex A.											

This standard makes recommendations on how to establish maintenance and calibration intervals. In certain countries there are mandatory general or industry-specific regulations which must be followed as a minimum requirement.

EXPLOSIVE ATMOSPHERES –

Part 29-2: Gas detectors – Selection, installation, use and maintenance of detectors for flammable gases and oxygen

1 Scope

This part of IEC 60079-29 gives guidance on, and recommended practice for, the selection, installation, safe use and maintenance of electrically operated Group II equipment intended for use in industrial and commercial safety applications and Group I equipment in underground coal mines for the detection and measurement of flammable gases complying with the requirements of IEC 60079-29-1 or IEC 60079-29-4.

This standard is applicable for oxygen measurement for the purpose of inertisation where explosion protection is provided by the exclusion of oxygen instead of measuring the flammable gases or vapours present. A similar application is measuring oxygen when inertising a goaf (mined out) area in an underground coal mine.

This standard is a compilation of practical knowledge to assist the user, and applies to equipment, instruments and systems that indicate the presence of a flammable or potentially explosive mixture of gas or vapour with air by using an electrical signal from a gas sensor to produce a meter reading, to activate a visual or audible pre-set alarm or other device, or any combination of these.

Such equipment may be used as a means of reducing the risk whenever there is the possibility of a risk to life or property specifically due to the accumulation of a flammable gas-air mixture, by providing such warnings. It may also be used to initiate specific safety precautions (e.g. plant shutdown, evacuation, fire extinguishing procedures).

This standard is applicable to fixed installations and transportable equipment. Similarly it is applicable to the safe use of portable equipment. Since much modern equipment of this type also includes oxygen deficiency detection and/or specific toxic gas sensors, some additional guidance is given for these topics.

For the purposes of this standard, except where specifically stated otherwise, flammable gases include flammable vapours.

Mists are not covered by this standard due to measurement techniques currently used.

This standard applies to Group II equipment (i.e. equipment intended for use in industrial and commercial safety applications, involving areas classified in accordance with IEC 60079-10-1) and Group I equipment.

For the purposes of this standard, equipment includes

- a) fixed equipment including equipment mounted on a vehicle;
- b) transportable equipment; and
- c) portable equipment.

This standard is not intended to cover, but may provide useful information, for the following:

- a) equipment intended only for the detection of non-flammable toxic gases;
- b) equipment of laboratory or scientific type intended only for analysis or measurement purposes;

- c) equipment intended only for process control applications;
- d) equipment intended for applications in explosives processing and manufacture;
- e) equipment intended for the detection of a explosive atmosphere resulting from dust or mist in air.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60079-0, *Explosive atmospheres – Part 0: Equipment – General requirements*

IEC 60079-10-1:2008, *Explosive atmospheres – Part 10-1: Classification of areas – Explosive gas atmospheres*

IEC 60079-10-2, *Explosive atmospheres – Part 10-2: Classification of areas – Combustible dust atmospheres*

IEC 60079-13, *Explosive atmospheres – Part 13: Equipment protection by pressurized room "p"*

IEC 60079-17, *Explosive atmospheres – Part 17: Electrical installations inspection and maintenance*

IEC 60079-19, *Explosive atmospheres – Part 19: Equipment repair, overhaul and reclamation*

IEC 60079-29-1:2007, *Explosive atmospheres – Part 29-1: Gas detectors – Performance requirements of detectors for flammable gases*

IEC 60079-29-4, *Explosive atmospheres – Part 29-4: Gas detectors – Performance requirements of open path detectors for flammable gases*

IEC 61285, *Industrial-process control – Safety of analyser houses*