



# TECHNICAL REPORT



---

## Communication networks and systems for power utility automation – Part 90-12: Wide area network engineering guidelines

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

ICS 33.200

ISBN 978-2-8322-2806-7

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	11
INTRODUCTION.....	13
1 Scope.....	15
2 Normative references .....	15
3 Terms, definitions, abbreviations, acronyms and symbols.....	20
3.1 Terms and definitions.....	20
3.2 Abbreviations and acronyms .....	25
3.3 Network diagram symbols .....	32
4 Wide Area Communication in electrical utilities.....	34
4.1 Executive summary.....	34
4.2 Use Case: ENDESA, Andalusia (Spain) .....	36
4.3 Typical interface between a substation and the WAN .....	38
4.4 WAN characteristics and actors .....	39
4.5 SGAM Mapping.....	40
4.6 Network elements and voltage level.....	42
4.7 WAN interfaces in substation automation (IEC 61850-5) .....	43
4.8 Logical interfaces and protocols in the TC57 Architecture IEC TR 62357 .....	44
4.9 Network traffic and ownership .....	45
5 WAN overall requirements and data transmission metrics.....	45
5.1 Traffic types.....	45
5.2 Quality of Service (QoS) of TDM and PSN .....	46
5.3 Latency calculation .....	46
5.3.1 Latency components.....	46
5.3.2 Propagation delay.....	46
5.3.3 Residence delay .....	47
5.3.4 Latency accumulation .....	47
5.3.5 Example: latency of a microwave system.....	47
5.3.6 Latency and determinism.....	47
5.3.7 Latency classes in IEC 61850-5.....	48
5.4 Jitter .....	50
5.4.1 Jitter definition.....	50
5.4.2 Jitter classes in IEC 61850 .....	51
5.5 Latency symmetry and path congruency .....	51
5.6 Medium asymmetry.....	51
5.7 Communication speed symmetry.....	52
5.8 Recovery delay .....	52
5.9 Time accuracy .....	52
5.9.1 Time accuracy definition.....	52
5.9.2 Time accuracy classes.....	53
5.10 Tolerance against failures.....	54
5.10.1 Failure .....	54
5.10.2 Reliability.....	54
5.10.3 Redundancy principles.....	55
5.10.4 Redundancy and reliability.....	55
5.10.5 Redundancy checking.....	56
5.10.6 Redundant layout: single point of failure .....	57

5.10.7	Redundant layout: cross-redundancy .....	57
5.10.8	Maintainability .....	58
5.10.9	Availability .....	58
5.10.10	Integrity .....	60
5.10.11	Dependability.....	62
5.10.12	Example: Dependability of GOOSE transmission .....	62
6	Applications analysis .....	62
6.1	Application kinds.....	62
6.2	Teleprotection (IF2 & IF11) .....	63
6.2.1	Teleprotection schemes.....	63
6.2.2	Teleprotection data kinds.....	64
6.2.3	Teleprotection requirements for latency .....	64
6.2.4	Teleprotection requirements for latency asymmetry .....	64
6.2.5	Teleprotection requirements for integrity.....	64
6.2.6	Teleprotection summary .....	65
6.3	Telecontrol (IF1, IF6) .....	65
6.4	Substation to control centre (IF10).....	66
6.5	CMD (IF7).....	67
6.5.1	CMD overview .....	67
6.5.2	CMD communication requirements .....	67
6.6	Control Centre to Control Centre (IF12) .....	67
6.7	Wide Area Monitoring System (IF13).....	68
6.7.1	WAMS overview .....	68
6.7.2	WAMS topology.....	68
6.7.3	WAMS communication requirements.....	70
6.8	Wide area monitoring, protection and control (WAMPAC) IF13.....	71
6.8.1	WAMPAC overview.....	71
6.8.2	WAMPAC communication requirements .....	71
6.8.3	Use case WAMPAC .....	73
6.9	Wind turbines and wind virtual power plants.....	74
6.10	Distributed Energy and Renewables (DER).....	74
6.11	Summary of communication requirements for WAN .....	74
7	Wide-area and real-time network technologies.....	75
7.1	Introduction.....	75
7.2	Topology.....	75
7.3	Overview.....	76
7.4	Layer 1 (physical) transmission media .....	78
7.4.1	Summary .....	78
7.4.2	Installation guidelines .....	78
7.4.3	Metallic lines .....	79
7.4.4	Power line carrier (PLC) .....	80
7.4.5	Radio transmission .....	84
7.4.6	Fiber optics.....	89
7.4.7	Layer 1 redundancy .....	96
7.4.8	Use case: Diverse redundancy against extreme contingencies (Hydro-Quebec) .....	97
7.4.9	Layer 1 security.....	98
7.5	Layer 1,5 (physical) multiplexing .....	98
7.6	Layer 2 (link) technologies .....	99

7.6.1	Telephony technologies .....	99
7.6.2	SDH/SONET .....	101
7.6.3	Optical Transport Network .....	111
7.6.4	Ethernet .....	112
7.6.5	Ethernet over TDM .....	122
7.6.6	Carrier Ethernet.....	123
7.6.7	Audio-Video Bridging .....	125
7.6.8	Provider Backbone Bridge (PBB) .....	125
7.6.9	Multiprotocol Label Switching (MPLS).....	127
7.7	Layer 3 (network) technologies .....	135
7.7.1	Internet Protocol (IP) .....	135
7.7.2	IP QoS.....	148
7.7.3	IP multicast.....	151
7.7.4	IP redundancy .....	152
7.7.5	IP security .....	152
7.7.6	IP communication for utilities .....	154
7.7.7	IP summary .....	156
7.8	Layer 4 (transport) protocols .....	157
7.8.1	Transport layer encapsulation.....	157
7.8.2	UDP .....	157
7.8.3	TCP.....	158
7.8.4	Layer 4 redundancy .....	159
7.8.5	Layer 4 security .....	159
7.9	Layer 5 (session) and higher.....	159
7.9.1	Session layer.....	159
7.9.2	Routable GOOSE and SMV .....	160
7.9.3	Example: C37.118 transmission.....	160
7.9.4	Session protocol for voice and video transmission .....	161
7.9.5	Application interface redundancy .....	161
7.9.6	Application device redundancy .....	162
7.10	Protocol overlay – tunneling.....	162
7.10.1	Definitions .....	162
7.10.2	Tunneling principle .....	163
7.10.3	Tunneling Layer 2 over Layer 3 .....	163
7.10.4	Use Case: Tunneling GOOSE and SMV in IEC 61850.....	164
7.10.5	Circuit emulation service (CES) .....	165
7.11	Virtual Private Networks (VPNs) .....	169
7.11.1	VPN principles.....	169
7.11.2	L2VPNs .....	169
7.11.3	L2VPN multicast on MPLS .....	171
7.11.4	L3VPN .....	171
7.11.5	VPN mapping to application.....	173
7.12	Cyber Security .....	176
7.12.1	Security circles .....	176
7.12.2	Network security.....	177
7.12.3	Access Control .....	180
7.12.4	Threat detection and mitigation.....	180
7.12.5	Security architecture.....	184
7.12.6	Application (end-to-end) communication security .....	185

7.12.7	Security for synchrophasor (PMU) networks (IEC TR 61850-90-5)	186
7.12.8	Additional recommendations	187
7.13	QoS and application-specific engineering	187
7.13.1	General	187
7.13.2	SDH/SONET QoS and SLA	187
7.13.3	PSN QoS and SLA	187
7.13.4	Application and priority	188
7.13.5	QoS chain between networks	188
7.13.6	QoS mapping between networks	189
7.13.7	QoS engineering	190
7.13.8	Customer restrictions	191
7.13.9	Clock services	191
7.14	Configuration and OAM	191
7.14.1	Network configuration	191
7.14.2	OAM	191
7.15	Time synchronization	193
7.15.1	Oscillator stability	193
7.15.2	Mutual synchronization	193
7.15.3	Direct synchronization	194
7.15.4	Radio synchronization	194
7.15.5	GNSS synchronization	195
7.15.6	Frequency distribution	195
7.15.7	Time distribution	196
7.15.8	PTP telecommunication profiles	203
7.15.9	PTP over MPLS	203
7.15.10	Comparison of time distribution profiles based on IEC 61588	203
7.15.11	Use Case: Synchrophasor time synchronization	205
7.15.12	Use case: Atomic Clock Hierarchy	205
8	Use cases	206
8.1	Use case: Current differential teleprotection system (Japan)	206
8.2	Use case: SDH / MPLS network (Japan)	210
8.3	Use Case: Wide area stabilizing control system (Japan)	211
8.4	Use Case: experimental PMU-based WAMPAC system	213
	Bibliography	216
	Figure 1 – Symbols	33
	Figure 2 – Substation locations in Andalusia	36
	Figure 3 – Topology of the Andalusia network	37
	Figure 4 – Cabinet of the substation edge node	38
	Figure 5 – Communication interfaces in a SEN	39
	Figure 6 – Communicating entities	40
	Figure 7 – SGAM communication model	41
	Figure 8 – Principle of grid voltage level and network technology	42
	Figure 9 – Communication paths and interfaces	43
	Figure 10 – IEC TR 62357 Interfaces, protocols and applications	44
	Figure 11 – Composition of end-to-end latency in a microwave relay	47
	Figure 12 – Example of latency in function of traffic	48

Figure 13 – Jitter for two communication delay types.....	50
Figure 14 – Precision and accuracy definitions .....	52
Figure 15 – Redundancy of redundant systems.....	56
Figure 16 – Redundancy calculation .....	56
Figure 17 – Redundancy layout with single point of failure .....	57
Figure 18 – Redundancy layout with cross-coupling.....	58
Figure 19 – Availability definitions.....	59
Figure 20 – Residual error rate in function of the BER .....	61
Figure 21 – Principle of synchrophasor transmission.....	69
Figure 22 – Target phenomena for WAMPAC.....	71
Figure 23 – Example of main function and general information flow .....	72
Figure 24 – PMUs and data flow between TSO and regional data hubs.....	73
Figure 25 – Network topology (Carrier Ethernet) .....	76
Figure 26 – Phase-to-ground coupling for PLC.....	80
Figure 27 – HV PLC coupling with suspended line traps .....	81
Figure 28 – Phase to phase signal coupling for PLC .....	81
Figure 29 – Phase-to-phase signal coupling.....	82
Figure 30 – Power line carrier, line traps.....	83
Figure 31 – Terrestrial microwave link .....	85
Figure 32 – Layer 2 transport on radio systems .....	88
Figure 33 – Radio network in feeder automation .....	89
Figure 34 – ADSS fiber cable.....	90
Figure 35 – ADSS installation with splicing box.....	91
Figure 36 – OPGW in ground cable.....	91
Figure 37 – OPGW with two “C”-tubes with each 32 fibers .....	92
Figure 38 – OPGW fibers .....	93
Figure 39 – Splicing box .....	94
Figure 40 – WDM over one fiber .....	95
Figure 41 – OCh optical components .....	95
Figure 42 – Optical link with microwave back-up.....	97
Figure 43 – Picture of partially destroyed 735 kV line.....	98
Figure 44 – E1 and E2 channel.....	100
Figure 45 – Digital Transmission Hierarchy (T – Standards).....	100
Figure 46 – Digital Transmission Hierarchy (E-standard) .....	101
Figure 47 – Example of an SDH network for utilities.....	102
Figure 48 – SONET multiplexing hierarchy.....	103
Figure 49 – SDH multiplexing hierarchy .....	103
Figure 50 – SDH/SONET with point-to-point topology .....	105
Figure 51 – SDH/SONET with linear topology .....	105
Figure 52 – BLSR/BSHR topology in normal conditions (from A to D).....	107
Figure 53 – BLSR/BSHR topology in failure conditions.....	107
Figure 54 – UPSR/USHR topology in normal conditions .....	108
Figure 55 – UPSR/USHR topology in failure conditions.....	109

Figure 56 – Example of information flow relationship in OTN .....	112
Figure 57 – IEEE 802.3 (Ethernet) frame format .....	113
Figure 58 – IEEE 802.3 (Ethernet) topology with RSTP switches (IEC TR 61850-90-4) .....	114
Figure 59 – IEEE 802.1Q-tagged Ethernet frame format .....	115
Figure 60 – Direct Ethernet with VLAN in substation-to-substation transmission .....	116
Figure 61 – Substation-to-substation Layer 2 transmission tunneled over IP .....	117
Figure 62 – PRP structure (within and outside a substation) .....	118
Figure 63 – HSR ring connecting substations and control centre .....	118
Figure 64 – MACsec frame format .....	120
Figure 65 – IEEE 802.1X principle .....	121
Figure 66 – Ethernet for substation-to-substation communication .....	122
Figure 67 – Packets over TDM .....	123
Figure 68 – IEEE 802.1Q/ad/ah network configuration .....	126
Figure 69 – Case of IEEE 802.1Q/ad network for utility .....	127
Figure 70 – Basic MPLS architecture .....	128
Figure 71 – Example of MPLS frame format with IPv4 payload .....	129
Figure 72 – MPLS building blocks .....	130
Figure 73 – MPLS network architecture for utilities .....	131
Figure 74 – IP/MPLS and MPLS-TP features .....	132
Figure 75 – MPLS-TP redundant routing .....	134
Figure 76 – Ethernet frame with IP network header .....	136
Figure 77 – Mapping of IPv4 to Ethernet frames .....	137
Figure 78 – Mapping of IPv6 to Ethernet frames .....	140
Figure 79 – IPv6 unicast address structure .....	141
Figure 80 – IPv6 ULA address structure .....	142
Figure 81 – IPv6 link local address structure .....	142
Figure 82 – Mapping of IPv4 to IPv6 addresses .....	145
Figure 83 – IPv6 evolution .....	147
Figure 84 – IEC 61850 stack with IPv4 and IPv6 .....	148
Figure 85 – DiffServ codepoint field .....	150
Figure 86 – Unidirectional protocol independent multicast .....	151
Figure 87 – Bidirectional protocol independent multicast .....	152
Figure 88 – Frame format for IPsec (authenticated) .....	153
Figure 89 – Frame format for IPsec (encrypted) .....	153
Figure 90 – Layer 3 direct connection within same address space .....	154
Figure 91 – Connecting substations to SCADA by a NAT .....	155
Figure 92 – Substation to SCADA connection over ALG .....	156
Figure 93 – Ethernet frame with UDP transport layer .....	157
Figure 94 – UDP header .....	158
Figure 95 – TCP header .....	158
Figure 96 – Session and presentation layers for MMS .....	160
Figure 97 – Session and presentation layers for R-GOOSE .....	160
Figure 98 – IEEE C37.118 frame over UDP .....	161

Figure 99 – Redundant network transmission handled by the application layer .....	161
Figure 100 – Tunneling in IEC TR 61850-90-1 .....	163
Figure 101 – L2TP transporting Layer 2 frames over IP .....	164
Figure 102 – Tunneling GOOSE over IP in IEC TR 61850-90-5.....	165
Figure 103 – Pseudo-wire principle .....	166
Figure 104 – Non-IP voice communication over PSN .....	167
Figure 105 – Circuit emulation over PSN .....	168
Figure 106 – L2VPNs VPWS and VPLS .....	170
Figure 107 – L3VPN .....	171
Figure 108 – Emulation of L3VPN by L2VPN and global router .....	172
Figure 109 – Tele-protection over VPWS, .....	174
Figure 110 – WAMS over VPLS .....	175
Figure 111 – VPN for IP-based SCADA/EMS traffic .....	176
Figure 112 – VPN deployment options .....	179
Figure 113 – IP network separator .....	181
Figure 114 – Security architecture (using segmentation and perimeter security) .....	185
Figure 115 – QoS chain .....	189
Figure 116 – Timing pulse transmission methods of legacy teleprotection devices .....	194
Figure 117 – SyncE application.....	195
Figure 118 – Synchronous Ethernet Architecture .....	196
Figure 119 – SNTP clock synchronization and network delay measurement.....	197
Figure 120 – Model of GMC, two BCs in series and SC over Layer 3 .....	200
Figure 121 – Timing diagram of PTP (end-to-end, 2-step, BCs) .....	200
Figure 122 – Timing diagram of PTP (peer-to-peer, 2-step TCs) .....	201
Figure 123 – Substations synchronization over WAN .....	205
Figure 124 – Example of synchronization network.....	206
Figure 125 – Current differential 1:1 configuration .....	207
Figure 126 – Network configuration for centralized multi-terminal line protection.....	207
Figure 127 – Network configuration for distributed multi-terminal line protection .....	208
Figure 128 – Current differential teleprotection for HV multi-terminal transmission line using Layer 2 network.....	208
Figure 129 – Configuration of wide area current differential primary and backup teleprotection system employing Carrier Ethernet and IEC 61588 time synchronization .....	210
Figure 130 – Achieving protection for teleprotection services .....	211
Figure 131 – System configuration for wide area stabilizing control system.....	212
Figure 132 – Appearance of typical CCE cabinet .....	213
Figure 133 – Configuration for PMU-based WAMPAC system .....	214
Table 1 – Latency classes in IEC 61850-5 .....	49
Table 2 – Latency classes in IEC TR 61850-90-1.....	49
Table 3 – Latency classes for WANs.....	50
Table 4 – Jitter classes in IEC TR 61850-90-1 .....	51
Table 5 – Jitter classes for WAN .....	51
Table 6 – Recovery delay classes for WAN.....	52



Table 7 – IEC TR 61850-90-1 time accuracy classes .....	53
Table 8 – IEC 61850-5 time accuracy classes for IED synchronization.....	53
Table 9 – WAN time synchronization classes .....	54
Table 10 – Latency for line protection .....	64
Table 11 – Summary of operational requirements of line protection .....	65
Table 12 – Summary of communication requirements for teleprotection .....	65
Table 13 – Communication requirements for CC to SS/PS .....	66
Table 14 – Latency and timing requirements from IEC TR 61850-90-2.....	66
Table 15 – Communication requirements for CMD .....	67
Table 16 – Communication requirements for inter-control centre communications.....	68
Table 17 – Summary of synchrophasor requirements .....	70
Table 18 – Summary of communication requirements for wide area monitoring .....	71
Table 19 – Typical communication requirements for WAMPAC .....	73
Table 20 – Classification of communication requirements .....	74
Table 21 – Communication requirements of wide-area applications .....	74
Table 22 – Communication technologies .....	77
Table 23 – Physical communication media.....	78
Table 24 – DSL communication over twisted pairs .....	79
Table 25 – Trade-offs in copper cable communication.....	80
Table 26 – PLC communication technologies .....	83
Table 27 – PLC communication advantages and disadvantages.....	84
Table 28 – Microwave link performance .....	86
Table 29 – Terrestrial microwave advantages and disadvantages .....	86
Table 30 – Public mobile radio technologies .....	87
Table 31 – Terrestrial radio advantages and disadvantages.....	87
Table 32 – Satellite radio advantages and disadvantages .....	87
Table 33 – Optical fibers: advantages and disadvantages .....	96
Table 34 – SONET and SDH hierarchies.....	104
Table 35 – Summary of SDH/SONET .....	111
Table 36 – Ethernet physical layers .....	113
Table 37 – Payload mapping using SDH/SONET and Next Generation SDH/SONET.....	123
Table 38 – Carrier Ethernet summary .....	125
Table 39 – IP/MPLS characteristics .....	133
Table 40 – MPLS-TP characteristics .....	134
Table 41 – MPLS summary .....	135
Table 42 – Differences between IPv4 and IPv6 .....	143
Table 43 – IPv6 versus IPv4 addresses [RFC 4291].....	144
Table 44 – List of DiffServ codepoint field values .....	150
Table 45 – IP Summary .....	156
Table 46 – Pseudowire protocols .....	169
Table 47 – VPN services.....	174
Table 48 – IEC 62351 series.....	186
Table 49 – Example of simple application priority assignment.....	188

Table 50 – Typical oscillator stability.....	193
Table 51 – IEC 61588 option comparison.....	202
Table 52 – Precision time distribution protocols based on IEC 61588.....	204
Table 53 – Requirements for the YONDEN IP network .....	211
Table 54 – Technologies for the YONDEN IP network.....	211
Table 55 – Main system specifications for wide area stabilizing control system.....	213
Table 56 – Specifications for PMU-based WAMPAC system .....	215

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

**COMMUNICATION NETWORKS AND SYSTEMS  
FOR POWER UTILITY AUTOMATION –**
**Part 90-12: Wide area network engineering guidelines****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a technical report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

IEC TR 61850-90-12, which is a technical report, has been prepared by IEC technical committee 57: Power systems management and associated information exchange.

The text of this technical report is based on the following documents:

Enquiry draft	Report on voting
57/1536/DTR	57/1576/RVC

Full information on the voting for the approval of this technical report can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61850 series, published under the general title *Communication networks and systems for power utility automation*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## INTRODUCTION

Utilities use data networks to interconnect equipment between their premises, over distances from under a kilometer to thousands of kilometers, called a “Wide Area Network” of WAN.

WANs encompass communication means of different nature (optical, radio, power line carrier, copper, etc.), with a variety of topologies (rings, trees, meshes, etc.), using different protocols (SDH/SONET, Ethernet, IP, MPLS, etc.), medium sharing (packet switching, time division multiplex, etc.) and for different applications (teleprotection, SCADA, voice, video, etc.).

This contrasts with substation automation networks as described in the LAN Engineering Guidelines (IEC TR 61850-90-4), which are based on one technology (switched Ethernet), make extensive use of Layer 2 multicast (GOOSE, SMV, PTP, etc.) and use Layer 3 communication (MMS, FTP, etc.), typically without routers within the substation.

The IEC 61850 suite sets up numerous requirements on the network but does not state how to achieve them:

- IEC 61850-5 specifies the basic requirements for data networks used in Power Utility Automation networks;
- IEC 61850-7 focuses on data modelling, leaving out physical interconnection details;
- IEC 61850-8-1 and IEC 61850-9-2 specify interoperable communication within substations;
- IEC TR 61850-90-1 describes substation-to-substation traffic, specifies the requirements for communication, defines object models for substation-to-substation teleprotection, models the gateway and the tunneler, but leaves the WAN undefined;
- IEC TR 61850-90-2<sup>1</sup> provides substation to control centre network configuration for IEDs, proxies and applications;
- IEC TR 61850-90-5 (synchrophasor transmission) addresses the transport of synchrophasor data between PMUs and control centres and defines a tunneling protocol as well as a data security method;
- IEC TR 61850-90-4 provides guidelines for network engineering focused on Ethernet-based real-time and highly available networks in substations. Some of these guidelines are applicable to networks outside of the substation;
- IEC 60870-6 (TASE2), IEC 61968 and IEC 61970 (CIM) describe the information interchange at the application layer without specifying the network.

Each of these documents deals separately with application, transport or network layer mechanism. There exist no comprehensive engineering guides for wide-area and real-time networks for control and protection. The growing success of IEC 61850 calls for guidelines for engineering the WANs.

Complementing IEC TR 61850-90-4, this Technical Report proposes guidelines for wide-area and real-time networks for various IEC 61850-based applications including teleprotection, wide area measurement, protection and control (WAMPAC), power system monitoring (WASA, WAMS), operation SCADA, and condition monitoring and diagnosis (CMD) and non-operational traffic.

This Technical Report is based on existing standards for semantics, services, protocols, system configuration language and architecture. It is based on work done by various IEC working groups including:

- Power system IED communication and associated data models;

---

<sup>1</sup> To be published.

- Energy management system application program interface;
- Data and communications security;
- Interoperability within TC 57 in the long term;
- Industrial networks;
- Highly Available Automation Networks.

Contributions were included from:

- IEEE 802.1 WG (Higher layer LAN protocols);
- IEEE 1588 WG (Precise Networked Clock Synchronization);
- IEEE Power System Relaying Committee (PSRC);
- UCA International Users Group;
- The North American Synchrophasor Initiative (NASPI);
- CEN/CENELEC/ETSI Smart Grids Coordination Group;
- CIGRE working groups D2.26, D2.28, D2/B5.30, D2.35; and
- Different utilities, providers and research institutes, in particular the Central Research Institute of Electric Power Industry (Japan), Hydro-Quebec [50]<sup>2</sup> (Canada), Swissgrid (Switzerland) and ENEL (Italy).

---

<sup>2</sup> Numbers in square brackets refer to the bibliography.

## **COMMUNICATION NETWORKS AND SYSTEMS FOR POWER UTILITY AUTOMATION –**

### **Part 90-12: Wide area network engineering guidelines**

#### **1 Scope**

This Technical Report is intended for an audience familiar with electrical power automation based on IEC 61850 and particularly for data network engineers and system integrators. It is intended to help them to understand the technologies, configure a wide area network, define requirements, write specifications, select components and conduct tests.

This Technical Report provides definitions, guidelines, and recommendations for the engineering of WANs, in particular for protection, control and monitoring based on IEC 61850 and related standards.

This Technical Report addresses substation-to-substation communication, substation-to-control centre and control centre-to-control centre communication. In particular, this Technical Report addresses the most critical aspects of IEC 61850 such as protection related data transmission via GOOSE and SMVs, and the multicast transfer of large volumes of synchrophasor data.

The Technical Report addresses issues such as topology, redundancy, traffic latency and quality of service, traffic management, clock synchronization, security and maintenance of the network.

This Technical Report contains use cases that show how utilities tackle their WAN engineering.

#### **2 Normative references**

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050, *International Electrotechnical Vocabulary*

IEC 60834-1, *Teleprotection equipment of power systems – Performance and testing – Part 1: Command systems*

IEC 60834-2, *Performance and testing of teleprotection equipment of power systems – Part 2: Analogue comparison systems*

IEC 60870-5-104, *Telecontrol equipment and systems – Part 5-104: Transmission protocols – Network access for IEC 60870-5-101 using standard transport profiles*

IEC 61400-25 (all parts), *Wind turbines – Communications for monitoring and control of wind power plants*

IEC 61508 (all parts), *Functional safety of electrical/electronic/programmable electronic safety-related systems*

IEC 61588:2009, *Precision clock synchronization protocol for networked measurement and control systems*

IEC 61850-5:2013, *Communication networks and systems for power utility automation – Part 5: Communication requirements for functions and device models*

IEC 61850-8-1, *Communication networks and systems for power utility automation – Part 8-1: Specific communication service mapping (SCSM) – Mappings to MMS (ISO 9506-1 and ISO 9506-2) and to ISO/IEC 8802-3*

IEC 61850-9-2:2011, *Communication networks and systems for power utility automation – Part 9-2: Specific communication service mapping (SCSM) – Sampled values over ISO/IEC 8802-3*

IEC PAS 61850-9-3:2015, *Communication networks and systems for power utility automation – Part 9-3: Precision time protocol profile for power utility automation*

IEC TR 61850-90-1:2010, *Communication networks and systems for power utility automation – Part 90-1: Use of IEC 61850 for the communication between substations*

IEC TR 61850-90-2:2015, *Communication networks and systems for power utility automation – Part 90-2: Use of IEC 61850 for the communication between substations and control centres<sup>3</sup>*

IEC TR 61850-90-4:2013, *Communication networks and systems for power utility automation – Part 90-4: Network engineering guidelines*

IEC TR 61850-90-5:2012, *Communication networks and systems for power utility automation – Part 90-5: Use of IEC 61850 to transmit synchrophasor information according to IEEE C37.118*

IEC 61869-9, *Instrument Transformers – Part 9: Digital interface for instrument transformers<sup>3</sup>*

IEC TS 62351-1, *Power systems management and associated information exchange – Data and communications security – Part 1: Communication network and system security – Introduction to security issues*

IEC TS 62351-2, *Power systems management and associated information exchange – Data and communications security – Part 2: Glossary of terms*

IEC 62351-3, *Power systems management and associated information exchange – Data and communications security – Part 3: Communication network and system security – Profiles including TCP/IP*

IEC TS 62351-4, *Power systems management and associated information exchange – Data and communications security – Part 4: Profiles including MMS*

IEC TS 62351-5, *Power systems management and associated information exchange – Data and communications security – Part 5: Security for IEC 60870-5 and derivatives*

IEC TS 62351-6, *Power systems management and associated information exchange – Data and communications security – Part 6: Security for IEC 61850*

---

<sup>3</sup> To be published.



IEC TS 62351-7, *Power systems management and associated information exchange – Data and communications security – Part 7: Network and system management (NSM) data object models*

IEC TS 62351-8, *Power systems management and associated information exchange – Data and communications security – Part 8: Role-based access control*

IEC TS 62351-9, *Power systems management and associated information exchange – Data and communications security – Part 9: Cyber security key management for power system equipment*<sup>4</sup>

IEC TR 62351-10, *Power systems management and associated information exchange – Data and communications security – Part 10: Security architecture guidelines*

IEC 62351-11, *Power systems management and associated information exchange – Data and communications security – Part 11: Security for XML files*<sup>5</sup>

IEC TR 62357-200, *Power systems management and associated information exchange – Part 200: Guidelines for migration to Internet Protocol version 6 (IPv6)*

IEC 62439-1:2010, *Industrial communication networks – High availability automation networks – Part 1: General concepts and calculation methods*

IEC 62439-3:—, *Industrial communication networks – High availability automation networks – Part 3: Parallel Redundancy Protocol (PRP) and High-availability Seamless Redundancy (HSR)*<sup>6</sup>

IEC TS 62443-1-1, *Industrial communication networks – Network and system security – Part 1-1: Terminology, concepts and models*

IEC 62443-2-1, *Industrial communication networks – Network and system security – Part 2-1: Establishing an industrial automation and control system security program*

IEC TR 62443-3 (all parts), *Industrial communication networks – Network and system security*

IEC TR 62443-3-1, *Industrial communication networks – Network and system security – Part 3-1: Security technologies for industrial automation and control systems*

IEC 62488-1, *Power line communication systems for power utility applications – Part 1: Planning of analogue and digital power line carrier systems operating over EHV/HV/MV electricity grids*

ANSI T1.403-1999, *Network and Customer Installation Interfaces – DS1 Electrical Interface*

IEEE 802.1ag, *IEEE standards for local and metropolitan area network; Virtual Bridged Local Area Networks Amendment 5: Connectivity Fault Management*

IEEE 802.1ah, *IEEE standards for local and metropolitan area network; Provider Backbone Bridges*

---

4 To be published.

5 To be published.

6 To be published.

IEEE 802.1Qay, *Provider Backbone Bridge Traffic Engineering*

IEEE 802.1X, *Port-based Network Access Control*

IEEE 802.3, *IEEE Standard for Information technology – Telecommunications and information exchange between systems – Local and metropolitan area networks – Specific requirements – Part 3: Carrier sense multiple access with collision detection (CSMA/CD) access method and physical layer specifications*

IEEE 487.3, *IEEE Standard for the Electrical Protection of Communication Facilities Serving Electric Supply Locations Through the Use of Hybrid Facilities*

IEEE 802.1Q, *IEEE standards for local and metropolitan area network; Virtual bridged local area networks (VLANs and priorities)*

ITU-T G.703, *Physical/electrical characteristics of hierarchical digital interfaces*

ITU-T G.707/Y.1322, *Network node interface for the synchronous digital hierarchy (SDH)*

ITU-T G.803, *Architecture of Transport Networks Based on Synchronous Digital Hierarchy (SDH)*

ITU-T G.810, *Definitions and terminology for synchronization networks*

ITU-T G.811, *Timing characteristics of primary reference clocks*

ITU-T G.812, *Timing Requirements of SDH Equipment Slave Clocks (SEC)*

ITU-T G.813, *Timing Requirements of Slave Clocks Suitable as Node Clocks in Synchronization Networks (SEC)*

ITU-T G.821, *Error performance of an international digital connection operating at a bit rate below the primary rate and forming part of an Integrated Services Digital Network*

ITU-T G.8260, *Definition and terminology for synchronization in Packet Networks*

ITU-T G.8265, *Architecture and requirements for packet-based frequency delivery*

ITU-T G.8265.1, *Precision Time Protocol telecom profile for frequency synchronization*

ITU-T G.8275.1, *Precision Time Protocol telecom profile for phase/time synchronization*

ITU-T G.7041, *Generic Framing Procedure*

ITU-T G.7042, *Link Capacity Adjustment Scheme*

ITU-T G.8032, *Ethernet ring protection switching*

ITU-T G.8261, *Timing and synchronization aspects in packet networks*

ITU-T G.8262, *Timing characteristics of a synchronous Ethernet equipment slave clock*

ITU-T G.8264, *Distribution of timing information through packet networks*

ITU-T Y.1731, *OAM functions and mechanisms for Ethernet based networks*

RFC 0768, *User Datagram Protocol (UDP)*

RFC 0791, *Internet Protocol (IPv4)*

RFC 0792, *Internet Control Message Protocol (ICMPv4)*

RFC 0793, *Transmission Control Protocol (TCP), Protocol Specification*

RFC 0826, *An Ethernet Address Resolution Protocol (ARP)*

RFC 0894, *A Standard for the Transmission of IP Datagrams over Ethernet Networks*

RFC 1240, *OSI Connectionless Transport Services on top of UDP, Version 1*

RFC 1661, *The Point-to-Point Protocol (PPP)*

RFC 1918, *Address Allocation for Private Internet*

RFC 2104, *HMAC: Keyed-Hashing for Message Authentication*

RFC 2328, *OSPF Version 2*

RFC 2460, *Internet Protocol, Version 6 (IPv6) Specification*

RFC 2464, *Transmission of IPv6 Packets over Ethernet Networks*

RFC 2474, *Definition of Differentiated Services Field (DS Field) in IPv4 and IPv6 Headers*

RFC 2615, *Point-to-Point Protocol over SDH/SONET*

RFC 2663, *IP Network Address Translator (NAT) Terminology and Considerations*

RFC 3022, *Traditional IP Network Address Translator (Traditional NAT)*

RFC 3031, *Multiprotocol Label Switching Architecture*

RFC 3168, *The Addition of Explicit Congestion Notification (ECN) to IP*

RFC 3246, *An Expedited Forwarding PHB (Per-Hop Behavior)*

RFC 3247, *Supplemental Information for the New Definition of the EF PHB (Expedited Forwarding Per-Hop Behavior)*

RFC 3260, *New Terminology and Clarifications for DiffServ*

RFC 3261, *SIP: Session Initiation Protocol*

RFC 3376, *Internet Group Management Protocol, Version 3*

RFC 3410, *Version 2 of the Protocol Operations for the Simple Network Management Protocol (SNMP)*

RFC 3547, *The Group Domain of Interpretation*

- RFC 3985, *Pseudo Wire Emulation Edge-to-Edge (PWE3) Architecture*
- RFC 4193, *Unique Local IPv6 Unicast Addresses*
- RFC 4213, *Basic Transition Mechanisms for IPv6 Hosts and Routers*
- RFC 4291, *IP Version 6 Addressing Architecture*
- RFC 4301, *Security Architecture for the Internet Protocol (IPsec)*
- RFC 4303, *IP Encapsulating Security Payload (ESP)*
- RFC 4330, *Simple Network Time Protocol (SNTP) Version 4 for IPv4, IPv6 and OSI*
- RFC 4459, *MTU and Fragmentation Issues with In-the-Network Tunneling*
- RFC 4664, *Framework for Layer 2 Virtual Private Networks (L2VPNs)*
- RFC 4861, *Neighbor Discovery for IP version 6 (IPv6)*
- RFC 5246, *The Transport Level Security (TLS) Protocol Version 1.2*
- RFC 5424, *The Syslog Protocol*
- RFC 5641, *Layer 2 Tunneling Protocol Version 3 (L2TPv3) Extended Circuit Status Values*
- RFC 5771, *IANA Guidelines for IPv4 Multicast Address Assignments*
- RFC 5880, *Bidirectional Forwarding Detection (BFD)*
- RFC 5905, *Network Time Protocol version 4*
- RFC 6052, *IPv6 Addressing of IPv4/IPv6 Translators*
- RFC 6864, *Updated Specification of the IPv4 ID Field*
- RFC 7011, *Specification of the IP Flow Information Export (IPFIX) Protocol for the Exchange of Flow Information*