

© Copyright SEK. Reproduction in any form without permission is prohibited.

Miljötålighetsprovning – Del 2-58: Provningsmetoder – Td: Lödbarhet, beständighet mot upplösning av metallisering och mot lödvärme hos ytmonteringskomponenter

Environmental testing –

Part 2-58: Tests –

Test Td: Test methods for solderability, resistance to dissolution of metallization and to soldering heat of surface mounting devices (SMD)

Som svensk standard gäller europastandarden EN 60068-2-58:2015. Den svenska standarden innehåller den officiella engelska språkversionen av EN 60068-2-58:2015.

Nationellt förord

Europastandarden EN 60068-2-58:2015

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 60068-2-58, Fourth edition, 2015 - Environmental testing - Part 2-58: Tests - Test Td: Test methods for solderability, resistance to dissolution of metallization and to soldering heat of surface mounting devices (SMD)**

utarbetad inom International Electrotechnical Commission, IEC.

Tidigare fastställd svensk standard SS-EN 60068-2-58, utgåva 2, 2004, gäller ej fr o m 2018-05-01.

ICS 19.040.00; 31.190.00

Denna standard är fastställd av SEK Svensk Elstandard, som också kan lämna upplysningar om **sakinnehållet** i standarden.
Postadress: Box 1284, 164 29 KISTA
Telefon: 08 - 444 14 00.
E-post: sek@elstandard.se. Internet: www.elstandard.se

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

English Version

Environmental testing - Part 2-58: Tests - Test Td: Test methods
for solderability, resistance to dissolution of metallization and to
soldering heat of surface mounting devices (SMD)
(IEC 60068-2-58:2015)

Essais d'environnement - Partie 2-58: Essais - Essai Td:
Méthodes d'essai de la soudabilité, résistance de la
métallisation à la dissolution et résistance à la chaleur de
brasage des composants pour montage en surface (CMS)
(IEC 60068-2-58:2015)

Umweltprüfungen - Teil 2-58: Prüfungen - Prüfung Td:
Prüfverfahren für Lötbarkeit, Widerstandsfähigkeit
gegenüber Auflösen der Metallisierung und
Lötwärmebeständigkeit bei oberflächenmontierbaren
Bauelementen (SMD)
(IEC 60068-2-58:2015)

This European Standard was approved by CENELEC on 2015-05-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

The text of document 91/1222/FDIS, future edition 4 of IEC 60068-2-58, prepared by IEC/TC 91 "Electronics assembly technology" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60068-2-58:2015.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2016-02-01
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2018-05-01

This document supersedes EN 60068-2-58:2004.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60068-2-58:2015 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60068-2-54	NOTE	Harmonized as EN 60068-2-54.
IEC 60068-2-69	NOTE	Harmonized as EN 60068-2-69.
IEC 60749-20	NOTE	Harmonized as EN 60749-20.
IEC 61760-3	NOTE	Harmonized as EN 61760-3.
IEC 61760-4	NOTE	Harmonized as EN 61760-4 ¹⁾ .

1) To be published.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60068-1	-	Environmental testing - Part 1: General and guidance	EN 60068-1	-
IEC 60068-2-20	2008	Environmental testing - Part 2-20: Tests - Test T: Test methods for solderability and resistance to soldering heat of devices with leads	EN 60068-2-20	2008
IEC 60194	-	Printed board design, manufacture and assembly - Terms and definitions	EN 60194	-
IEC 61190-1-1	-	Attachment materials for electronic assembly - Part 1-1: Requirements for soldering fluxes for high-quality interconnections in electronics assembly	EN 61190-1-1	-
IEC 61190-1-2	2014	Attachment materials for electronic assembly - Part 1-2: Requirements for soldering pastes for high-quality interconnects in electronics assembly	EN 61190-1-2	2014
IEC 61190-1-3 + A1	2007 2010	Attachment materials for electronic assembly - Part 1-3: Requirements for electronic grade solder alloys and fluxed and non-fluxed solid solders for electronic soldering applications	EN 61190-1-3 + A1	2007 2010
IEC 61191-2	-	Printed board assemblies - Part 2: Sectional specification - Requirements for surface mount soldered assemblies	EN 61191-2	-

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61249-2-22	-	Materials for printed boards and other interconnecting structures - Part 2-22: Reinforced base materials, clad and unclad - Modified non-halogenated epoxide woven E-glass laminated sheets of defined flammability (vertical burning test), copper-clad	EN 61249-2-22	-
IEC 61249-2-35	-	Materials for printed boards and other interconnecting structures - Part 2-35: Reinforced base materials, clad and unclad - Modified epoxide woven E-glass laminate sheets of defined flammability (vertical burning test), copper-clad for lead-free assembly	EN 61249-2-35	-
IEC 61760-1	-	Surface mounting technology - Part 1: Standard method for the specification of surface mounting components (SMDs)	EN 61760-1	-
ISO 9454-2	1998	Soft soldering fluxes - Classification and requirements - Part 2: Performance requirements	EN ISO 9454-2	2000

CONTENTS

FOREWORD.....	5
1 Scope.....	7
2 Normative references.....	7
3 Terms and definitions	8
4 Grouping of soldering processes and related test severities.....	9
5 Test equipment.....	10
5.1 Solder bath	10
5.2 Reflow equipment	10
6 Test Td ₁ : Solderability of terminations	11
6.1 Object and general description of the test	11
6.2 Specimen preparation	11
6.3 Accelerated ageing	11
6.4 Initial measurements	11
6.5 Method 1: Solder bath	11
6.5.1 Solder bath	11
6.5.2 Solder and flux.....	11
6.5.3 Test procedure and conditions.....	12
6.6 Method 2: Reflow	14
6.6.1 Reflow equipment	14
6.6.2 Solder paste	14
6.6.3 Test substrates	14
6.6.4 Test procedure.....	14
6.6.5 Reflow temperature profile for Test Td ₁	15
6.6.6 Test conditions	16
7 Test Td ₂ : Resistance to soldering heat	16
7.1 Object and general description of the test	16
7.2 Specimen preparation	16
7.3 Preconditioning	16
7.4 Initial measurements	16
7.5 Method 1: Solder bath	17
7.5.1 Solder bath	17
7.5.2 Solder and flux.....	17
7.5.3 Test procedure and conditions.....	17
7.6 Method 2: Reflow	19
7.6.1 Reflow equipment	19
7.6.2 Solder paste	19
7.6.3 Test substrates	19
7.6.4 Test procedure and conditions.....	19
8 Test Td ₃ : Dewetting and resistance to dissolution of metallization	21
8.1 Object and general description of the test	21
8.2 Specimen preparation	21
8.3 Initial measurements	22
8.4 Method 1: Solder bath	22
8.4.1 Solder bath	22
8.4.2 Solder and flux.....	22

8.4.3	Test procedure and conditions.....	22
8.5	Method 2: Reflow	22
8.5.1	Reflow equipment	22
8.5.2	Specimen.....	22
8.5.3	Solder paste	22
8.5.4	Flux	22
8.5.5	Reflow profile.....	22
8.5.6	Placement of the specimen	23
8.5.7	Application of the reflow profile.....	23
8.5.8	Evaluation.....	23
9	Final measurements	23
9.1	Flux removal	23
9.2	Recovery conditions	23
9.3	Evaluation.....	23
9.3.1	Wetting	23
9.3.2	Dewetting	24
9.3.3	Resistance to soldering heat	24
9.3.4	Resistance to dissolution of metallization.....	24
10	Information to be given in the relevant specification.....	25
10.1	General.....	25
10.2	Solderability.....	25
10.3	Resistance to soldering heat, dewetting and resistance to dissolution of metallization.....	25
Annex A (normative)	Criteria for visual examination	27
A.1	Wetting	27
A.2	Evaluation of wetting	27
A.3	Evaluation of method 2 (Td ₁).....	28
A.4	Evaluation of method 2 (Td ₃).....	29
Annex B (informative)	Guidance	30
B.1	General.....	30
B.2	Limitations	30
B.3	Choice of severity	30
B.3.1	Test Td ₁ : Solderability by solder bath method.....	30
B.3.2	Test Td ₂ : Resistance to soldering heat – Solder bath method	31
B.3.3	Test Td ₂ : Resistance to soldering heat –Reflow method	31
B.3.4	Immersion attitude	32
B.3.5	Test Td ₃ : Dewetting and resistance to dissolution of metallization for 30 s at 260 °C	32
Annex C (normative)	Application of the test methods to through hole reflow soldering components (THR).....	33
C.1	Solderability.....	33
C.2	Resistance to soldering heat	33
C.3	Dewetting.....	33
C.4	Criteria for evaluation.....	33
Annex X (informative)	Cross reference for references to the prior revision of this specification	34
Bibliography	36

Figure 1 – Examples of immersion attitudes	13
Figure 2 – Reflow temperature profile for solderability	15
Figure 3 – Examples of immersion attitude	18
Figure 4 – Reflow temperature profile for resistance to soldering heat.....	20
Figure 5 – Example for placement of a specimen to a test substrate	23
Figure 6 – Identification of areas on metallic termination.....	24
Figure A.1 – Evaluation of wetting	28
Table 1 – Grouping of soldering processes and typical test severities – Overview	10
Table 2 – Solder alloy and flux for test Td ₁	12
Table 3 – Solderability – Test conditions and severity, solder bath method.....	14
Table 4 – Solder paste specification.....	14
Table 5 – Solderability – Test conditions – Method 2: Reflow	16
Table 6 – Resistance to soldering heat – Test conditions and severity, solder bath method.....	19
Table 7 – Resistance to soldering heat – Test conditions and severity, reflow method	21
Table 8 – Dewetting and resistance to dissolution of metallization – Test conditions and severity, solder bath method.....	22
Table B.1 – Test conditions.....	31
Table C.1 – Test conditions for solderability test.....	33

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ENVIRONMENTAL TESTING –

**Part 2-58: Tests –
Test Td: Test methods for solderability, resistance
to dissolution of metallization and to soldering heat
of surface mounting devices (SMD)**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60068-2-58 has been prepared by IEC technical committee 91: Electronics assembly technology.

This fourth edition cancels and replaces the third edition, published in 2004 and constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- the addition of Sn-Bi low temperature solder alloy;
- the addition of several reflow test conditions in Table 7 – Resistance to soldering heat – Test conditions and severity, reflow method;
- introduction of reflow test method for Test Td₃: Dewetting and resistance to dissolution of metallization;

– implementation of guidance for the choice of a test severity in Clause B.3.

The text of this standard is based on the following documents:

FDIS	Report on voting
91/1222/FDIS	91/1250/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60068, published under the general title *Environmental testing*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

ENVIRONMENTAL TESTING –

Part 2-58: Tests – Test Td: Test methods for solderability, resistance to dissolution of metallization and to soldering heat of surface mounting devices (SMD)

1 Scope

This part of IEC 60068 outlines test Td, applicable to surface mounting devices (SMD).

This standard provides procedures for determining the solderability and resistance to soldering heat of devices in applications using solder alloys, which are eutectic or near eutectic tin lead (Pb), or lead-free alloys.

The procedures use either a solder bath or reflow method and are applicable only to specimens or products designed to withstand short term immersion in molten solder or limited exposure to reflow systems.

The solder bath method is applicable to SMDs designed for flow soldering and SMDs designed for reflow soldering when the solder bath (dipping) method is appropriate.

The reflow method is applicable to the SMD designed for reflow soldering, to determine the suitability of SMDs for reflow soldering and when the solder bath (dipping) method is not appropriate.

The objective of this standard is to ensure solderability of component lead or termination. In addition, test methods are provided to ensure that the component body can resist against the heat load to which it is exposed during soldering.

This standard covers tests Td₁, Td₂ and Td₃ as listed below:

Number of Td	Test	Method
Td ₁	Solderability of terminations	Method 1: Solder bath Method 2: Reflow
Td ₂	Resistance to soldering heat	Method 1: Solder bath Method 2: Reflow
Td ₃	Dewetting and resistance to dissolution of metallization	Method 1: Solder bath Method 2: Reflow

NOTE 1 For specific components other test methods may exist.

NOTE 2 Test Td does not apply to printed wiring board (PWB), see IEC 61189-3.

NOTE 3 Specific through-hole devices (where the device supplier has specifically documented support for reflow soldering) are also included in this standard.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-1, *Environmental testing – Part 1: General and guidance*

IEC 60068-2-20:2008, *Environmental testing – Part 2-20: Tests – Test T: Test methods for solderability and resistance to soldering heat of devices with leads*

IEC 60194, *Printed board design, manufacture and assembly – Terms and definitions*

IEC 61190-1-1, *Attachment materials for electronic assemblies – Part 1-1: Requirements for soldering fluxes for high-quality interconnections in electronics assembly*

IEC 61190-1-2:2014, *Attachment materials for electronic assembly – Part 1-2: Requirements for solder pastes for high-quality interconnections in electronics assembly*

IEC 61190-1-3:2007, *Attachment materials for electronic assembly – Part 1-3: Requirements for electronic grade solder alloys and fluxed and non-fluxed solid solders for electronic soldering applications*

IEC 61190-1-3:2007/AMD1:2010

IEC 61191-2, *Printed board assemblies – Part 2: Sectional specification – Requirements for surface mount soldered assemblies*

IEC 61249-2-22, *Materials for printed boards and other interconnecting structures – Part 2-22: Reinforced base materials clad and unclad – Modified non-halogenated epoxide woven E-glass laminated sheets of defined flammability (vertical burning test), copper-clad*

IEC 61249-2-35, *Materials for printed boards and other interconnecting structures – Part 2-35: Reinforced base materials, clad and unclad – Modified epoxide woven E-glass laminate sheets of defined flammability (vertical burning test), copper-clad for lead-free assembly*

IEC 61760-1, *Surface mounting technology – Part 1: Standard method for the specification of surface mounting components (SMDs)*

ISO 9454-2:1998, *Soft soldering fluxes – Classification and requirements – Part 2: Performance requirements*