

© Copyright SEK. Reproduction in any form without permission is prohibited.

Primärbatterier – Del 1: Allmänt

*Primary batteries –
Part 1: General*

Som svensk standard gäller europastandarden EN 60086-1:2015. Den svenska standarden innehåller den officiella engelska språkversionen av EN 60086-1:2015.

Nationellt förord

Europastandarden EN 60086-1:2015

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 60086-1, Twelfth edition, 2015 - Primary batteries - Part 1: General**

utarbetad inom International Electrotechnical Commission, IEC.

Tidigare fastställd svensk standard SS-EN 60086-1, utgåva 5, 2011, gäller ej fr o m 2018-09-01.

ICS 29.220.10

Denna standard är fastställd av SEK Svensk Elstandard,
som också kan lämna upplysningar om **sakinnehållet** i standarden.
Postadress: Box 1284, 164 29 KISTA
Telefon: 08 - 444 14 00.
E-post: sek@elstandard.se. Internet: www.elstandard.se

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 60086-1

October 2015

ICS 29.220.10

Supersedes EN 60086-1:2011

English Version

**Primary batteries - Part 1: General
(IEC 60086-1:2015)**

Piles électriques - Partie 1: Généralités
(IEC 60086-1:2015)

Primärbatterien - Teil 1: Allgemeines
(IEC 60086-1:2015)

This European Standard was approved by CENELEC on 2015-09-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

© 2015 CENELEC All rights of exploitation in any form and by any means reserved worldwide for CENELEC Members.

Ref. No. EN 60086-1:2015 E

SEK Svensk Elstandard

European foreword

The text of document 35/1346/FDIS, future edition 12 of IEC 60086-1, prepared by IEC/TC 35 "Primary cells and batteries" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60086-1:2015.

The following dates are fixed:

- latest date by which the document has to be implemented at (dop) 2016-06-01 national level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with (dow) 2018-09-01 the document have to be withdrawn

This document supersedes EN 60086-1:2011.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60086-1:2015 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following note has to be added for the standard indicated :

IEC 62281 NOTE Harmonized as EN 62281.

Annex ZA
(normative)

**Normative references to international publications
with their corresponding European publications**

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60086-2	¹⁾	Primary batteries - Part 2: Physical and electrical specifications	FprEN 60086-2	2015 ¹⁾
IEC 60086-3	2011	Primary batteries - Part 3: Watch batteries	EN 60086-3	2011
IEC 60086-4	2014	Primary batteries - Part 4: Safety of lithium batteries	EN 60086-4	2015
IEC 60086-5	2011	Primary batteries - Part 5: Safety of batteries with aqueous electrolyte	EN 60086-5	2011

1) At draft stage.

CONTENTS

FOREWORD	5
INTRODUCTION	7
1 Scope	8
2 Normative references	8
3 Terms and definitions	8
4 Requirements	11
4.1 General	11
4.1.1 Design	11
4.1.2 Battery dimensions	11
4.1.3 Terminals	11
4.1.4 Classification (electrochemical system)	13
4.1.5 Designation	14
4.1.6 Marking	14
4.1.7 Interchangeability: battery voltage	15
4.2 Performance	16
4.2.1 Discharge performance	16
4.2.2 Dimensional stability	16
4.2.3 Leakage	16
4.2.4 Open-circuit voltage limits	16
4.2.5 Service output	16
4.2.6 Safety	16
5 Performance – Testing	17
5.1 General	17
5.2 Discharge testing	17
5.2.1 General	17
5.2.2 Application tests	17
5.2.3 Service output tests	18
5.3 Conformance check to a specified minimum average duration	18
5.4 Calculation method of the specified value of a minimum average duration	19
5.5 OCV testing	19
5.6 Battery dimensions	19
5.7 Leakage and deformation	19
6 Performance – Test conditions	19
6.1 Storage and discharge conditions	19
6.2 Commencement of discharge tests after storage	20
6.3 Discharge test conditions	20
6.3.1 General	20
6.3.2 Compliance	20
6.4 Load resistance	20
6.5 Time periods	20
6.6 Test condition tolerances	21
6.7 Activation of ‘P’-system batteries	21
6.8 Measuring equipment	21
6.8.1 Voltage measurement	21
6.8.2 Mechanical measurement	21
7 Sampling and quality assurance	21

8 Battery packaging	21
Annex A (normative) Criteria for the standardization of batteries	22
Annex B (informative) Recommendations for equipment design	23
B.1 Technical liaison	23
B.2 Battery compartment	23
B.2.1 General	23
B.2.2 Limiting access by children	24
B.3 Voltage cut-off	24
Annex C (normative) Designation system (nomenclature)	25
C.1 General	25
C.2 Designation system in use up to October 1990	25
C.2.1 General	25
C.2.2 Cells	25
C.2.3 Electrochemical system	27
C.2.4 Batteries	28
C.2.5 Modifiers	28
C.2.6 Examples	28
C.3 Designation system in use since October 1990	28
C.3.1 General	28
C.3.2 Round batteries	28
C.3.3 Non-round batteries	32
C.3.4 Ambiguity	35
Annex D (informative) Standard discharge voltage U_S – Definition and method of determination	37
D.1 Definition	37
D.2 Determination	37
D.2.1 General considerations: the C/R -plot	37
D.2.2 Determination of the standard discharge resistor R_S	38
D.2.3 Determination of the standard discharge capacity C_S and standard discharge time t_S	39
D.3 Experimental conditions to be observed and test results	39
Annex E (informative) Preparation of standard methods of measuring performance (SMMP) of consumer goods	41
E.1 General	41
E.2 Performance characteristics	41
E.3 Criteria for the development of test methods	41
Annex F (informative) Calculation method for the specified value of minimum average duration	42
Annex G (normative) Code of practice for packaging, shipment, storage, use and disposal of primary batteries	43
G.1 General	43
G.2 Packaging	43
G.3 Transport and handling	43
G.4 Storage and stock rotation	43
G.5 Displays at sales points	44
G.6 Selection, use and disposal	44
G.6.1 Purchase	44
G.6.2 Installation	44
G.6.3 Use	44

G.6.4	Replacement	45
G.6.5	Disposal	45
Bibliography.....		46
Figure 1 – Ingestion gauge	11	
Figure C.1 – Designation system for round batteries: $d_1 < 100$ mm; height $h_1 < 100$ mm	29	
Figure C.2 – Diameter code for non-recommended diameters	30	
Figure C.3 – Height code for denoting the hundredths of a millimetre of height	31	
Figure C.4 – Designation system for round batteries: $d_1 \geq 100$ mm; height $h_1 \geq 100$ mm	32	
Figure C.5 – Designation system for non-round batteries, dimensions < 100 mm	33	
Figure C.6 – Designation system for non-round batteries, dimensions ≥ 100 mm	34	
Figure C.7 – Height code for discrimination per tenth of a millimetre	35	
Figure D.1 – Normalized C/R -plot (schematic)	38	
Figure D.2 – Standard discharge voltage (schematic)	39	
Table 1 – Standardized electrochemical systems	13	
Table 2 – Marking requirements	15	
Table 3 – Conditions for storage before and during discharge testing	19	
Table 4 – Resistive loads for new tests	20	
Table 5 – Time periods for new tests	20	
Table 6 – Test condition tolerances	21	
Table A.1 – Items necessary to standardize	22	
Table C.1 – Physical designation and dimensions of round cells and batteries	26	
Table C.2 – Physical designation and nominal overall dimensions of flat cells	27	
Table C.3 – Physical designation and dimensions of square cells and batteries	27	
Table C.4 – Diameter code for recommended diameter	30	
Table C.5 – Physical designation and dimensions of round cells and batteries based on Clause C.2	36	
Table C.6 – Physical designation and dimensions of non-round batteries based on Clause C.2	36	
Table D.1 – Standard discharge voltage by system	40	

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PRIMARY BATTERIES –

Part 1: General

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60086-1 has been prepared by IEC technical committee 35: Primary cells and batteries.

This twelfth edition cancels and replaces the eleventh edition (2011) and constitutes a technical revision.

The major technical changes with respect to the previous edition are:

- the order of the Annexes was changed to the order in which they appear in the document and a caption was added to indicate where the Annex information first appears in the document;
- the humidity conditions for non P-system batteries in Table 3 was modified;
- the standard discharge voltage for the Y and W chemistries was determined to be at 3,5 V and 2,8 V respectively;
- details on capacity measurement were moved from Annex E to Subclause 5.1.

- the coin/button cell and battery definition was clarified in order to better address issues with the swallowing of coin cells.

The text of this standard is based on the following documents:

FDIS	Report on voting
35/1346/FDIS	35/1349/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60086 series, under the general title *Primary batteries*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

INTRODUCTION

The technical content of this part of IEC 60086 provides fundamental requirements and information on primary cells and batteries. All batteries within the IEC 60086 series are considered dry cell batteries. In this sense, IEC 60086-1 is the main component of the IEC 60086 series and forms the basis for the subsequent parts. For example, this part includes elementary information on definitions, nomenclature, dimensions and marking. While specific requirements are included, the content of this part tends to explain methodology (how) and justification (why).

Over the years, this part has been changed to improve its content and remains under continual scrutiny to ensure that the publication is kept up to date with the advances in both battery and battery-powered device technologies.

NOTE Safety information is available in IEC 60086-4, IEC 60086-5 and IEC 62281.

PRIMARY BATTERIES –

Part 1: General

1 Scope

This part of IEC 60086 is intended to standardize primary batteries with respect to dimensions, nomenclature, terminal configurations, markings, test methods, typical performance, safety and environmental aspects.

As a primary battery classification tool, electrochemical systems are also standardized with respect to system letter, electrodes, electrolyte, nominal and maximum open circuit voltage.

NOTE The requirements justifying the inclusion or the ongoing retention of batteries in the IEC 60086 series are given in Annex A.

The object of this part of IEC 60086 is to benefit primary battery users, device designers and battery manufacturers by ensuring that batteries from different manufacturers are interchangeable according to standard form, fit and function. Furthermore, to ensure compliance with the above, this part specifies standard test methods for testing primary cells and batteries.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60086-2:-1, *Primary batteries – Part 2: Physical and electrical specifications*

IEC 60086-3:2011, *Primary batteries – Part 3: Watch batteries*

IEC 60086-4:2014, *Primary batteries – Part 4: Safety of lithium batteries*

IEC 60086-5:2011, *Primary batteries – Part 5: Safety of batteries with aqueous electrolyte*

¹ To be published.