

© Copyright SEK. Reproduction in any form without permission is prohibited.

## **Explosiv atmosfär – Del 6: Utrustning i utförande med inneslutning i vätska "o"**

*Explosive atmospheres –  
Part 6: Equipment protection by liquid immersion "o"*

Som svensk standard gäller europastandarden EN 60079-6:2015. Den svenska standarden innehåller den officiella engelska språkversionen av EN 60079-6:2015.

### **Nationellt förord**

Europastandarden EN 60079-6:2015

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 60079-6, Fourth edition, 2015 - Explosive atmospheres - Part 6: Equipment protection by liquid immersion "o"**

utarbetad inom International Electrotechnical Commission, IEC.

Standarden ska användas tillsammans med SS-EN 60079-0.

Tidigare fastställd svensk standard SS-EN 60079-6, utgåva 1, 2007, gäller ej fr o m 2018-03-27

### *Standarder underlättar utvecklingen och höjer elsäkerheten*

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

### *SEK är Sveriges röst i standardiseringsarbetet inom elområdet*

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

### *Stora delar av arbetet sker internationellt*

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

### *Var med och påverka!*

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

### **SEK Svensk Elstandard**

Box 1284  
164 29 Kista  
Tel 08-444 14 00  
[www.elstandard.se](http://www.elstandard.se)

EUROPEAN STANDARD

**EN 60079-6**

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2015

ICS 29.260.20

Supersedes EN 60079-6:2007

English Version

**Explosive atmospheres - Part 6: Equipment protection by liquid immersion "o"**  
**(IEC 60079-6:2015)**

Atmosphères explosives - Partie 6: Protection du matériel  
par immersion dans le liquide "o"  
(IEC 60079-6:2015)

Explosionsgefährdete Bereiche - Teil 6: Geräteschutz durch  
Flüssigkeitskapselung "o"  
(IEC 60079-6:2015)

This European Standard was approved by CENELEC on 2015-03-27. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

## European foreword

The text of document 31/1157/FDIS, future edition 4 of IEC 60079-6, prepared by IEC/TC 31 "Equipment for explosive atmospheres" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60079-6:2015.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2016-06-11
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2018-03-27

This document supersedes EN 60079-6:2007.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For the relationship with EU Directive(s) see informative Annex ZZ, which is an integral part of this document.

## Endorsement notice

The text of the International Standard IEC 60079-6:2015 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

- |                  |      |                                    |
|------------------|------|------------------------------------|
| IEC 60079 series | NOTE | Harmonized in the series EN 60079. |
| IEC 62770        | NOTE | Harmonized as EN 62770.            |

## Annex ZA (normative)

### Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: [www.cenelec.eu](http://www.cenelec.eu).

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60079-0	-	Explosive atmospheres -- Part 0: Equipment - General requirements	EN 60079-0	-
IEC 60156	-	Insulating liquids - Determination of the breakdown voltage at power frequency - Test method	EN 60156	-
IEC 60247	-	Insulating liquids - Measurement of relative permittivity, dielectric dissipation factor (tan d) and d.c. resistivity	EN 60247	-
IEC 60296	-	Fluids for electrotechnical applications - Unused mineral insulating oils for transformers and switchgear	EN 60296	-
IEC 60529	-	Degrees of protection provided by enclosures (IP Code)	-	-
IEC 60814	-	Insulating liquids - Oil-impregnated paper and pressboard - Determination of water by automatic coulometric Karl Fischer titration	EN 60814	-
IEC 60836	-	Specifications for unused silicone insulating liquids for electrotechnical purposes	EN 60836	-
IEC 61099	-	Insulating liquids - Specifications for unused synthetic organic esters for electrical purposes	EN 61099	-
IEC 61125	-		EN 61125	-
IEC 62021-1	-	Insulating liquids - Determination of acidity -- Part 1: Automatic potentiometric titration	EN 62021-1	-
IEC 62535	-	Insulating liquids - Test method for detection of potentially corrosive sulphur in used and unused insulating oil	EN 62535	-
ISO 2592	-	Determination of flash and fire points - Cleveland open cup method	EN ISO 2592	-
ISO 2719	-	Determination of flash point - Pensky-Martens closed cup method	EN ISO 2719	-
ISO 3016	-	Petroleum products - Determination of pour point	-	-

ISO 3104	-	Petroleum products - Transparent and opaque liquids - Determination of kinematic viscosity and calculation of dynamic viscosity	EN ISO 3104	-
----------	---	---	-------------	---

## CONTENTS

FOREWORD.....	4
1 Scope.....	6
2 Normative references.....	6
3 Terms and definitions .....	7
4 Constructional requirements .....	8
4.1 General.....	8
4.2 Levels of protection and requirements of electrical equipment .....	8
4.2.1 Level of Protection .....	8
4.2.2 Requirements for Level of Protection “ob” .....	9
4.2.3 Requirements for Level of Protection “oc” .....	9
4.3 Switching device .....	9
4.4 Creepage and clearance .....	9
4.5 Liquid containment enclosures.....	10
4.5.1 General .....	10
4.5.2 Sealed enclosures .....	10
4.5.3 Unsealed enclosures.....	10
4.5.4 Outlet of breathing device or pressure relief device.....	10
4.5.5 Enclosures intended to be opened.....	10
4.5.6 Determination of the maximum/minimum criteria of the protective liquid .....	10
4.6 Immersion depth .....	11
4.7 Protective liquid level indication.....	11
4.7.1 General .....	11
4.7.2 Remote-indicating protective liquid level indicator .....	12
4.7.3 Safety devices for Level of Protection “ob”.....	12
4.8 Temperature limitations .....	12
4.8.1 General .....	12
4.8.2 Maximum Surface Temperature.....	12
4.8.3 Flashpoint of the protective liquid .....	12
4.9 Field wiring connections to liquid immersion equipment.....	12
4.10 Constructional elements of enclosures.....	12
4.10.1 Operating rods, shafts etc. ....	12
4.10.2 Devices for draining of liquid .....	13
5 Protective Liquid.....	13
5.1 Protective liquid specification .....	13
5.2 Detailed alternative specification .....	13
5.3 Group I equipment .....	13
5.4 Liquid contamination and gassing that may result from arcing .....	13
5.5 Total volume of the protective liquid.....	14
6 Verifications and tests .....	14
6.1 Type tests .....	14
6.1.1 Overpressure test on sealed enclosures .....	14
6.1.2 Reduced pressure test on sealed enclosures .....	14
6.1.3 Overpressure test on unsealed enclosures .....	14
6.1.4 Maximum temperature.....	14
6.1.5 Switching Tests.....	15
6.2 Routine tests.....	15

6.2.1	Sealed enclosures .....	15
6.2.2	Unsealed enclosures.....	15
7	Marking .....	15
8	Instructions.....	16
Annex A (normative) Selection and erection requirements .....		17
Annex B (normative) Maintenance requirements .....		18
Annex C (normative) Repair and Overhaul requirements.....		19
Bibliography .....		20
Table 1 – Working voltage.....		9
Table 2 – Depth of immersion .....		11
Table B.1 – Inspection requirements .....		18



# INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

## EXPLOSIVE ATMOSPHERES –

### Part 6: Equipment protection by liquid immersion "o"

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60079-6 has been prepared by IEC technical committee 31: Equipment for explosive atmospheres.

This fourth edition cancels and replaces the third edition, published in 2007. This edition constitutes a technical revision.

The significant changes with respect to the previous edition are listed below:

- Edition 4 represents a major technical revision of the requirements for oil immersion "o" and should be considered as introducing all new requirements. The normal "Table of Significant Changes" has not been included for this reason. In particular:
  - The requirements for oil immersion "o" have been redefined into liquid immersion , levels of protection "ob" and "oc" as recommended by the responses to 31/715/DC
  - The ability to protect sparking contacts has been added to both "ob" and "oc"
- Additional requirements have been introduced for the protective liquid.

This part of IEC 60079 is to be used in conjunction with IEC 60079-0, *Explosive atmospheres – Part 0: Equipment – General requirements*.

The text of this standard is based on the following documents:

FDIS	Report on voting
31/1157/FDIS	31/1172/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60079 series, under the general title *Explosive atmospheres*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

## EXPLOSIVE ATMOSPHERES –

### Part 6: Equipment protection by liquid immersion "o"

#### 1 Scope

This part of IEC 60079 specifies the requirements for the design, construction, testing and marking of Ex Equipment and Ex Components with type of protection liquid immersion "o" intended for use in explosive gas atmospheres.

Ex Equipment and Ex Components of type of protection liquid immersion "o" are either:

- Level of Protection "ob" (EPL "Mb" or "Gb")
- Level of Protection "oc" (EPL "Gc")

For Level of Protection "ob", this standard applies where the rated voltage does not exceed 11 kV r.m.s. a.c. or d.c.

For Level of Protection "oc", this standard applies where the rated voltage does not exceed 15 kV r.m.s. a.c. or d.c.

NOTE Requirements for higher voltages are under consideration.

This standard supplements and modifies the general requirements of IEC 60079-0. Where a requirement of this standard conflicts with a requirement of IEC 60079-0, the requirement of this standard takes precedence.

#### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60079-0, *Explosive Atmospheres – Part 0: Equipment – General requirements*

IEC 60156, *Insulating liquids – Determination of the breakdown voltage at power frequency – Test method*

IEC 60247, *Insulating liquids – Measurement of relative permittivity, dielectric dissipation factor ( $\tan \delta$ ) and d.c. resistivity*

IEC 60296, *Fluids for electrotechnical applications – Unused mineral insulating oils for transformers and switchgear*

IEC 60529, *Degrees of protection provided by enclosures (IP Code)*

IEC 60814, *Insulating liquids – Oil impregnated paper and pressboard – Determination of water by automatic coulometric Karl Fischer titration*

IEC 60836, *Specifications for unused silicone insulating liquids for electrotechnical purposes*

IEC 61099, *Insulating liquids – Specifications for unused synthetic organic esters for electrical purposes*

IEC 61125, *Unused hydrocarbon based insulating liquids – Test methods for evaluating the oxidation stability*

IEC 62021-1, *Insulating liquids – Determination of acidity – Part 1: Automatic potentiometric titration*

IEC 62535, *Insulating liquids – Test method for detection of potentially corrosive sulphur in used and unused insulating oil*

ISO 2592, *Determination of flash and fire points – Cleveland open cup method*

ISO 2719, *Determination of flash point – Pensky-Martens closed cup method*

ISO 3016, *Petroleum oils – Determination of pour point*

ISO 3104, *Petroleum products – Transparent and opaque liquids – Determination of kinematic viscosity and calculation of dynamic viscosity*