

© Copyright SEK. Reproduction in any form without permission is prohibited.

**Fiberoptik –
Optiska gränssnitt för kontaktdon –
Del 3-31: Kontaktparametrar för icke dispersionsskiftade singelmodfibrer
med fysisk kontakt mellan kontakterade fibrer –
Vinklade, rektangulära polyfenylensulfidferruler**

Fibre optic interconnecting devices and passive components –

Connector optical interfaces –

*Part 3-31: Connector parameters of non-dispersion shifted single mode physically contacting fibres –
Angled polyphenylene sulphide rectangular ferrules*

Som svensk standard gäller europastandarden EN 61755-3-31:2015. Den svenska standarden innehåller den officiella engelska språkversionen av EN 61755-3-31:2015.

Nationellt förord

Europastandarden EN 61755-3-31:2015

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 61755-3-31, First edition, 2015 - Fibre optic interconnecting devices and passive components - Connector optical interfaces - Part 3-31: Connector parameters of non-dispersion shifted single mode physically contacting fibres - Angled polyphenylene sulphide rectangular ferrules**

utarbetad inom International Electrotechnical Commission, IEC.

ICS 33.180.20

Denna standard är fastställd av SEK Svensk Elstandard, som också kan lämna upplysningar om **sakinnehållet** i standarden.
Postadress: Box 1284, 164 29 KISTA
Telefon: 08 - 444 14 00.
E-post: sek@elstandard.se. Internet: www.elstandard.se

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

English Version

Fibre optic interconnecting devices and passive components -
Connector optical interfaces - Part 3-31: Connector parameters
of non-dispersion shifted single mode physically contacting fibres
- Angled polyphenylene sulphide rectangular ferrules
(IEC 61755-3-31:2015)

Dispositifs d'interconnexion et composants passifs à fibres
optiques - Interfaces optiques de connecteurs -
Partie 3-31: Paramètres de connecteurs pour fibres
unimodales à dispersion non décalée, en contact physique -
Férules rectangulaires avec angle en poly(sulfure de
phénylène)
(IEC 61755-3-31:2015)

Lichtwellenleiter - Verbindungselemente und passive
Bauteile - Optische Schnittstellen für Lichtwellenleiter-
Steckverbinder - Teil 3-31: Optische Schnittstelle
rechteckige Polyphenylensulfid-Ferrule 8 Grad abgewinkelt
physikalischer Kontakt für Einmodenfasern
(IEC 61755-3-31:2015)

This European Standard was approved by CENELEC on 2015-07-17. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

European foreword

The text of document 86B/3888/FDIS, future edition 1 of IEC 61755-3-31, prepared by SC 86B "Fibre optic interconnecting devices and passive components" of IEC/TC 86 "Fibre optics" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61755-3-31:2015.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2016-04-17
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2018-07-17

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61755-3-31:2015 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61753-1	NOTE	Harmonized as EN 61753-1.
IEC 61755-2-1	NOTE	Harmonized as EN 61755-2-1.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60793-2-50	-	Optical fibres - Part 2-50: Product specifications - Sectional specification for class B single- mode fibres	EN 60793-2-50	-
IEC 61300-3-30	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 3-30: Examinations and measurements - Polish angle and fibre position on single ferrule multifibre connectors	EN 61300-3-30	-
IEC 61300-3-52	-	Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 3-52: Examinations and measurements - Guide hole and alignment pin deformation constant, CD for 8 degree angled PC rectangular ferrule, single mode fibres	EN 61300-3-52	-
IEC 61754	Series	Fibre optic interconnecting devices and passive components - Fibre optic connector interfaces	EN 61754	Series
IEC 61754-5	2005	Fibre optic connector interfaces - Part 5: Type MT connector family	EN 61754-5	2005
IEC 61754-7	2008	Fibre optic interconnecting devices and passive components - Fibre optic connector interfaces - Part 7: Type MPO connector family	EN 61754-7	2008
IEC 61754-7-1	2014	Fibre optic interconnecting devices and passive components - Fibre optic connector interfaces - Part 7-1: Type MPO connector family - One fibre row	EN 61754-7-1	2014
IEC 61754-10	2005	Fibre optic connector interfaces - Part 10: Type Mini-MPO connector family	EN 61754-10	2005
IEC 61754-18	2001	Fibre optic connector interfaces - Part 18: Type MT-RJ connector family	EN 61754-18 + corr. April	2002 2002
IEC 61755-1	-	Fibre optic connector optical interfaces - Part 1: Optical interfaces for single mode non-dispersion shifted fibres - General and guidance	EN 61755-1	-

CONTENTS

FOREWORD.....	3
1 Scope.....	5
2 Normative references	5
3 Description	6
4 Interface parameters	6
Annex A (informative) Theoretical worst-case connector attenuation yield percentage	16
Annex B (normative) Minus coplanarity	19
Annex C (informative) Minimum normal force required to achieve physical contact	20
Bibliography.....	25
Figure 1 – Fibre numbering conventions	7
Figure 2 – Interface dimensions related to lateral and angular offset.....	8
Figure 3 – Alignment pin geometry.....	8
Figure 4 – Interface dimensions related to longitudinal offset	9
Figure A.1 – Monte Carlo simulation of Grade B performance for 12-fibre connectors	16
Figure B.1 – Illustration of fibre line and minus coplanarity parameters	19
Figure C.1 – Geometry limit, GL , needed to mate 12 fibres, as a function of absolute X-angle, $ SX $ for different magnitudes of minus coplanarity and flat fibre tips.....	21
Figure C.2 – Geometry limit, GL , needed to mate 12 fibres, as a function of absolute X-angle, $ SX $ for different magnitudes of minus coplanarity and 1 mm fibre tips.	21
Table 1 – Optical interface variant information	7
Table 2 – Optical interface dimensions related to lateral and angular offset for optical interface variant 1002	10
Table 3 – Optical interface dimensions related to lateral and angular offset for optical interface variants 1104, 1108, 1112	11
Table 4 – Optical interface end face geometry dimensions related to physical contact for optical interface variant 1002.....	12
Table 5 – Optical interface end face geometry dimensions related to physical contact for optical interface variant 1104.....	13
Table 6 – Optical interface end face geometry dimensions related to physical contact for optical interface variant 1108.....	14
Table 7 – Optical interface end face geometry dimensions related to physical contact for optical interface variant 1112.....	15
Table A.1 – Grade B single channel vs. multi-fibre connector performance	17
Table A.2 – Grade C single channel vs. multi-fibre connector performance	17
Table A.3 – Grade D single channel vs. multi-fibre connector performance	17
Table C.1 – Parameter constants for 4-fibre optical interface variant 1104.....	23
Table C.2 – Parameter constants for 8-fibre optical interface variant 1108.....	24
Table C.3 – Parameter constants for 12-fibre optical interface variant 1112.....	24

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**FIBRE OPTIC INTERCONNECTING
 DEVICES AND PASSIVE COMPONENTS –
 CONNECTOR OPTICAL INTERFACES –**

**Part 3-31: Connector parameters of non-dispersion
 shifted single mode physically contacting fibres –
 Angled polyphenylene sulphide rectangular ferrules**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61755-3-31 has been prepared by subcommittee 86B: Fibre optic interconnecting devices and passive components, of IEC technical committee 86: Fibre optics.

The text of this standard is based on the following documents:

FDIS	Report on voting
86B/3888FDIS	86B/3914/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61755 series, published under the general title *Fibre optic interconnecting devices and passive components –Connector optical interfaces*, can be found on the IEC website.

Future standards in this series will carry the new general title as cited above. Titles of existing standards in this series will be updated at the time of the next edition.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

FIBRE OPTIC INTERCONNECTING DEVICES AND PASSIVE COMPONENTS – CONNECTOR OPTICAL INTERFACES –

Part 3-31: Connector parameters of non-dispersion shifted single mode physically contacting fibres – Angled polyphenylene sulphide rectangular ferrules

1 Scope

This part of IEC 61755 defines certain dimensional limits of an angled PC rectangular polyphenylene sulphide (PPS) ferrule optical interface in order to meet specific requirements for fibre-to-fibre interconnection. Ferrules made from the material specified in this standard are suitable for use in categories C, U, E, and O as defined in IEC 61753-1.

Ferrule interface dimensions and features are contained in the IEC 61754 series, which deals with fibre optic connector interfaces.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60793-2-50, *Optical fibres – Part 2-50: Product specifications – Sectional specification for class B single-mode fibres*

IEC 61300-3-30, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 3-30: Examinations and measurements – Polish angle and fibre position on single ferrule multifibre connectors*

IEC 61300-3-52, *Fibre optic interconnecting devices and passive components – Basic test and measurement procedures – Part 3-52: Examinations and measurements – Guide hole and alignment pin deformation constant, CD for 8 degree angled PC rectangular ferrule, single mode fibres*

IEC 61754 (all parts), *Fibre optic interconnecting devices and passive components – Fibre optic connector interfaces*

IEC 61754-5:2005, *Fibre optic connector interfaces – Part 5: Type MT connector family*

IEC 61754-7:2008, *Fibre optic interconnecting devices and passive components – Fibre optic connector interfaces – Part 7: Type MPO connector family*

IEC 61754-7-1:2014, *Fibre optic interconnecting devices and passive components – Fibre optic connector interfaces – Part 7-1: Type MPO connector family – One fibre row*

IEC 61754-10:2005, *Fibre optic connector interfaces – Part 10: Type Mini-MPO connector family*

IEC 61754-18:2001, *Fibre optic connector interfaces – Part 18: Type MT-RJ connector family*

IEC 61755-1, *Fibre optic connector optical interfaces – Part 1: Optical interfaces for single mode non-dispersion shifted fibres – General and guidance*