SVENSK STANDARD SS-EN 50264-2-2

Fastställd	Utgåva	Sida	Ansvarig kommitté
2008-10-20	1	1 (1+28)	SEK TK 20

Järnvägsanläggningar – Kraft- och styrkablar med särskilda brandegenskaper avsedda för rälsfordon – Del 2-2: Kablar med tvärbunden isolering av elastomeriskt material – Flerledarkablar

Railway applications –
Railway rolling stock power and control cables having special fire performane –
Part 2-2: Cables with crosslinked elastomeric insulation –
Multicore cables

Som svensk standard gäller europastandarden EN 50264-2-2:2008. Den svenska standarden innehåller den officiella engelska språkversionen av EN 50264-2-2:2008.

Nationellt förord

Standarden ska användas tillsammans med SS-EN 50264-1.

Tidigare fastställd svensk standard SS-EN 50264-3, utgåva 1, 2002, gäller ej fr o m 2011-03-01.

ICS 13.220.20; 29.060.20; 45.060.01

Denna standard är fastställd av SEK Svensk Elstandard,
som också kan lämna upplysningar om **sakinnehållet** i standarden.
Postadress: SEK, Box 1284, 164 29 KISTA
Telefon: 08 - 444 14 00. *Telefax*: 08 - 444 14 30
E-post: sek@elstandard.se. *Internet*: www.elstandard.se

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a säkerhet, prestanda, dokumentation, utförande och skötsel av elprodukter, elanläggningar och metoder. Genom att utforma sådana standarder blir säkerhetskraven tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard
Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

EUROPEAN STANDARD

NORME EUROPÉENNE

EUROPÄISCHE NORM

EN 50264-2-2

June 2008

ICS 13.220.20; 29.060.20; 45.060.01

Supersedes EN 50264-3:2002

English version

Railway applications - Railway rolling stock power and control cables having special fire performance - Part 2-2: Cables with crosslinked elastomeric insulation - Multicore cables

Applications ferroviaires - Câbles de puissance et de contrôle à comportement au feu spécifié pour matériel roulant ferroviaire - Partie 2-2: Câbles à enveloppe isolante réticulée - Câbles multiconducteurs

Bahnanwendungen - Starkstrom- und Steuerleitungen für Schienenfahrzeuge mit verbessertem Verhalten im Brandfall - Teil 2-2: Leitungen mit vernetzter elastomerer Isolierung - Mehr- und vieladrige Leitungen

This European Standard was approved by CENELEC on 2008-03-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Ref. No. EN 50264-2-2:2008 E

SEK Svensk Elstandard

Foreword

This European Standard was prepared by Working Group 12, Railway cables, of the Technical Committee CENELEC TC 20, Electric cables, as part of the overall programme of work in the Technical Committee CENELEC TC 9X, Electrical and electronic applications for railways.

The text of the draft was submitted to the formal vote and was approved by CENELEC as EN 50264-2-2 on 2008-03-01.

This European Standard supersedes EN 50264-3:2002.

The following dates were fixed:

– latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement	(dop)	2009-03-01
– latest date by which the national standards conflicting with the EN have to be withdrawn	(dow)	2011-03-01

Contents

Tables

Introduction

The EN 50264 series covers a range of cables, based upon halogen free materials, for use in railway rolling stock. It is divided into 5 parts under the generic title *"Railway applications - Railway rolling stock power and control cables having special fire performance"*:

– Part 1 General requirements;

– Part 2-1 Cables with crosslinked elastomeric insulation – Single core cables;

– Part 2-2 Cables with crosslinked elastomeric insulation – Multicore cables;

– Part 3-1 Cables with crosslinked elastomeric insulation with reduced dimensions – Single core cables;

– Part 3-2 Cables with crosslinked elastomeric insulation with reduced dimensions – Multicore cables.

Information regarding selection and installation of cables, including current ratings can be found in EN 50355 and EN 50343. The procedure for selection of cable cross-sectional area, including reduction factors for ambient temperature and installation type, is described in EN 50343.

Special test methods referred to in EN 50264 are given in EN 50305.

Part 1, "*General requirements"*, contains a more extensive introduction to EN 50264, and should be read in conjunction with this Part 2-2.

1 Scope

EN 50264-2-2 specifies requirements for, and constructions and dimensions of, multicore cables of the following types and voltage ratings:

- 300/500 V screened or unscreened (1 mm², 1,5 mm² and 2,5 mm², number of cores from 2 to 40);
- 0,6/1 kV screened or unscreened (1,5 mm² to 50 mm², 2, 3 and 4 cores).

NOTE Not all conductor sizes or number of cores are specified for every type.

All cables have class 5 tinned copper conductors to EN 60228, halogen-free insulation and halogen-free sheath. They are for use in railway rolling stock as fixed wiring, or wiring where limited flexing in operation is encountered. The requirements provide for a continuous conductor temperature not exceeding 90 °C and a maximum temperature for short circuit conditions of 200 °C based on a duration of 5 s.

Under fire conditions the cables exhibit special performance characteristics in respect of maximum permissible flame propagation (flame spread) and maximum permissible emission of smoke and toxic gases.

EN 50264-2-2 should be read in conjunction with Part 1 "*General requirements*".

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 10002-1	Metallic materials – Tensile testing – Methods of test at ambient temperature
EN 50264-1:2008	Railway applications – Railway rolling stock power and control cables having special fire performance – Part 1: General requirements
EN 50266-2-4	Common test methods for cables under fire conditions – Test for vertical flame spread of vertically-mounted bunched wires or cables – Part 2-4: Procedures – Category C
EN 50266-2-5	Common test methods for cables under fire conditions – Test for vertical flame spread of vertically-mounted bunched wires or cables – Part 2-5: Procedures – Small cables – Category D
EN 50305:2002	Railway applications – Railway rolling stock cables having special fire performance – Test methods
EN 50334	Marking by inscription for the identification of cores of electric cables
EN 60228	Conductors of insulated cables (IEC 60228)
EN 60332-1-2	Tests on electric and optical fibre cables under fire conditions – Part 1-2: Test for vertical flame propagation for a single insulated wire or cable – Procedure for 1 kW pre-mixed flame (IEC 60332-1-2)
EN 60811-1-1:1995	Insulating and sheathing materials of electric and optical cables – Common test methods – Part 1-1: General application – Measurement of thickness and overall dimensions – Tests for determining the mechanical properties (IEC 60811-1-1:1993)