

© Copyright SEK. Reproduction in any form without permission is prohibited.

Primärbatterier – Del 5: Säkerhet beträffande batterier med vattenhaltig elektrolyt

Primary batteries –

Part 5: Safety of batteries with aqueous electrolyte

Som svensk standard gäller europastandarden EN 60086-5:2016. Den svenska standarden innehåller den officiella engelska språkversionen av EN 60086-5:2016.

Nationellt förord

Europastandarden EN 60086-5:2016

består av:

- europastandardens ikraftsättningsdokument, utarbetat inom CENELEC
- **IEC 60086-5, Fourth edition, 2016 - Primary batteries - Part 5: Safety of batteries with aqueous electrolyte**

utarbetad inom International Electrotechnical Commission, IEC.

Tidigare fastställd svensk standard SS-EN 60086-5, utgåva 3, 2011, gäller ej fr o m 2019-08-17.

ICS 29.220.10

Denna standard är fastställd av SEK Svensk Elstandard, som också kan lämna upplysningar om **sakinnehållet** i standarden.
Postadress: Box 1284, 164 29 KISTA
Telefon: 08 - 444 14 00.
E-post: sek@elstandard.se. Internet: www.elstandard.se

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

English Version

**Primary batteries - Part 5: Safety of batteries with aqueous
electrolyte
(IEC 60086-5:2016)**

Piles électriques - Partie 5: Sécurité des piles à électrolytes
aqueux
(IEC 60086-5:2016)

Primärbatterien - Teil 5: Sicherheit von Batterien mit
wässrigem Elektrolyt
(IEC 60086-5:2016)

This European Standard was approved by CENELEC on 2016-08-17. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

European foreword

The text of document 35/1360/FDIS, future edition 4 of IEC 60086-5, prepared by IEC/TC 35 "Primary cells and batteries" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60086-5:2016.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2017-05-17
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2019-08-17

This document supersedes EN 60086-5:2011.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60086-5:2016 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standard indicated :

IEC 60086-3	NOTE	Harmonized as EN 60086-3.
IEC 60086-4	NOTE	Harmonized as EN 60086-4.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60068-2-6	-	Environmental testing -- Part 2-6: Tests Test Fc: Vibration (sinusoidal)	-EN 60068-2-6	-
IEC 60068-2-27	-	Environmental testing -- Part 2-27: Tests Test Ea and guidance: Shock	-EN 60068-2-27	-
IEC 60068-2-31	-	Environmental testing -- Part 2-31: Tests Test Ec: Rough handling shocks, primarily for equipment-type specimens	-EN 60068-2-31	-
IEC 60086-1	-	Primary batteries - Part 1: General	EN 60086-1	-
IEC 60086-2	-	Primary batteries - Part 2: Physical electrical specifications	and EN 60086-2	-

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references.....	8
3 Terms and definitions	8
4 Requirements for safety.....	10
4.1 Design	10
4.1.1 General	10
4.1.2 Venting	10
4.1.3 Insulation resistance	11
4.2 Quality plan.....	11
5 Sampling	11
5.1 General.....	11
5.2 Sampling for type approval.....	11
6 Testing and requirements	12
6.1 General.....	12
6.1.1 Applicable safety tests	12
6.1.2 Cautionary notice	13
6.1.3 Ambient temperature.....	13
6.2 Intended use	13
6.2.1 Intended use tests and requirements	13
6.2.2 Intended use test procedures	13
6.3 Reasonably foreseeable misuse	16
6.3.1 Reasonably foreseeable misuse tests and requirements	16
6.3.2 Reasonably foreseeable misuse test procedures.....	16
7 Information for safety.....	18
7.1 Precautions during handling of batteries	18
7.2 Packaging.....	20
7.3 Handling of battery cartons.....	20
7.4 Display and storage	20
7.5 Transportation.....	21
7.6 Disposal.....	21
8 Instructions for use	21
9 Marking	22
9.1 General (see Table 7)	22
9.2 Marking of small batteries (see Table 7)	22
9.3 Safety pictograms	22
Annex A (informative) Additional information on display and storage	23
Annex B (informative) Battery compartment design guidelines	24
B.1 Background.....	24
B.1.1 General	24
B.1.2 Battery failures resulting from poor battery compartment design.....	24
B.1.3 Potential hazards resulting from battery reversal.....	24
B.1.4 Potential hazards resulting from a short circuit.....	24
B.2 General guidance for appliance design	25

B.2.1	Key battery factors to be first considered	25
B.2.2	Other important factors to consider	25
B.3	Specific measures against reversed installation	26
B.3.1	General	26
B.3.2	Design of the positive contact.....	26
B.3.3	Design of the negative contact	26
B.3.4	Design with respect to battery orientation	27
B.3.5	Dimensional considerations.....	28
B.4	Specific measures to prevent short-circuiting of batteries	29
B.4.1	Measures to prevent short-circuiting due to battery jacket damage	29
B.4.2	Measures to prevent external short-circuit of a battery caused when coiled spring contacts are employed for battery connection	30
B.5	Special considerations regarding recessed negative contacts.....	31
B.6	Waterproof and non-vented devices.....	32
B.7	Other design considerations	32
Annex C (informative)	Safety pictograms	34
C.1	General.....	34
C.2	Pictograms.....	34
C.3	Recommendations for use	36
Bibliography	37
Figure 1	– Sampling for type approval tests and number of batteries required	11
Figure 2	– Temperature cycling procedure.....	16
Figure 3	– Circuit diagram for incorrect installation (four batteries in series)	17
Figure 4	– Circuit diagram for external short circuit.....	17
Figure 5	– Circuit diagram for overdischarge	18
Figure 6	– XYZ axes for free fall.....	18
Figure 7	– Ingestion gauge.....	20
Figure B.1	– Example of series connection with one battery reversed.....	24
Figure B.2	– Positive contact recessed between ribs	26
Figure B.3	– Positive contact recessed within surrounding insulation	26
Figure B.4	– Negative contact U-shaped to ensure no positive (+) battery contact	27
Figure B.5	– Design with respect to battery orientation	27
Figure B.6	– Example of the design of a positive contact of an appliance	28
Figure B.7	– Example of a short circuit, a switch is piercing the battery insulating jacket	29
Figure B.8	– Typical example of insulation to prevent short circuit.....	29
Figure B.9	– Insertion against spring (to be avoided)	30
Figure B.10	– Examples showing distorted springs	30
Figure B.11	– One example of protected insertion	30
Figure B.12	– Example of negative contacts	32
Figure B.13	– Example of series connection of batteries with voltage tapping.....	33
Table 1	– Test matrix	12
Table 2	– Intended use tests and requirements.....	13
Table 3	– Shock pulse	14

Table 4 – Test sequence.....	14
Table 5 – Test sequence.....	15
Table 6 – Reasonably foreseeable misuse tests and requirements.....	16
Table 7 – Marking requirements	22
Table B.1 – Dimensions of battery terminals and recommended dimensions of the positive contact of an appliance in Figure B.6.....	28
Table B.2 – Minimum wire diameters	31
Table B.3 – Dimensions of the negative battery terminal.....	32
Table C.1 – Safety pictograms	34

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PRIMARY BATTERIES –**Part 5: Safety of batteries with aqueous electrolyte****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60086-5 has been prepared by IEC Technical Committee 35: Primary cells and batteries.

This fourth edition cancels and replaces the third edition published in 2011. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) The definition of explosion was changed to suitable sentence in order to harmonize in IEC 60086 series;
- b) To prevent removal of hydrogen gas, we revised it to the suitable sentence,
- c) To prevent misuse, the battery compartments with parallel connections were revised to the suitable sentence.
- d) To clarify the method to determine the insulation resistance.

The text of this standard is based on the following documents:

FDIS	Report on voting
35/1360/FDIS	35/1361/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60086 series, published under the general title *Primary batteries*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

The concept of safety is closely related to safeguarding the integrity of people and property. This part of IEC 60086 specifies tests and requirements for primary batteries with aqueous electrolyte and has been prepared in accordance with ISO/IEC guidelines, taking into account all relevant national and international standards which apply. Also included in this standard is guidance for appliance designers with respect to battery compartments and information regarding packaging, handling, warehousing and transportation.

Safety is a balance between freedom from risks of harm and other demands to be met by the product. There can be no absolute safety. Even at the highest level of safety, the product can only be relatively safe. In this respect, decision-making is based on risk evaluation and safety judgement.

As safety will pose different problems, it is impossible to provide a set of precise provisions and recommendations that will apply in every case. However, this standard, when followed on a judicious "use when applicable" basis, will provide reasonably consistent standards for safety.

PRIMARY BATTERIES –

Part 5: Safety of batteries with aqueous electrolyte

1 Scope

This part of IEC 60086 specifies tests and requirements for primary batteries with aqueous electrolyte to ensure their safe operation under intended use and reasonably foreseeable misuse.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60086-1, *Primary batteries – Part 1: General*

IEC 60086-2, *Primary batteries – Part 2: Physical and electrical specifications*

IEC 60068-2-6, *Environmental testing – Part 2-6: Tests – Test Fc: Vibration (sinusoidal)*

IEC 60068-2-27, *Environmental testing – Part 2-27: Tests – Test Ea and guidance: Shock*

IEC 60068-2-31, *Environmental testing – Part 2-31: Tests – Test Ec: Rough handling shocks, primarily for equipment-type specimens*