

© Copyright SEK. Reproduction in any form without permission is prohibited.

Provning av brandegenskaper – Del 1-10: Vägledning vid bestämning av brandegenskaper hos elektrotekniska produkter – Vägledning

Fire hazard testing –

Part 1-10: Guidance for assessing the fire hazard of electrotechnical products –

General guidelines

Som svensk standard gäller europastandarden EN 60695-1-10:2017. Den svenska standarden innehåller den officiella engelska språkversionen av EN 60695-1-10:2017.

Nationellt förord

Europastandarden EN 60695-1-10:2017

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 60695-1-10, Second edition, 2016 - Fire hazard testing - Part 1-10: Guidance for assessing the fire hazard of electrotechnical products - General guidelines**

utarbetad inom International Electrotechnical Commission, IEC.

Tidigare fastställd svensk standard SS-EN 60695-1-10, utgåva 1, 2010, gäller ej fr o m 2019-12-23.

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

English Version

**Fire hazard testing - Part 1-10: Guidance for assessing the fire
hazard of electrotechnical products - General guidelines
(IEC 60695-1-10:2016)**

Essais relatifs aux risques du feu - Partie 1-10: Lignes
directrices pour l'évaluation des risques du feu des produits
électrotechniques - Lignes directrices générales
(IEC 60695-1-10:2016)

Prüfungen zur Beurteilung der Brandgefahr -
Teil 1-10: Anleitung zur Beurteilung der Brandgefahr von
elektrotechnischen Erzeugnissen - Allgemeiner Leitfadens
(IEC 60695-1-10:2016)

This European Standard was approved by CENELEC on 2016-12-23. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

European foreword

The text of document 89/1341/FDIS, future edition 2 of IEC 60695-1-10, prepared by IEC/TC 89 "Fire hazard testing" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60695-1-10:2017.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2017-09-23
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2019-12-23

This document supersedes EN 60695-1-10:2010.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60695-1-10:2016 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60950-1	NOTE	Harmonized as EN 60950-1.
IEC 60065	NOTE	Harmonized as EN 60065.
IEC 60332-1-2	NOTE	Harmonized as EN 60332-1-2.
IEC 62368-1	NOTE	Harmonized as EN 62368-1.
IEC 60695-1	NOTE	Harmonized in EN 60695-1 series.
IEC 60695-2	NOTE	Harmonized in EN 60695-2 series.
IEC 60695-5	NOTE	Harmonized in EN 60695-5 series.
IEC 60695-6	NOTE	Harmonized in EN 60695-6 series.
IEC 60695-7	NOTE	Harmonized in EN 60695-7 series.
IEC 60695-8	NOTE	Harmonized in EN 60695-8 series.
IEC 60695-9	NOTE	Harmonized in EN 60695-9 series.

IEC 60695-10	NOTE	Harmonized in EN 60695-10 series.
IEC 60695-11	NOTE	Harmonized in EN 60695-11 series.
IEC 60695-1-20	NOTE	Harmonized as EN 60695-1-20.
IEC/TS 62441	NOTE	Harmonized as CLC/TS 62441.

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60079-0	-	Explosive atmospheres - Part 0: Equipment - General requirements	EN 60079-0	-
IEC 60695-1-11	-	Fire hazard testing - Part 1-11: Guidance for assessing the fire hazard of electrotechnical products - Fire hazard assessment	EN 60695-1-11	-
IEC 60695-1-12	-	Fire hazard testing - Part 1-12: Guidance for assessing the fire hazard of electrotechnical products - Fire safety engineering	-	-
IEC 60695-1-30	-	Fire hazard testing - Part 1-30: Guidance for assessing the fire hazard of electrotechnical products - Preselection testing process - General guidelines	EN 60695-1-30	-
IEC 60695-4	2012	Fire hazard testing - Part 4: Terminology concerning fire tests for electrotechnical products	EN 60695-4	2012
IEC Guide 104	-	The preparation of safety publications and the use of basic safety publications and group safety publications	-	-
ISO/IEC Guide 51	-	Safety aspects - Guidelines for their inclusion in standards	-	-
ISO 13943	2008	Fire safety - Vocabulary	EN ISO 13943	2010

CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5
1 Scope.....	6
2 Normative references	6
3 Terms and definitions	7
4 Fire hazards associated with electrotechnical products.....	9
5 Fundamentals of fire hazard testing.....	10
5.1 Objectives.....	10
5.2 Fire hazard and fire risk	10
5.2.1 Fire hazard	10
5.2.2 Fire risk	12
5.3 Fire scenarios	13
5.4 Fire-safety engineering	15
5.5 Fire hazard assessment.....	15
6 Types of fire test.....	15
6.1 General.....	15
6.2 Quantitative and qualitative groups of fire tests.....	15
6.2.1 Quantitative fire tests.....	15
6.2.2 Qualitative fire tests.....	16
6.3 Types of fire tests	16
6.3.1 Fire simulation test	16
6.3.2 Fire resistance tests	16
6.3.3 Tests with regard to reaction to fire.....	16
6.3.4 Preselection fire tests	16
6.3.5 Basic property tests	17
7 Appropriate use of qualitative fire tests	17
8 Preparation of requirements and test specifications.....	17
9 Common ignition sources	18
10 Reference documents of TC 89	18
Annex A (informative) The power output of ignition sources	19
A.1 General.....	19
A.2 Some common electrical and non-electrical ignition sources	19
A.3 Power source classification in IEC 62368-1 [9].....	20
Annex B (informative) Guidance publications and test methods	21
Bibliography.....	23
Table 1 – Common causes of ignition encountered in electrotechnical products.....	11
Table 2 – Characteristics of fire stages (<i>from Table 1 in ISO 19706:2011 [22]</i>)	14
Table A.1 – Examples of ignition sources.....	20
Table B.1 – TC 89 guidance publications and test methods	21

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FIRE HAZARD TESTING –

**Part 1-10: Guidance for assessing the fire hazard of
electrotechnical products – General guidelines**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60695-1-10 has been prepared by IEC technical committee 89: Fire hazard testing.

This second edition cancels and replaces the first edition published in 2009. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) reference to IEC 60695-1-12;
- b) modified Introduction and Scope;
- c) updated normative references;
- d) updated terms and definitions;
- e) modified Table 1;

- f) addition of Table 2;
- g) new text in Subclauses 5.2, 5.3 and 5.4;
- h) mandatory text in Clause 8;
- i) Annex B changed to Annex A, and modified;
- j) new Annex B concerning common ignition sources.

The text of this standard is based on the following documents:

FDIS	Report on voting
89/1341/FDIS	89/1347/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

It has the status of a basic safety publication in accordance with IEC Guide 104 and ISO/IEC Guide 51.

This standard is to be used in conjunction with IEC 60695-1-11 and IEC 60695-1-12.

A list of all the parts in the IEC 60695 series, under the general title *Fire hazard testing*, can be found on the IEC website.

IEC 60695-1 consists of the following parts:

- Part 1-10: *Guidance for assessing the fire hazard of electrotechnical products – General guidelines*
- Part 1-11: *Guidance for assessing the fire hazard of electrotechnical products – Fire hazard assessment*
- Part 1-12: *Guidance for assessing the fire hazard of electrotechnical products – Fire-safety engineering*
- Part 1-20: *Guidance for assessing the fire hazard of electrotechnical products – Ignitability – General guidance*
- Part 1-21: *Guidance for assessing the fire hazard of electrotechnical products – Ignitability – Summary and relevance of test methods*
- Part 1-30: *Guidance for assessing the fire hazard of electrotechnical products – Preselection testing process – General guidelines*
- Part 1-40: *Guidance for assessing the fire hazard of electrotechnical products – Insulating liquids*

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

In the design of any electrotechnical product, the risk of fire and the potential hazards associated with fire need to be considered. In this respect the objective of component, circuit and equipment design, as well as the choice of materials, is to reduce the risk of fire to a tolerable level even in the event of reasonably foreseeable (mis)use, malfunction or failure. This standard, together with its companions, IEC 60695-1-11 and IEC 60695-1-12, provides guidance on how this is to be accomplished.

The use of compartments with fire-resistant boundaries, and the use of detection and suppression systems are important methods for the mitigation of fire risk, but are not dealt with in this standard. Fires involving electrotechnical products can be initiated from external non-electrical sources. Considerations of this nature are dealt with in an overall fire hazard assessment.

The aim of the IEC 60695 series of standards is to save lives and property by reducing the number of fires or reducing the consequences of the fire. This can be accomplished by:

- trying to prevent ignition caused by an electrically energised component part and, in the event of ignition, to confine any resulting fire within the bounds of the enclosure of the electrotechnical product;
- trying to minimise flame spread beyond the product's enclosure and to minimise the harmful effects of fire effluents including heat, smoke, and toxic or corrosive combustion products.

Assessing the fire hazard of electrotechnical products is accomplished by performing fire hazard tests. These tests are divided into two fundamental groups: qualitative fire tests and quantitative fire tests.

Fire testing of electrotechnical products should, whenever possible, be carried out using quantitative fire tests having the following characteristics.

- a) The test should take into account the circumstances of product use, i.e. contemplated end-use conditions as well as foreseeable abnormal use. This is because fire conditions that may be hazardous under one set of circumstances will not necessarily pose the same threat under a different set.
- b) It should be possible to correlate the test results with the harmful effects of fire effluents referred to above, i.e. the thermal and airborne threats to people and/or property in the relevant end-use situation. This avoids the creation of artificial, and sometimes distorted, performance scales with no clear relationship to fire safety.
- c) Recognizing that there are usually multiple contributions to the effects of real fires, the test results should be expressed in well-defined terms and using rational scientific units, so that the product's contribution to the overall fire effects can be quantitatively assessed and compared with that of other products' contributions.

Although quantitative tests are preferred, the characteristics of qualitative fire tests are that they provide pass/fail and classification results. Under certain circumstances it will be appropriate to maintain such qualitative test methods or to develop new ones. This part of IEC 60695-1 establishes the circumstances under which such maintenance or development is appropriate.

FIRE HAZARD TESTING –

Part 1-10: Guidance for assessing the fire hazard of electrotechnical products – General guidelines

1 Scope

This part of IEC 60695-1 provides general guidance with respect to fire hazard testing on how to reduce to a tolerable level the risk of fire and the potential effects of fires involving electrotechnical products. It also serves as a signpost standard to the other guidance publications in the IEC 60695 series.

It does not give guidance on the use of fire-resistant compartment boundaries or on the use of detection and suppression systems for the mitigation of fire risk.

It describes the relationship between fire risk and the potential effects of fire, and provides guidance to IEC product committees on the applicability of qualitative and quantitative fire tests to the fire hazard assessment of electrotechnical products. Details of the calculation of fire risk are not included in the scope of this document.

It emphasises the importance of the scenario approach to fire hazard and risk assessment and discusses criteria intended to ensure the development of technically sound hazard-based fire test methods.

It discusses the different types of fire tests, in particular the nature of qualitative and quantitative fire tests. It also describes the circumstances under which it is appropriate for IEC product committees to maintain or develop qualitative fire tests.

This standard is intended as guidance to IEC committees, and is to be used with respect to their individual applications.

This basic safety publication is intended for use by technical committees in the preparation of standards in accordance with the principles laid down in IEC Guide 104 and ISO/IEC Guide 51.

One of the responsibilities of a technical committee is, wherever applicable, to make use of basic safety publications in the preparation of its publications. The requirements, test methods or test conditions of this basic safety publication will not apply unless specifically referred to or included in the relevant publications.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60079-0, *Explosive atmospheres – Part 0: Equipment – General requirements*

IEC 60695-1-11, *Fire hazard testing – Part 1-11: Guidance for assessing the fire hazard of electrotechnical products – Fire hazard assessment*

IEC 60695-1-12, *Fire hazard testing – Part 1-12: Guidance for assessing the fire hazard of electrotechnical products – Fire-safety engineering*

IEC 60695-1-30, *Fire hazard testing – Part 1-30: Guidance for assessing the fire hazard of electrotechnical products – Preselection testing process – General guidelines*¹

IEC 60695-4:2012, *Fire hazard testing – Part 4: Terminology concerning fire tests for electrotechnical products*

IEC Guide 104, *The preparation of safety publications and the use of basic safety publications and group safety publications*

ISO/IEC Guide 51, *Safety aspects – Guidelines for their inclusion in standards*

ISO 13943:2008, *Fire safety – Vocabulary*

¹ Under preparation. Stage at time of publication: IEC/FDIS 60695-1-30:2016.