

© Copyright SEK. Reproduction in any form without permission is prohibited.

## Utrustning för avbrottsfri elförsörjning (UPS) – Del 5-3: UPS med likströmsutgång – Egenskaper och provning

*Uninterruptible power systems (UPS) –  
Part 5-3: DC output UPS –  
Performance and test requirements*

Som svensk standard gäller europastandarden EN 62040-5-3:2017. Den svenska standarden innehåller den officiella engelska språkversionen av EN 62040-5-3:2017.

### Nationellt förord

Europastandarden EN 62040-5-3:2017

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 62040-5-3, First edition, 2016 - Uninterruptible power systems (UPS) - Part 5-3: DC output UPS - Performance and test requirements**

utarbetad inom International Electrotechnical Commission, IEC.

---

ICS 29.200.00

---

Denna standard är fastställd av SEK Svensk Elstandard, som också kan lämna upplysningar om **sakinnehållet** i standarden.  
Postadress: Box 1284, 164 29 KISTA  
Telefon: 08 - 444 14 00.  
E-post: sek@elstandard.se. Internet: www.elstandard.se

---

### *Standarder underlättar utvecklingen och höjer elsäkerheten*

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

### *SEK är Sveriges röst i standardiseringsarbetet inom elområdet*

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

### *Stora delar av arbetet sker internationellt*

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

### *Var med och påverka!*

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

### **SEK Svensk Elstandard**

Box 1284  
164 29 Kista  
Tel 08-444 14 00  
[www.elstandard.se](http://www.elstandard.se)

ICS 29.200

English Version

Uninterruptible power systems (UPS) -  
Part 5-3: DC output UPS - Performance and test requirements  
(IEC 62040-5-3:2016)

Alimentations sans interruption (ASI) -  
Partie 5-3: ASI à tension de sortie continue - Performances  
et exigences d'essai  
(IEC 62040-5-3:2016)

Unterbrechungsfreie Stromversorgungssysteme (USV) -  
Teil 5-3: USV mit Gleichstromausgang - Leistungs- und  
Prüfungsanforderungen  
(IEC 62040-5-3:2016)

This European Standard was approved by CENELEC on 2016-11-30. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

---

## **European foreword**

The text of document 22H/208/FDIS, future edition 1 of IEC 62040-5-3, prepared by SC 22H "Uninterruptible power systems (UPS)" of IEC/TC 22 "Power electronic systems and equipment" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62040-5-3:2017.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2017-08-30
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2019-11-30

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

## **Endorsement notice**

The text of the International Standard IEC 62040-5-3:2016 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60034-22	NOTE	Harmonized as EN 60034-22.
IEC 60068-1	NOTE	Harmonized as EN 60068-1.
IEC 60068-2 Series	NOTE	Harmonized as EN 60068-2 Series.
IEC 60068-2-5	NOTE	Harmonized as EN 60068-2-5.
IEC 60068-2-13	NOTE	Harmonized as EN 60068-2-13.
IEC 60068-3-3	NOTE	Harmonized as EN 60068-3-3.
IEC 60146-1-3:1991	NOTE	Harmonized as EN 60146-1-3:1993 (not modified).
IEC 60664-1	NOTE	Harmonized as EN 60664-1.
IEC 60721-3-3	NOTE	Harmonized as EN 60721-3-3.
IEC 60947-3	NOTE	Harmonized as EN 60947-3.
IEC 60947-6-1	NOTE	Harmonized as EN 60947-6-1.
IEC 60950-1	NOTE	Harmonized as EN 60950-1.
IEC 60990	NOTE	Harmonized as EN 60990.
IEC 61000-4-30	NOTE	Harmonized as EN 61000-4-30.
IEC 61508 Series	NOTE	Harmonized as EN 61508 Series.

## Annex ZA (normative)

### Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: [www.cenelec.eu](http://www.cenelec.eu)

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60068-2-1	-	Environmental testing - Part 2-1: Tests - Test A: Cold	EN 60068-2-1	-
IEC 60068-2-2	-	Environmental testing - Part 2-2: Tests - Test B: Dry heat	EN 60068-2-2	-
IEC 60068-2-27	-	Environmental testing - Part 2-27: Tests - Test Ea and guidance: Shock	EN 60068-2-27	-
IEC 60068-2-31	-	Environmental testing - Part 2-31: Tests - Test Ec: Rough handling shocks, primarily for equipment-type specimens	EN 60068-2-31	-
IEC 60068-2-78	-	Environmental testing - Part 2-78: Tests - Test Cab: Damp heat, steady state	EN 60068-2-78	-
IEC 60146-1-1	2009	Semiconductor converters - General requirements and line commutated converters - Part 1-1: Specification of basic requirements	EN 60146-1-1	2010
IEC 60146-2	1999	Semiconductor converters - Part 2: Self-commutated semiconductor converters including direct d.c. converters	EN 60146-2	2000
IEC 60364-1 (mod)	2005	Low-voltage electrical installations - Part 1: Fundamental principles, assessment of general characteristics, definitions	HD 60364-1	2008
IEC/TR 60721-4-3	-	Classification of environmental conditions - - Part 4-3: Guidance for the correlation and transformation of environmental condition classes of IEC 60721-3 to the environmental tests of IEC 60068 - Stationary use at weatherprotected locations		-

## EN 62040-5-3:2017

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61000-2-2	2002	Electromagnetic compatibility (EMC) - Part 2-2: Environment - Compatibility levels for low-frequency conducted disturbances and signalling in public low-voltage power supply systems	EN 61000-2-2	2002
IEC 61672-1	-	Electroacoustics - Sound level meters - Part 1: Specifications	EN 61672-1	-
IEC 62040-1	-	Uninterruptible Power Systems (UPS) - Part 1: General and safety requirements for UPS	EN 62040-1	-
IEC 62040-2	-	Uninterruptible power systems (UPS) - Part 2: Electromagnetic compatibility (EMC) requirements	EN 62040-2	-
ISO 7779	-	Acoustics - Measurement of airborne noise emitted by information technology and telecommunications equipment	EN ISO 7779	-

## CONTENTS

FOREWORD.....	5
1 Scope.....	7
2 Normative references .....	8
3 Terms and definitions .....	8
3.1 General.....	8
3.2 System and component definitions.....	9
3.3 Performance of systems and components .....	11
3.4 Specified values – General .....	13
3.5 Input values .....	16
3.6 Output values .....	17
4 Environmental conditions.....	18
4.1 Test environment .....	18
4.2 Normal conditions .....	18
4.2.1 Operation .....	18
4.2.2 Storage and transportation .....	19
4.3 Unusual conditions.....	20
4.3.1 General .....	20
4.3.2 Operation .....	20
4.3.3 Storage and transportation .....	20
5 Electrical conditions, performance and declared values .....	20
5.1 General.....	20
5.1.1 DC UPS configuration.....	20
5.1.2 Markings and instructions .....	21
5.2 DC UPS input specification .....	21
5.2.1 Conditions for normal mode operation .....	21
5.2.2 Input characteristics to be declared by the manufacturer .....	21
5.2.3 Characteristics and conditions to be identified by the purchaser .....	22
5.3 DC UPS output specification .....	22
5.3.1 Conditions for the DC UPS to supply a load.....	22
5.3.2 Characteristics to be declared by the manufacturer .....	23
5.3.3 Characteristics and conditions to be identified by the purchaser .....	23
5.3.4 Performance classification .....	23
5.4 Stored energy specification.....	25
5.4.1 General .....	25
5.4.2 Battery.....	25
5.5 DC UPS switch specification .....	26
5.6 Communication circuits .....	26
6 DC UPS tests .....	26
6.1 Summary .....	26
6.1.1 Venue, instrumentation and load .....	26
6.1.2 Routine test.....	27
6.1.3 Site test.....	27
6.1.4 Witness test.....	28
6.1.5 Type test .....	28
6.1.6 Schedule of tests.....	28
6.2 Routine test procedure.....	29

6.2.1	Environmental .....	29
6.2.2	Electrical .....	29
6.3	Site test procedure.....	31
6.4	Type test procedure (electrical).....	31
6.4.1	Input – AC supply compatibility.....	31
6.4.2	Output characteristics – Resistive load .....	33
6.4.3	Output characteristics – Constant power load .....	37
6.4.4	Stored and restored energy .....	37
6.5	Type test procedure (environmental).....	38
6.5.1	Environmental and transportation test methods .....	38
6.5.2	Storage.....	39
6.5.3	Operation .....	40
6.5.4	Acoustic noise .....	40
6.6	DC UPS functional unit tests (where not tested as a complete DC UPS) .....	41
6.6.1	DC UPS rectifier tests.....	41
6.6.2	DC UPS converter tests.....	41
6.6.3	DC UPS switch tests.....	41
6.6.4	Stored energy/battery tests.....	41
Annex A (informative) DC UPS configurations.....		43
A.1	General.....	43
A.2	Single DC UPS .....	43
A.2.1	Introduction .....	43
A.2.2	Basic single DC UPS .....	43
A.2.3	Scalable single DC UPS .....	43
A.3	Parallel DC UPS .....	44
A.3.1	General .....	44
A.3.2	Parallel non-redundant DC UPS .....	44
A.3.3	Parallel redundant DC UPS .....	45
A.3.4	Enhanced parallel redundant DC UPS .....	45
A.4	Dual bus .....	46
A.4.1	General .....	46
A.4.2	Dual bus system $2(N + r)$ .....	46
A.4.3	Dual bus distribution $(N + r)$ .....	47
Annex B (informative) Topologies – DC UPS.....		48
B.1	General.....	48
B.2	Basic topologies.....	48
B.2.1	General .....	48
B.2.2	Direct energy storage connect .....	48
B.2.3	Series converter connect .....	49
B.2.4	Shunt converter connect.....	49
Annex C (informative) Purchaser specification guidelines .....		51
C.1	General.....	51
Annex D (normative) Input mains failure – Test method .....		55
Annex E (informative) Dynamic output performance – Measurement techniques .....		56
E.1	General.....	56
E.2	Graphical validating method.....	56
Annex F (normative) DC UPS efficiency –Methods of measurement.....		58
F.1	General.....	58

F.2	Measurement conditions .....	58
F.2.1	Environmental conditions .....	58
F.2.2	Operational and electrical conditions .....	58
F.2.3	Instrumentation.....	58
F.3	Measurement method .....	59
F.4	Test report .....	59
Annex G (informative)	Climatic test.....	61
G.1	General.....	61
G.2	Testing of compliance to climatic requirements .....	61
Bibliography	.....	63
Figure 1	– Examples of basic electronic power converters .....	9
Figure 2	– Dynamic output performance.....	24
Figure A.1	– Basic single DC UPS .....	43
Figure A.2	– System sized for load ( $N$ DC UPS units) – No redundancy .....	44
Figure A.3	– System sized for load ( $N$ DC UPS units) – $N + 1$ redundancy .....	45
Figure A.4	– System sized for load ( $N$ DC UPS units) – $N + r$ redundancy.....	46
Figure A.5	– Dual bus DC UPS .....	46
Figure A.6	– Dual bus DC UPS variant.....	47
Figure B.1	– Direct energy storage connect .....	49
Figure B.2	– Series converter connect .....	49
Figure B.3	– Shunt converter connect .....	50
Figure D.1	– Connection of test circuit .....	55
Figure E.1	– Example: Narrowband validation of dynamic voltage response .....	56
Figure E.2	– Example: Wideband validation of dynamic voltage response .....	57
Table 1	– Example of power derating factors for use at altitudes above 1 000 m.....	19
Table 2	– Compatibility levels for individual harmonic voltages in low voltage networks .....	21
Table 3	– DC UPS test schedule .....	28
Table 4	– Free fall testing .....	39
Table C.1	– DC UPS technical data – Manufacturer’s declaration .....	51
Table G.1	– Recommended tests for IEC 60721-3-3 – Class 3K2 (continuously temperature-controlled enclosed locations; humidity not controlled).....	61

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**UNINTERRUPTIBLE POWER SYSTEMS (UPS) –****Part 5-3: DC output UPS – Performance and test requirements**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62040-5-3 has been prepared by subcommittee 22H: Uninterruptible power systems (UPS), of IEC technical committee 22: Power electronic systems and equipment.

The text of this document is based on the following documents:

FDIS	Report on voting
22H/208/FDIS	22H/211/RVD

Full information on the voting for the approval of this document can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

In this document, the following print types are used:

- requirements proper and normative annexes: in roman type;
- compliance statements and test specifications: *in italic type*;
- notes and other informative matter: in smaller roman type;
- normative conditions within tables: in smaller roman type;
- terms that are defined in Clause 3: **bold**.

A list of all parts of the IEC 62040 series, under the general title *Uninterruptible power systems (UPS)*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## UNINTERRUPTIBLE POWER SYSTEMS (UPS) –

### Part 5-3: DC output UPS – Performance and test requirements

#### 1 Scope

This part of IEC 62040 establishes the performance and test requirements applied to movable, stationary and fixed electronic **DC uninterruptible power systems (DC UPS)** that

- are supplied from an AC voltage source not exceeding 1 000 V,
- deliver a DC **output voltage** not exceeding 1 500 V,
- incorporate an **energy storage device**, and
- have a primary function to ensure continuity of DC power to loads.

This document specifies performance and test requirements of a complete **DC UPS** and not of individual **DC UPS functional units**. The individual **DC UPS functional units** are dealt with in IEC publications referred to in the bibliography that apply so far that they are not in contradiction with this document.

**DC UPSs** have been developed over a wide range of power, from less than a hundred watts to megawatts, to meet requirements for availability and quality of power to a variety of loads. Refer to Annexes A and B for information on typical **DC UPS** configurations and topologies.

This document also includes **DC UPS** performance and test requirements related to **interrupters**, isolating switches, and tie switches, if any, which are integral to the **DC UPS**. These components interact with other **functional units** of the **DC UPS** to maintain **continuity of load power**.

This document does not cover

- conventional AC input distribution boards and their associated switches,
- conventional DC distribution boards and their associated switches,
- conventional AC UPSs covered by IEC 62040-3,
- low-voltage DC power supply devices covered by a specific product standard, for example IEC 61204, and those covered by a specific product standard, for example ITU communication standards, and
- systems wherein the **output voltage** is derived from a rotating machine.

NOTE 1 This document recognises that power availability to information technology (IT) equipment represents a major UPS application. The **DC UPS** output characteristics specified in this document are therefore also aimed at ensuring compatibility with the requirements of IT equipment. This, subject to any limitation stated in the manufacturer's declaration, includes requirements for steady state and **transient** voltage variation as well as for the supply of both resistive and **constant power load** characteristics of IT equipment.

NOTE 2 Test loads specified in this document simulate both resistive and **constant power load** characteristics. Their use is prescribed with the objective of verifying design and performance, as declared by the manufacturer, and also of minimising any complexity and energy consumption during the tests.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-2-1, *Environmental testing – Part 2-1: Tests – Test A: Cold*

IEC 60068-2-2, *Environmental testing – Part 2-2: Tests – Test B: Dry heat*

IEC 60068-2-27, *Environmental testing – Part 2-27: Tests – Test Ea and guidance: Shock*

IEC 60068-2-31, *Environmental testing – Part 2-31: Tests – Test Ec: Rough handling shocks, primarily for equipment-type specimens*

IEC 60068-2-78, *Environmental testing – Part 2-78: Tests – Test Cab: Damp heat, steady state*

IEC 60146-1-1:2009, *Semiconductor converters – General requirements and line commutated converters – Part 1-1: Specification of basic requirements*

IEC 60146-2:1999, *Semiconductor converters – Part 2: Self-commutated semiconductor converters including direct d.c converters*

IEC 60364-1:2005, *Low-voltage electrical installations – Part 1: Fundamental principles, assessment of general characteristics, definitions*

IEC TR 60721-4-3, *Classification of environmental conditions - Part 4-3: Guidance for the correlation and transformation of environmental condition classes of IEC 60721-3 to the environmental tests of IEC 60068 - Stationary use at weatherprotected locations*

IEC 61000-2-2:2002, *Electromagnetic compatibility (EMC) – Part 2-2: Environment – Compatibility levels for low-frequency conducted disturbances and signalling in public low-voltage power supply systems*

IEC 61672-1, *Electroacoustics – Sound level meters – Part 1: Specifications*

IEC 62040-1, *Uninterruptible power systems (UPS) – Part 1: General and safety requirements for UPS*

IEC 62040-2, *Uninterruptible power systems (UPS) – Part 2: Electromagnetic compatibility (EMC) requirements*

ISO 7779, *Acoustics – Measurement of airborne noise emitted by information technology and telecommunications equipment*