

© Copyright SEK. Reproduction in any form without permission is prohibited.

## **Smart manufacturing – Reference architecture model industry 4.0 (RAMI4.0)**

*(IEC PAS 63088:2017)*

IEC PAS, Publicly Available Specification, inom IEC är en tillfällig publikation som kan ges ut inför arbetet med en internationell standard. Den får inte stå i strid med någon existerande internationell standard och dess giltighetstid är inledningsvis begränsad till tre år, men kan förlängas med ytterligare tre år.

ISSN 1651-1417

ICS 25.040.01; 35.080.00; 35.240.50

Upplysningar om **sakinnehållet** i rapporten lämnas av  
SEK Svensk Elstandard.  
Postadress: Box 1284, 164 29 KISTA  
Telefon: 08 - 444 14 00.  
E-post: [sek@elstandard.se](mailto:sek@elstandard.se). Internet: [www.elstandard.se](http://www.elstandard.se)

### *Standarder underlättar utvecklingen och höjer elsäkerheten*

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

### *SEK är Sveriges röst i standardiseringsarbetet inom elområdet*

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

### *Stora delar av arbetet sker internationellt*

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

### *Var med och påverka!*

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

### **SEK Svensk Elstandard**

Box 1284  
164 29 Kista  
Tel 08-444 14 00  
[www.elstandard.se](http://www.elstandard.se)

## CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	9
2 Normative references .....	9
3 Terms and definitions .....	9
4 Assets in Industry 4.0 .....	11
4.1 The object world .....	11
4.2 Information carriers.....	12
4.3 Assets and the information world .....	12
4.4 Life (“vita”) and characterization of an asset .....	13
4.5 Means by which an asset is actively presented, or made known, in the information system.....	14
4.5.1 General .....	14
4.5.2 Unknown assets .....	15
4.5.3 Anonymously known assets .....	15
4.5.4 Individually known assets .....	15
4.5.5 Assets administered as entities .....	15
4.6 State in an asset’s lifetime (“vita”).....	16
4.6.1 General .....	16
4.6.2 Type .....	16
4.6.3 Instance .....	16
4.7 Communication capability .....	17
4.7.1 Communication capability of assets in the physical world .....	17
4.7.2 Communication capability of assets in the information world .....	18
4.8 Classification of assets in terms of presentation and communication capability .....	18
4.9 Representation by means of information and technical functionality .....	19
5 Reference Architecture Model Industry 4.0 (RAMI4.0).....	20
5.1 General.....	20
5.2 Architecture axis (“Layers”).....	21
5.2.1 Overview .....	21
5.2.2 Business layer .....	21
5.2.3 Functional layer .....	21
5.2.4 Information layer.....	22
5.2.5 Communication layer .....	22
5.2.6 Integration layer .....	22
5.2.7 Asset layer .....	23
5.3 Life cycle & value stream axis .....	23
5.4 Hierarchy axis .....	23
6 Industry 4.0 components.....	24
6.1 General.....	24
6.1.1 Overview .....	24
6.1.2 Properties of I4.0 components .....	25
6.1.3 Identifiability .....	25
6.1.4 State in the lifetime (“vita”) .....	25
6.1.5 Secure I4.0-compliant communication, services and quality of service .....	26
6.1.6 Representation by information with I4.0-compliant semantics .....	26

6.1.7	I4.0 system consisting of I4.0 components .....	27
6.1.8	Nestability .....	27
6.1.9	Encapsulability .....	28
6.1.10	Domain specific functionality and state model .....	29
6.2	Administration shell of I4.0 components .....	29
6.2.1	General .....	29
6.2.2	Basic structure of the administration shell .....	30
6.2.3	DF header and DF body .....	30
6.2.4	Partial models and views .....	31
6.2.5	Properties .....	32
6.2.6	Managing the administration shell .....	34
6.2.7	Fundamental requirements for the administration shell .....	36
6.3	Forms of I4.0 components .....	36
6.3.1	Different assets with administration shells .....	36
6.3.2	Asset with multiple administration shells .....	37
6.3.3	Administration shell for multiple assets .....	38
	Bibliography .....	39
	Figure 1 – Structure of the object worlds with examples .....	12
	Figure 2 – Assets in the information world and their physical carriers .....	12
	Figure 3 – Life (“vita”) of an asset .....	13
	Figure 4 – Concepts of an asset .....	14
	Figure 5 – Component manager for administering entities .....	16
	Figure 6 – Active presentation of an asset in the information system and its communication capability .....	19
	Figure 7 – CP notation system for classifying according to communication capability and presentation (“publicity”) .....	19
	Figure 8 – Reference architecture model Industry 4.0 (RAMI4.0) .....	20
	Figure 9 – Hierarchical levels of RAMI4.0 .....	24
	Figure 10 – An I4.0 component as a necessary connection between the asset and the administration shell .....	25
	Figure 11 – Nestability of I4.0 components .....	28
	Figure 12 – Encapsulability of I4.0-compliant and deterministic real-time communication .....	29
	Figure 13 – Diagram of an I4.0 administration shell .....	30
	Figure 14 – Examples of domain specific models .....	31
	Figure 15 – Diagram of how views are created .....	32
	Figure 16 – Availability of administration shells via repository or directly via the represented assets .....	35
	Figure 17 – Different assets that become I4.0 components by adding the administration shell .....	37
	Figure 18 – Representation of an asset by means of multiple administration shells .....	37
	Figure 19 – Representation of multiple assets .....	38

Table 1 – Basic views of a partial model .....	32
Table 2 – Property classes.....	33

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

**SMART MANUFACTURING –  
REFERENCE ARCHITECTURE MODEL INDUSTRY 4.0 (RAMI4.0)****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

A PAS is a technical specification not fulfilling the requirements for a standard, but made available to the public.

IEC PAS 63088 has been processed by IEC technical committee 65: Industrial-process measurement, control and automation.

The text of this PAS is based on the following document:

This PAS was approved for publication by the P-members of the committee concerned as indicated in the following document

Draft PAS	Report on voting
65/645/PAS	65/655/RVDPAS

Following publication of this PAS, which is a pre-standard publication, the technical committee or subcommittee concerned may transform it into an International Standard.

This PAS shall remain valid for an initial maximum period of 3 years starting from the publication date. The validity may be extended for a single period up to a maximum of 3 years, at the end of which it shall be published as another type of normative document, or shall be withdrawn.

A bilingual version of this publication may be issued at a later date.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## INTRODUCTION

### Background

Industry requires constant attention on optimization, cost efficiency, energy efficiency, environmental concerns, quality, security, safety, time-to-market, inventory reduction, simulation, ease of maintenance, etc. Customers also want to satisfy new requirements and address new use cases now reachable given the availability of new technologies. Addressing these challenges, several projects in different countries were issued with similar names and aims, e.g. in Germany “Industrie 4.0”, in France “Industrie du Futur”, in China “Intelligent Manufacturing”, in Japan etc.

Manufacturers, customers, service providers are working in a more and more global market. The need of interoperability of products, open interfaces, etc. can only be achieved with International Standards. To cover these needs, IEC and ISO have activities related to Smart Manufacturing.

### Objective

This specification defines a Reference Architecture Model to identify, structure, and illustrate the different areas where standards exist or standards are required. It allows setting standards in relation to different aspects, hierarchies and life cycles.

Life cycles are relevant to products, to assets in the factory or plant, to orders from planning to cash and to the supply chain covering the process from source to delivery.

In addition, this specification defines term and definitions generally for Smart Manufacturing. As Smart Manufacturing is covering different domains (batch, continuous, discrete, etc.), terms need to be harmonized and globally accepted.

The fundamental purpose of Industry 4.0 is to facilitate cooperation and collaboration between technical objects, which means they have to be virtually represented and connected. In this context, a technical object is an object that is of value to an organization, which therefore not only means physically tangible objects, but also intangible objects such as ideas, archives and software. The concept of Industry 4.0 is intended to create digital description rules for a technical object throughout its entire lifetime, and for the associated changes in value, in the form of the Reference Architecture Model for Industry 4.0 “RAMI4.0”. The purpose of this model is to represent the technical object and all aspects relevant to it, from its development, production and use right through to its disposal. The Industry 4.0 component provides a digital description of the object, making it possible to represent that object virtually.

Technical objects are intentionally manufactured in order to fulfil a specific purpose. They possess common characteristics in terms of their lifetime and the associated changes in value. Technical objects for which a “change in value” or an “owner” are important aspects are also referred to as “technical assets”. Because this is almost always the case, the terms “technical object” and “technical asset” can be regarded as synonymous. In this document, the term “technical asset”, or simply “asset” is used.

This document describes two fundamental reference models for the Industry 4.0 concept:

- The reference architecture model RAMI4.0 is a reference model of Industry 4.0 reference architecture and gives a structured description of fundamental ideas. See Clause 5.
- The I4.0 component reference model provides digital access to this description. See Clause 6.



The central concept of Industry 4.0 is that assets can be combined in any way, and these assets are formally described in sufficient detail for use in the digital world. This methodology not only enables sufficient generic descriptions of a configuration, but through an increasing degree of detail also allows for very specific descriptions. This is a core concept regardless of the way in which the asset is used.

To virtually represent configurations of assets and the connections between them, the “principle of recursive description of assets” is used to characterize an asset as follows:

- the structural description is compliant with RAMI4.0;
- a configuration of two or more assets collectively forms a new asset, which is described using RAMI4.0;
- components of an asset can themselves represent separate assets that are described with RAMI4.0;
- the asset description is provided as structured information in the administration shell of the I4.0 component that acts as a virtual representation of an asset.

This means that any configuration can be digitally represented to any degree of granularity by describing structured assets, and combinations thereof, using RAMI4.0.

## SMART MANUFACTURING – REFERENCE ARCHITECTURE MODEL INDUSTRY 4.0 (RAMI4.0)

### 1 Scope

This document, which is a PAS, describes a reference architecture model in the form of a cubic layer model, which shows technical objects (assets) in the form of layers, and allows them to be described, tracked over their entire lifetime (or “vita”) and assigned to technical and/or organizational hierarchies.

It also describes the structure and function of Industry 4.0 components as essential parts of the virtual representation of assets.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61360-1, *Standard data element types with associated classification scheme for electric components – Part 1: Definitions – Principles and methods*

IEC 61360-2, *Standard data element types with associated classification scheme for electric components – Part 2: EXPRESS dictionary schema*

IEC TR 62794<sup>1</sup>, *Industrial-process measurement, control and automation – Reference model for representation of production facilities (digital factory)*

IEC TS 62832-1, *Industrial-process measurement, control and automation – Digital factory framework – Part 1: General principles*

---

<sup>1</sup> Withdrawn.