

© Copyright SEK. Reproduction in any form without permission is prohibited.

**Elektroniktrustningar –
Mekaniska byggsätt –
Provningar för IEC 60917 och IEC 60297 –
Del 1: Fordringar beträffande miljötolighet och säkerhet under
inomhusförhållanden och vid transport, jämte provningsuppställningar,
för skåp, stativ, kortramar och chassier**

*Mechanical structures for electronic equipment –
Tests for IEC 60917 and IEC 60297 series –
Part 1: Environmental requirements, test set-up and safety aspects for cabinets,
racks, subracks and chassis under indoor condition use and transportation*

Som svensk standard gäller europastandarden EN 61587-1:2017. Den svenska standarden innehåller den officiella engelska språkversionen av EN 61587-1:2017.

Nationellt förord

Europastandarden EN 61587-1:2017

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 61587-1, Fourth edition, 2016 - Mechanical structures for electronic equipment - Tests for IEC 60917 and IEC 60297 series - Part 1: Environmental requirements, test set-up and safety aspects for cabinets, racks, subracks and chassis under indoor condition use and transportation**

utarbetad inom International Electrotechnical Commission, IEC.

Tidigare fastställd svensk standard SS-EN 61587-1, utgåva 3, 2012, gäller ej fr o m 2020-04-21.

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

English Version

**Mechanical structures for electronic equipment - Tests for IEC 60917 and IEC 60297 series - Part 1: Environmental requirements, test set-up and safety aspects for cabinets, racks, subracks and chassis under indoor condition use and transportation
(IEC 61587-1:2016)**

Structures mécaniques pour équipement électronique -
Essais pour les séries IEC 60917 et IEC 60297 - Partie 1:
Exigences environnementales, montage d'essai et aspects
liés à la sécurité des baies, bâtis, bacs à cartes et châssis
dans des conditions d'utilisation intérieure ou de transport
(IEC 61587-1:2016)

Mechanische Bauweisen für elektronische Einrichtungen -
Prüfungen für die Reihen IEC 60917 und IEC 60297 - Teil
1: Umgebungsanforderungen, Prüfaufbau und
Sicherheitsaspekte für Schränke, Gestelle,
Baugruppenträger und Einschübe bei Bedingungen in
Innenräumen und beim Transport
(IEC 61587-1:2016)

This European Standard was approved by CENELEC on 2017-01-11. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

European foreword

The text of document 48D/623/FDIS, future edition 4 of IEC 61587-1, prepared by SC 48D "Mechanical structures for electrical and electronic equipment" of IEC/TC 48 "Electrical connectors and mechanical structures for electrical and electronic equipment" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61587-1:2017.

The following dates are fixed:

- latest date by which the document has to be (dop) 2017-10-21
implemented at national level by
publication of an identical national
standard or by endorsement
- latest date by which the national (dow) 2020-04-21
standards conflicting with the
document have to be withdrawn

This document supersedes EN 61587-1:2012.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61587-1:2016 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60068 (series)	NOTE	Harmonized as EN 60068 (series).
IEC 60068-2-75	NOTE	Harmonized as EN 60068-2-75.
IEC 62262	NOTE	Harmonized as EN 62262.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60068-1	-	Environmental testing -- Part 1: General and guidance	EN 60068-1	-
IEC 60068-2-1	-	Environmental testing -- Part 2-1: Tests - Test A: Cold	EN 60068-2-1	-
IEC 60068-2-2	-	Environmental testing -- Part 2-2: Tests - Test B: Dry heat	EN 60068-2-2	-
IEC 60068-2-6	-	Environmental testing -- Part 2-6: Tests - Test Fc: Vibration (sinusoidal)	EN 60068-2-6	-
IEC 60068-2-11	-	Basic environmental testing procedures - Part 2-11: Tests - Test Ka: Salt mist	EN 60068-2-11	-
IEC 60068-2-27	-	Environmental testing -- Part 2-27: Tests - Test Ea and guidance: Shock	EN 60068-2-27	-
IEC 60068-2-30	-	Environmental testing -- Part 2-30: Tests - Test Db: Damp heat, cyclic (12 h + 12 h cycle)	EN 60068-2-30	-
IEC 60068-2-42	-	Environmental testing -- Part 2-42: Tests - Test Kc: Sulphur dioxide test for contacts and connections	EN 60068-2-42	-
IEC 60068-2-43	-	Environmental testing -- Part 2-43: Tests - Test Kd: Hydrogen sulphide test for contacts and connections	EN 60068-2-43	-
IEC 60068-2-49	-	Environmental testing -- Part 2: Tests - Guidance to Test Kc: Sulphur dioxide test for contacts and connections	-	-
IEC 60068-2-52	-	Environmental testing -- Part 2-52: Tests - Test Kb: Salt mist, cyclic (sodium chloride solution)	EN 60068-2-52	-
IEC 60068-2-64	-	Environmental testing -- Part 2-64: Tests - Test Fh: Vibration, broadband random and guidance	EN 60068-2-64	-
IEC 60297	series	Dimensions of mechanical structures of the 482,6 mm (19 in) series		series
IEC 60297-3-100	-	Mechanical structures for electronic equipment - Dimensions of mechanical structures of the 482,6 mm (19 in) series -- Part 3-100: Basic dimensions of front panels, subracks, chassis, racks and cabinets	EN 60297-3-100	-
IEC 60297-3-101	-	Mechanical structures for electronic equipment - Dimensions of mechanical structures of the 482,6 mm (19 in) series -- Part 3-101: Subracks and associated plug-in units	EN 60297-3-101	-

IEC 60297-3-107	-	Mechanical structures for electronic equipment - Dimensions of mechanical structures of the 482,6 mm (19 in) series -- Part 3-107: Dimensions of subracks and plug-in units, small form factor	EN 60297-3-107	-
IEC 60297-3-108	-	Mechanical structures for electronic equipment - Dimensions of mechanical structures of the 482,6 mm (19 in) series -- Part 108: Dimensions of R-type subracks and plug-in units	EN 60297-3-108	-
IEC 60512-1-1	-	Connectors for electronic equipment - Tests and measurements -- Part 1-1: General examination - Test 1a: Visual examination	EN 60512-1-1	-
IEC 60529	-	Degrees of protection provided by enclosures (IP Code)	-	-
IEC 60654-4	-	Operating conditions for industrial-process measurement and control equipment -- Part 4: Corrosive and erosive influences	EN 60654-4	-
IEC 60695-11-10	-	Fire hazard testing -- Part 11-10: Test flames - 50 W horizontal and vertical flame test methods	EN 60695-11-10	-
IEC 60721-3-3	-	Classification of environmental conditions - Part 3: Classification of groups of environmental parameters and their severities -- Section 3: Stationary use at weatherprotected locations	EN 60721-3-3	-
IEC 60917	series	Modular order for the development of mechanical structures for electronic equipment practices	EN 60917	series
IEC 60917-2-1	-	Modular order for the development of mechanical structures for electronic equipment practices -- Part 2: Sectional specification - Interface co-ordination dimensions for the 25 mm equipment practice -- Section 1: Detail specification - Dimensions for cabinets and racks	EN 60917-2-1	-
IEC 60917-2-2	-	Modular order for the development of mechanical structures for electronic equipment practices -- Part 2: Sectional specification - Interface co-ordination dimensions for the 25 mm equipment practice -- Section 2: Detail specification - Dimensions for subracks, chassis, backplanes, front panels and plug-in units	EN 60917-2-2	-
IEC 60917-2-3	-	Modular order for the development of mechanical structures for electronic equipment practices -- Part 2-3: Sectional specification - Interface co-ordination dimensions for the 25 mm equipment practice - Extended detail specification - Dimensions for subracks, chassis, backplanes, front panels and plug-in units	EN 60917-2-3	-
IEC 60950-1 (mod)	2005	Information technology equipment - Safety - Part 1: General requirements	EN 60950-1	2006
-	-		+ A11	2009
+ A1 (mod)	2009		+ A1	2010
-	-		+ A12	2011
-	-		+ AC	2011
+ A2 (mod)	2013		+ A2	2013

IEC 61010-1	-	Safety requirements for electrical equipment for measurement, control and laboratory use -- Part 1: General requirements	EN 61010-1	-
IEC 61373	-	Railway applications - Rolling stock equipment - Shock and vibration tests	EN 61373	-
IEC 61587-2	-	Mechanical structures for electronic equipment - Tests for IEC 60917 and IEC 60297 -- Part 2: Seismic tests for cabinets and racks	EN 61587-2	-
IEC 61587-3	-	Mechanical structures for electronic equipment - Tests for IEC 60917 and IEC 60297 - Part 3: Electromagnetic shielding performance tests for cabinets and subracks	EN 61587-3	-
IEC 61587-5	-	Mechanical structures for electronic equipment - Tests for IEC 60917 and IEC 60297 - Part 5: Seismic tests for chassis, subracks, and plug-in units	EN 61587-5	-

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms and definitions	9
4 Classification of environmental conditions	9
5 General	10
6 Climatic tests.....	11
6.1 General.....	11
6.2 Cold, dry heat and damp heat (cyclic)	11
6.3 Industrial atmosphere	12
7 Mechanical tests.....	13
7.1 General.....	13
7.2 Tests for subracks or chassis with an integrated subrack and associated plug-in units according to IEC 60917 or IEC 60297	13
7.2.1 Static mechanical load tests of a subrack or a chassis with an integrated subrack	13
7.2.2 Dynamic mechanical load tests for a subrack or a chassis with an integrated subrack	17
7.2.3 Vibration and shock test of a mass loaded plug-in unit.....	22
7.3 Static and dynamic mechanical load tests for cabinets or racks	30
7.3.1 General	30
7.3.2 Cabinet and rack – Static load tests.....	30
7.3.3 Cabinet or rack – Vibration and shock tests	37
7.3.4 Cabinet – Impact tests	40
8 Safety aspects.....	41
8.1 Safety aspects – General.....	41
8.2 Earth bond	41
8.2.1 Earth bond – General	41
8.2.2 Test procedure – Earth bond	42
8.3 Flammability	42
8.4 Degrees of protection provided by enclosures (IP Code)	42
Bibliography.....	43
Figure 1 – Static mechanical load test fixture for a subrack or a chassis with an integrated subrack	13
Figure 2 – Single point (P3) load test for a subrack.....	14
Figure 3 – Single point (P3) load test for a chassis with an integrated subrack	15
Figure 4 – Single point (P4) load test for a subrack or a chassis with an integrated subrack.....	16
Figure 5 – Test fixture with a subrack under test.....	18
Figure 6 – Test fixture with a chassis with an integrated subrack under test.....	18
Figure 7 – Test setup and measurement point	20
Figure 8 – Overview of a typical plug-in unit and test fixture.....	23
Figure 9 – Overview of a typical plug-in unit test fixture – Sectional views	24

Figure 10 – Typical mass loaded plug-in unit	25
Figure 11 – Typical mass loaded host plug-in unit assembled with a mass loaded mezzanine plug-in unit	26
Figure 12 – Lifting test for cabinets or racks	32
Figure 13 – Stiffness test for cabinets or racks	33
Figure 14 – Test set up for cabinets and racks – Nominal load test	35
Figure 15 – Test set up for cabinets or racks – Vibration and shock tests	38
Table 1 – Examples showing references to tests	10
Table 2 – Classifications for cold, dry heat and damp heat	11
Table 3 – Classifications for industrial atmosphere	12
Table 4 – Static mechanical load performance levels for subracks – Vertical mounted plug-in units	15
Table 5 – Typical test report of the mechanical P3 load test	15
Table 6 – Static mechanical load performance levels for subracks – Horizontal mounted plug-in units	16
Table 7 – Typical test report of the mechanical P4 load test	17
Table 8 – IEC 60297 series subracks with mass loaded plug-in units	21
Table 9 – IEC 60917 series subracks with mass loaded plug-in units	21
Table 10 – Subrack or chassis with integrated subrack – Total mass test categories	22
Table 11 – Typical shock test report of subrack or chassis with an integrated subrack	22
Table 12 – Typical vibration test report of subrack or chassis with an integrated subrack	22
Table 13 – IEC 60297 series mass loaded plug-in units	27
Table 14 – IEC 60917 series mass loaded plug-in units	27
Table 15 – Typical shock test report of a plug-in unit	28
Table 16 – Typical vibration test report of a plug-in unit	28
Table 17 – Vibration and shock classifications for subracks, chassis with integrated subracks and associated plug-in units	29
Table 18 – Combined classification levels for cabinet or rack nominal load, lifting, and stiffness tests	30
Table 19 – Classification levels for individually reported cabinet or rack nominal load tests	31
Table 20 – Classification levels for individually reported cabinet or rack lift tests	31
Table 21 – Classification levels for individually reported cabinet or rack stiffness test	31
Table 22 – Typical test report of a cabinet or rack lifting test	32
Table 23 – Typical test report of the cabinet or rack stiffness test	33
Table 24 – Cabinet or rack, nominal load test values	36
Table 25 – Typical test report of the cabinet or rack nominal load test	37
Table 26 – Typical test report of the cabinet or rack combined static load test	37
Table 27 – Static load distribution within the cabinet or rack	38
Table 28 – Vibration and shock classifications for cabinets or racks	39
Table 29 – Impact classifications for cabinets	40
Table 30 – Degrees of protection provided by enclosures (IP Code)	42

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**MECHANICAL STRUCTURES FOR ELECTRONIC EQUIPMENT –
TESTS FOR IEC 60917 AND IEC 60297 SERIES –****Part 1: Environmental requirements, test set-up and safety
aspects for cabinets, racks, subracks and chassis under
indoor condition use and transportation**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61587-1 has been prepared by IEC subcommittee 48D: Mechanical structures for electronic equipment, of IEC technical committee 48: Electrical connectors and mechanical structures for electrical and electronic equipment.

This fourth edition cancels and replaces the third edition published in 2011. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) total overhaul of Clause 7 “Mechanical tests”;
- b) compatibility with IEC 61587-5.

The text of this standard is based on the following documents:

FDIS	Report on voting
48D/623/FDIS	48D/628/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61587 series, under the general title *Mechanical structures for electronic equipment – Tests for IEC 60917 and IEC 60297 series*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

The purpose of this standard is to provide a common methodology to perform and report conformance tests of IEC 60917 or IEC 60297 compliant cabinets, racks, subracks, chassis with integrated subracks and associated plug-in units under indoor condition use and transportation. Based upon the most recent specification/standard developments in the industry (such as PICMG, ANSI/VITA, ATIS, etc.) and to address new requirements, this edition 4 of IEC 61587-1 includes the following significant technical changes with respect to the previous edition:

- a) Document title change to read: IEC 61587-1: Mechanical structures for electronic equipment – Tests for the IEC 60917 and IEC 60297 series – Part 1: Environmental requirements, test set-up and safety aspects for cabinets, racks, subracks and chassis under indoor condition use and transportation.
- b) Total overhaul of Clause 7 “Mechanical tests” so as to make it compatible with legacy equipment (i.e., equipment commercially available prior to the publication of the standard). In particular:
 - 1) Subclause 7.2 “Tests for subracks or chassis with an integrated subrack and associated plug-in units” has been considerably expanded and provides for a more realistic intended use test environment (simulation of service condition).
 - 2) Subclause 7.2.1 “Static mechanical load tests of a subrack or a chassis with an integrated subrack” cabinet or rack static load test categories such as cabinets or racks with lifting eye test only and cabinets or racks without the use of lifting eyes have been added.
 - 3) Subclause 7.2.3 “Vibration and shock test of a mass loaded plug-in unit” has been updated to be in line with IEC 62262, which defines the way cabinets should be mounted when impact tests are carried out, the atmospheric conditions that should prevail, the number of impacts, and their distribution, and the physical size, dimensions, etc. of the various styles of hammers designed to produce the test energy level required.
- c) Compatibility with IEC 61587-5.

MECHANICAL STRUCTURES FOR ELECTRONIC EQUIPMENT – TESTS FOR IEC 60917 AND IEC 60297 SERIES –

Part 1: Environmental requirements, test set-up and safety aspects for cabinets, racks, subracks and chassis under indoor condition use and transportation

1 Scope

This part of IEC 61587 specifies environmental requirements, test set-up, as well as safety aspects for empty enclosures, i.e., cabinets, racks, subracks, chassis with an integrated subrack, and associated plug-in units under indoor condition use and transportation.

The purpose of this standard is to establish defined levels of physical performance in order to meet certain requirements of storage, transport and final location conditions. It applies in whole or part only to the mechanical structures of cabinets, racks, subracks, chassis with an integrated subrack, and associated plug-in units, but it does not apply to electronic equipment.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-1, *Environmental testing – Part 1: General and guidance*

IEC 60068-2-1, *Environmental testing – Part 2-1: Tests – Test A: Cold*

IEC 60068-2-2, *Environmental testing – Part 2-2: Tests – Test B: Dry heat*

IEC 60068-2-6, *Environmental testing – Part 2-6: Tests – Test Fc: Vibration (sinusoidal)*

IEC 60068-2-11, *Environmental testing – Part 2-11: Tests – Test Ka: Salt mist*

IEC 60068-2-27, *Environmental testing – Part 2-27: Tests– Test Ea and guidance: Shock*

IEC 60068-2-30, *Environmental testing – Part 2-30: Tests – Test Db: Damp heat, cyclic (12 h + 12 h cycle)*

IEC 60068-2-42, *Environmental testing – Part 2-42: Tests – Test Kc: Sulphur dioxide test for contacts and connections*

IEC 60068-2-43, *Environmental testing – Part 2-43: Tests – Test Kd: Hydrogen sulphide test for contacts and connections*

IEC 60068-2-49, *Environmental testing – Part 2-49: Tests – Guidance to test Kc: Sulphur dioxide test for contacts and connections*

IEC 60068-2-52, *Environmental testing – Part 2-52: Tests – Test Kb: Salt mist, cyclic (sodium, chloride solution)*

IEC 60068-2-64, *Environmental testing – Part 2-64: Tests – Test Fh: Vibration, broadband random and guidance*

IEC 60297 (all parts), *Mechanical structures for electronic equipment – Dimensions of mechanical structures of the 482,6 mm (19 in) series*

IEC 60297-3-100, *Mechanical structures for electronic equipment – Dimensions of mechanical structures of the 482,6 mm (19 in) series – Part 3-100: Basic dimensions of front panels, subracks, chassis, racks and cabinets*

IEC 60297-3-101, *Mechanical structures for electronic equipment – Dimensions of mechanical structures of the 482,6 mm (19 in) series – Part 3-101: Subracks and associated plug-in units*

IEC 60297-3-107:2012, *Mechanical structures for electronic equipment - Dimensions of mechanical structures of the 482,6 mm (19 in) series - Part 3-107: Dimensions of subracks and plug-in units, small form factor*

IEC 60297-3-107, *Mechanical structures for electronic equipment – Dimensions of mechanical structures of the 482,6 mm (19 in) series – Part 3-107: Dimensions of subracks and plug-in units, small form factor*

IEC 60297-3-108, *Mechanical structures for electronic equipment – Dimensions of mechanical structures of the 482,6 mm (19 in) series – Part 3-108: Dimensions of R-type subracks and plug-in units*

IEC 60512-1-1, *Connectors for electronic equipment – Tests and measurements – Part 1-1: General examination – Test 1a: Visual examination*

IEC 60529, *Degrees of protection provided by enclosures (IP Code)*

IEC 60654-4, *Operating conditions for industrial-process measurement and control equipment – Part 4: Corrosive and erosive influences*

IEC 60695-11-10, *Fire hazard testing – Part 11-10: Test flames – 50 W horizontal and vertical flame test methods*

IEC 60721-3-3, *Classification of environmental conditions – Part 3-3: Classification of groups of environmental parameters and their severities – Stationary use at weather protected locations*

IEC 60917, (all parts), *Modular order for the development of mechanical structures for electronic equipment practices*

IEC 60917-2-1, *Modular order for the development of mechanical structures for electronic equipment practices – Part 2-1: Sectional specification – Interface co-ordination dimensions for the 25 mm equipment practice – Detail specification – Dimensions for cabinets and racks*

IEC 60917-2-2, *Modular order for the development of mechanical structures for electronic equipment practices – Part 2-2: Sectional specification – Interface co-ordination dimensions for the 25 mm equipment practice – Detail specification – Dimensions for subracks, chassis, backplanes, front panels and plug-in units*

IEC 60917-2-3, *Modular order for the development of mechanical structures for electronic equipment practices – Part 2-3: Sectional specification – Interface co-ordination dimensions for the 25 mm equipment practice – Extended detail specification – Dimensions for subracks, chassis, backplanes, front panels and plug-in units*

IEC 60950-1:2005, *Information technology equipment – Safety – Part 1: General requirements*

IEC 60950-1:2005/AMD1:2009

IEC 60950-1:2005/AMD2:2013

IEC 61010-1, *Safety requirements for electrical equipment for measurement, control and laboratory use – Part 1: General requirements*

IEC 61373, *Railway applications – Rolling stock equipment – Shock and vibration tests*

IEC 61587-2, *Mechanical structures for electronic equipment – Tests for IEC 60917 and IEC 60297 – Part 2: Seismic tests for cabinets and racks*

IEC 61587-3, *Mechanical structures for electronic equipment – Tests for IEC 60917 and IEC 60297 – Part 3: Electromagnetic shielding performance tests for cabinets and subracks*

IEC 61587-5, *Mechanical structures for electronic equipment – Tests for IEC 60917 and IEC 60297 – Part 5: Seismic tests for chassis, subracks, and associated plug-in units*