

## SVENSK STANDARD SS-EN 62196-2

Fastställd Utgåva Sida 2017-06-14 2 1 (1+63) Ansvarig kommitté SFK TK 23

© Copyright SEK. Reproduction in any form without permission is prohibited.

## Anslutningsdon för konduktiv laddning av elfordon – Del 2: Mått för anslutningsdon med stift och kontakthylsor för växelström

Plugs, socket-outlets, vehicle connectors and vehicle inlets – Conductive charging of electric vehicles – Part 2: Dimensional compatibility and interchangeability requirements for a.c. pin and contact-tube accessories

Som svensk standard gäller europastandarden EN 62196-2:2017. Den svenska standarden innehåller den officiella engelska språkversionen av EN 62196-2:2017.

#### Nationellt förord

Europastandarden EN 62196-2:2017

består av:

- europastandardens ikraftsättningsdokument, utarbetat inom CENELEC
- IEC 62196-2, Second edition, 2016 Plugs, socket-outlets, vehicle connectors and vehicle inlets -Conductive charging of electric vehicles - Part 2: Dimensional compatibility and interchangeability requirements for a.c. pin and contact-tube accessories

utarbetad inom International Electrotechnical Commission, IEC.

Standarden ska användas tillsammans med SS-EN 62196-1, utgåva 3, 2015.

Tidigare fastställd svensk standard SS-EN 62196-2, utgåva 1, 2012, SS-EN 62196-2/A11, utgåva 1, 2013, SS-EN 62196-2/A12, utgåva 1, 2014 och SS-EN 62196-2/A12 AC1, utgåva 1, 2015, gäller ej fr o m 2020-04-28.

Denna standard är fastställd av SEK Svensk Elstandard, som också kan lämna upplysningar om **sakinnehållet** i standarden. Postadress: Box 1284, 164 29 KISTA Telefon: 08 - 444 14 00. E-post: sek@elstandard.se. Internet: www.elstandard.se

#### Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

#### SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

#### Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

#### Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

#### SEK Svensk Elstandard

Box 1284 164 29 Kista Tel 08-444 14 00 www.elstandard.se

# EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

## EN 62196-2

April 2017

ICS 29.120.30; 43.120

Supersedes EN 62196-2:2012

**English Version** 

### Plugs, socket-outlets, vehicle connectors and vehicle inlets -Conductive charging of electric vehicles - Part 2: Dimensional compatibility and interchangeability requirements for a.c. pin and contact-tube accessories (IEC 62196-2:2016)

Fiches, socles de prise de courant, prises mobiles de véhicule et socles de connecteurs de véhicule - Charge conductive des véhicules électriques - Partie 2: Exigences dimensionnelles de compatibilité et d'interchangeabilité pour les appareils à broches et alvéoles pour courant alternatif (IEC 62196-2:2016) Stecker, Steckdosen, Fahrzeugkupplungen und Fahrzeugstecker - Konduktives Laden von Elektrofahrzeugen - Teil 2: Anforderungen und Hauptmaße für die Kompatibilität und Austauschbarkeit von Stift- und Buchsensteckvorrichtungen für Wechselstrom (IEC 62196-2:2016)

This European Standard was approved by CENELEC on 2016-03-24. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

© 2017 CENELEC All rights of exploitation in any form and by any means reserved worldwide for CENELEC Members.

Ref. No. EN 62196-2:2017 E

SEK Svensk Elstandard

#### **European foreword**

The text of document 23H/324/CDV, future edition 2 of IEC 62196-2, prepared by SC 23H "Plugs, socket-outlets and couplers for industrial and similar applications, and for electric vehicles", of IEC/TC 23 "Electrical accessories" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62196-2:2017.

The following dates are fixed:

| • | latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement | (dop) | 2017-10-28 |
|---|--|-------|------------|
| • | latest date by which the national standards conflicting with the document have to be withdrawn   | (dow) | 2020-04-28 |

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

#### **Endorsement notice**

The text of the International Standard IEC 62196-2:2016 was approved by CENELEC as a European Standard without any modification.

### Annex ZA

#### (normative)

# Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

Annex ZA of Part 1 applies.

Addition

| Publication       | Year | <u>Title</u>                                |                   |      |         |      | EN/HD               | Year |
|-------------------|------|---|-------------------|------|---------|------|---------------------|------|
| IEC 62196-1 (mod) | 2014 | Plugs, s                                    | socket-outle      | ets, | vehicle | e co | onnectorsEN 62196-1 | 2014 |
|                   |      | and vehicle inlets - Conductive charging of |                   |      |         |      |                     |      |
|                   |      | electric<br>requirem                        | vehicles<br>nents | -    | Part    | 1:   | General             |      |

### CONTENTS

| FOREWORD4       |  |    |
|-----------------|--|----|
| INT             | RODUCTION  | 6  |
| 1               | Scope  | 7  |
| 2               | Normative references   | 7  |
| 3               | Terms and definitions  | 8  |
| 4               | General  | 8  |
| 5               | Ratings  | 8  |
| 6               | Connection between the power supply and the electric vehicle | 8  |
| 7               | Classification of accessories                                | 10 |
| 8               | Marking  | 11 |
| 9               | Dimensions   | 11 |
| 10              | Protection against electric shock                            | 12 |
| 11              | Size and colour of protective earthing conductors            | 12 |
| 12              | Provision for earthing                                       | 12 |
| 13              | Terminals  | 12 |
| 14              | Interlocks   | 12 |
| 15              | Resistance to ageing of rubber and thermoplastic material    | 12 |
| 16              | General construction   | 12 |
| 17              | Construction of socket-outlets                               | 12 |
| 18              | Construction of plugs and vehicle connectors                 | 12 |
| 19              | Construction of vehicle inlets                               | 12 |
| 20              | Degrees of protection  | 13 |
| 21              | Insulation resistance and dielectric strength                | 13 |
| 22              | Breaking capacity  | 13 |
| 23              | Normal operation   | 13 |
| 24              | Temperature rise   | 13 |
| 25              | Flexible cables and their connection                         | 13 |
| 26              | Mechanical strength  | 13 |
| 27              | Screws, current-carrying parts and connections               | 13 |
| 28              | Creepage distances, clearances and distances                 | 13 |
| 29              | Resistance to heat, to fire and to tracking                  | 13 |
| 30              | Corrosion and resistance to rusting                          | 13 |
| 31              | Conditional short-circuit current withstand test             | 14 |
| 32              | Electromagnetic compatibility (EMC)                          | 14 |
| 33              | Vehicle driveover  | 14 |
| 201             | Components   | 14 |
| 202             | Resistor coding  | 15 |
| STANDARD SHEETS |  |    |
| С               | CONFIGURATION TYPE 1   | 16 |
|                 | CONFIGURATION TYPE 2   |    |
| C               | CONFIGURATION TYPE 3   | 43 |

| Table 201 – Overview of the basic vehicle interface, | configuration type 1, single phase9 |
|--|-------------------------------------|
| Table 202 – Overview of the basic vehicle interface, | 0 11                                |
| three-phase or single phase                          | 10                                  |
| Table 203 – Configuration types and standard sheet   | s11                                 |
| Table 204 – Interoperation of configuration type 2 a | ccessories28                        |

- 4 -

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

#### PLUGS, SOCKET-OUTLETS, VEHICLE CONNECTORS AND VEHICLE INLETS – CONDUCTIVE CHARGING OF ELECTRIC VEHICLES –

# Part 2: Dimensional compatibility and interchangeability requirements for a.c. pin and contact-tube accessories

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62196-2 has been prepared by IEC subcommittee 23H: Plugs, socket-outlets and couplers for industrial and similar applications, and for electric vehicles, of IEC technical committee 23: Electrical accessories.

This second edition cancels and replaces the first edition published in 2011 and constitutes a technical revision.

This second edition includes the following significant technical changes with respect to the previous edition.

- a) Standard sheets for configurations type 2 and type 3 have been updated.
- b) Configuration type 2 is now available with optional shutter.

The text of this standard is based on the following documents:

| CDV         | Report on voting |
|-------------|------------------|
| 23H/324/CDV | 23H/342/RVC      |

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 62196 series, under the general title *Plugs, socket-outlets, vehicle connectors and vehicle inlets – Conductive charging of electric vehicles,* can be found on the IEC website.

This part of IEC 62196 is to be read in conjunction with IEC 62196-1:2014. The clauses of the particular requirements in Part 2 supplement or modify the corresponding clauses in Part 1. Where the text indicates "addition" to or "replacement" of the relevant requirement, test specification or explanation of Part 1, these changes are made to the relevant text of Part 1, which then becomes part of this standard. Where no change is necessary, the words "Clause X of IEC 62196-1:2014 is applicable" are used.

In this standard, the following print types are used:

- requirements proper: in roman type;
- test specifications: in italic type;
- notes: in smaller roman type.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

#### INTRODUCTION

Responding to global challenges of  $CO_2$  reduction and energy security, the automobile industries have been accelerating the development and commercialization of electric vehicles and hybrid electric vehicles. In addition to the prevailing hybrid electric vehicles, battery electric vehicles including plug-in hybrid electric vehicles are going to be mass-marketed. To support the diffusion of such vehicles, this standard provides the standard interface configurations of a.c. vehicle couplers and accessories to be used in conductive charging of electric vehicles, taking the most frequent charging situations into consideration.

IEC 62196 is divided into several parts:

- Part 1: General requirements
- Part 2: Dimensional compatibility and interchangeability requirements for a.c. pin and contact-tube accessories
- Part 3: Dimensional compatibility and interchangeability requirements for d.c. and a.c./d.c. pin and contact-tube vehicle couplers

#### PLUGS, SOCKET-OUTLETS, VEHICLE CONNECTORS AND VEHICLE INLETS – CONDUCTIVE CHARGING OF ELECTRIC VEHICLES –

# Part 2: Dimensional compatibility and interchangeability requirements for a.c. pin and contact-tube accessories

#### 1 Scope

This part of IEC 62196 applies to plugs, socket-outlets, vehicle connectors and vehicle inlets with pins and contact-tubes of standardized configurations, herein referred to as accessories. They have a nominal rated operating voltage not exceeding 480 V a.c., 50 Hz to 60 Hz, and a rated current not exceeding 63 A three-phase or 70 A single phase, for use in conductive charging of electric vehicles.

This part of IEC 62196 covers the basic interface accessories for vehicle supply as specified in IEC 62196-1, and intended for use in conductive charging systems for circuits specified in IEC 61851-1:2010.

NOTE 1 Electric road vehicles (EV) implies all road vehicles, including plug-in hybrid road vehicles (PHEV), that derive all or part of their energy from RESS.

These accessories are intended to be used for circuits specified in IEC 61851-1:2010 which operate at different voltages and frequencies and which may include extra-low voltage (ELV) and communication signals.

These accessories may be used for bidirectional power transfer (under consideration).

This standard applies to accessories to be used in an ambient temperature between -30 °C and +50 °C.

NOTE 2 In the following country, other requirements regarding the lower temperature may apply: NO.

NOTE 3 In the following country, -35 °C applies: SE.

These accessories are intended to be connected only to cables with copper or copper-alloy conductors.

Vehicle inlet and vehicle connector to this standard are intended to be used for charging in modes 1, 2 and 3, cases B and C. The socket-outlets and plugs covered by this standard are intended to be used for charging mode 3 only, case A and B.

The modes and permissible connections are specified in IEC 62196-1:2014.

#### 2 Normative references

Clause 2 of IEC 62196-1:2014 applies except as follows:

Addition:

IEC 62196-1:2014, Plugs, socket-outlets, vehicle connectors and vehicle inlets – Conductive charging of electric vehicles – Part 1: General requirements