

© Copyright SEK. Reproduction in any form without permission is prohibited.

Belysningsmateriel – Lysdiodmoduler (LED) för allmänna belysningsändamål – Prestandafordringar

*LED modules for general lighting –
Performance requirements*

Som svensk standard gäller europastandarden EN 62717:2017. Den svenska standarden innehåller den officiella engelska språkversionen av EN 62717:2017.

Nationellt förord

Europastandarden EN 62717:2017

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 62717, First edition, 2014^{*)} - LED modules for general lighting - Performance requirements**

utarbetad inom International Electrotechnical Commission, IEC.

^{*)} Amendment No 1:2015 till IEC 62717:2014 är inarbetat i standarden. Ändringarna är i grönt och markerade med ett lodrätt streck i marginalen.

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

English Version

LED modules for general lighting - Performance requirements
(IEC 62717:2014 , modified + A1:2015 , modified)

Modules de LED pour éclairage général - Exigences de
performance
(IEC 62717:2014 , modifiée + A1:2015 , modifiée)

LED-Module für die Allgemeinbeleuchtung - Anforderungen
an die Arbeitsweise
(IEC 62717:2014 , modifiziert + A1:2015 , modifiziert)

This European Standard was approved by CENELEC on 2017-02-20. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

European foreword

This document (EN 62717:2017) consists of the text of IEC 62717:2014 and IEC 62717:2014/A1:2015 prepared by IEC/TC 34A, Lamps, together with the common modifications prepared by CLC/TC 34A, Lamps.

The following dates are fixed:

- latest date by which this document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2018-02-20
- latest date by which the national standards conflicting with this document have to be withdrawn (dow) 2020-02-20

Clauses, subclauses, notes, tables, figures and annexes which are additional to those in IEC 62717:2014 and IEC 62717:2014/A1:2015 are prefixed “Z”.

For the relationship with EU Directive(s) see informative Annexes ZZ, which are integral parts of this document.

This standard provides test methods related to parameters as prescribed by Commission Regulation (EC) 244/2009, Commission Regulation (EU) 1194/2012 and Commission Regulation (EU) 874/2012 while conformity assessment (sampling, conformity procedures as well as limits) for market surveillance are specified in the text of the above Regulations.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
-	-	Light and lighting – Measurement and presentation of photometric data of lamps and luminaires – Part 1: Measurement and file format	EN 13032-1 A1	2004 2012
-	-	Light and lighting – Measurement and presentation of photometric data – Part 4: LED lamps, modules and luminaires	EN 13032-4	2015
IEC 60050(845)	-	International Electrotechnical Vocabulary – Lighting	-	-
IEC 60068-2-14	-	Environmental testing – Part 2-14: Tests – Test N: Change of temperature	EN 60068-2-14	-
IEC 60068-3-5	2001	Environmental testing – Part 3-5: Supporting documentation and guidance – Confirmation of the performance of temperature chambers	EN 60068-3-5	2002
IEC 60081	-	Double-capped fluorescent lamps— Performance specification	EN 60081	-
IEC 60969	201X	Self-ballasted compact fluorescent lamps for general lighting services - Performance requirements	FprEN 60969	2016 (mod)
IEC 61000-3-2 A1 A2	2005 2008 2009	Electromagnetic compatibility (EMC) – Part 3-2: Limits – Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)	EN 61000-3-2 A1 A2	2006 2009 2009
IEC 61000-4-7	-	Testing and measurement techniques – General guide on harmonics and interharmonics measurements and instrumentation, for power supply systems and equipment connected thereto	EN 61000-4-7	-
IEC/TR 61341	-	Method of measurement of centre beam intensity and beam angle(s) of reflector lamps	EN 61341	-
IEC 61347-2-13	-	Lamp controlgear – Part 2-13: Particular requirements for d.c. or a.c. supplied electronic controlgear for LED modules	EN 61347-2-13	-
IEC 62031 A1 A2	2008 2012 2014	LED modules for general lighting – Safety specifications	EN 62031 A1 A2	2008 2013 2015
IEC 62504	-	General lighting – Light emitting diode (LED) products and related equipment – Terms and definitions	EN 62504	-

EN 62717:2017 (E)

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
CIE 13.3	1995	Method of Measuring and Specifying Colour Rendering Properties of Light Source	-	-
CIE 177	2007	Colour rendering of white LED light sources	-	-

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	8
1 Scope.....	9
1.1 General.....	9
1.2 Statement	10
2 Normative references	10
3 Terms and definitions	11
4 Marking	14
4.1 Mandatory marking	14
4.2 Additional marking	15
5 Dimensions.....	16
6 Test conditions	16
6.1 General test conditions	16
6.2 Creation of module families to reduce test effort	17
6.2.1 General	17
6.2.2 Variations within a family	17
6.2.3 Compliance testing of family members.....	18
7 Electrical LED module input.....	19
7.1 LED module power.....	19
7.2 Displacement factor (u.c.)	19
8 Light output	19
8.1 Luminous flux	19
8.2 Luminous intensity distribution, peak intensity and beam angle.....	19
8.2.1 General	19
8.2.2 Measurement.....	19
8.2.3 Luminous intensity distribution.....	20
8.2.4 Peak intensity value.....	20
8.2.5 Beam angle value	20
8.3 Luminous efficacy	20
9 Chromaticity coordinates, correlated colour temperature (CCT) and colour rendering.....	20
9.1 Chromaticity coordinates.....	20
9.2 Correlated colour temperature (CCT)	21
9.3 Colour rendering index (CRI)	21
10 LED module life	22
10.1 General.....	22
10.2 Lumen maintenance.....	22
10.3 Endurance tests	23
10.3.1 General	23
10.3.2 Temperature cycling test	24
10.3.3 Supply switching test	25
10.3.4 Accelerated operation life test	25
11 Verification	26
12 Information for luminaire design.....	26

Annex A (normative) Method of measuring LED module characteristics	27
A.1 General.....	27
A.2 Electrical characteristics	28
A.2.1 Test voltage, current or power	28
A.2.2 Ageing	28
A.3 Photometric characteristics	28
A.3.1 Test voltage, current or power	28
A.3.2 Luminous flux	28
A.3.3 Luminous intensity distribution.....	28
A.3.4 Peak intensity	29
A.3.5 Beam angle	29
A.3.6 Colour rendering.....	29
A.3.7 Chromaticity coordinate values	29
Annex B (informative) Information for luminaire design	30
B.1 Temperature stability	30
B.2 Binning procedure of white colour LEDs.....	30
B.3 Ingress protection	30
Annex C (informative) Explanation of recommended LED product lifetime metrics.....	31
C.1 General.....	31
C.2 Life time specification for gradual light output degradation	32
C.3 Lifetime specification for abrupt light output degradation.....	33
C.4 Combined gradual and abrupt light output degradation	33
C.5 Overview of LED lifetime metrics and related lighting product groups.....	35
C.6 Example lifetime metric values	36
Annex D (normative) Explanation of the photometric code	38
Annex E (normative) Measurement of displacement factor	39
E.1 General.....	39
E.2 Phase shift angle definition	39
E.3 Measurements requirements	40
E.3.1 Measurement circuit and supply source	40
E.3.2 Requirements for measurement equipment.....	40
E.3.3 Test conditions	40
Annex F (informative) Explanation of displacement factor	41
F.1 General.....	41
F.2 Recommended values for displacement factor	42
Annex G (informative) Examples of LED dies and LED packages.....	43
G.1 LED die.....	43
G.2 LED package	44
Annex H (informative) Test equipment for temperature measurement	45
H.1 General.....	45
H.2 Set-up and procedure	45
Annex I (normative) Use of IES LM-80 for lumen maintenance, colour rendering index and maintained chromaticity coordinates data	46
I.1 General.....	46
I.2 Criteria for the use of IES LM-80.....	46
I.2.1 LED package data used for LED modules	46
I.2.2 LED module with IES LM-80 data	46
I.2.3 Boundary conditions	46

I.3	Compliance criteria	47
I.3.1	Chromaticity coordinates	47
I.3.2	Colour rendering index (CRI)	47
I.3.3	Lumen maintenance factor.....	47
	Bibliography.....	48
	Figure 1 – Types of LED modules	9
	Figure 2 – Luminous flux depreciation over test time.....	23
	Figure C.1 – Lumen output over life of a LED-based luminaire comprised of a single LED module	31
	Figure C.2 – Life time specification for gradual light output degradation.....	32
	Figure C.3 – Reliability curve R_{abrupt} for abrupt light output degradation	33
	Figure C.4 – Reliability curve R_{gradual} for gradual light output degradation	34
	Figure C.5 – Combined R_{gradual} and R_{abrupt} degradation	35
	Figure C.6 – Overview of LED lifetime metrics	36
	Figure E.1 – Definition of the fundamental current phase shift angle ϕ_1 (I_1 leads U_{mains} , $\phi_1 > 0$)	39
	Figure E.2 – Definition of the fundamental current phase shift angle ϕ_1 (I_1 lags U_{mains} , $\phi_1 < 0$)	40
	Figure G.1 – Schematic drawings of LED dies	43
	Figure G.2 – Schematic drawings of LED packages	44
	Table 1 – Mandatory marking and location of marking ¹	15
	Table 2 – LED module life time information	16
	Table 3 – Optional marking and location of marking	16
	Table 4 – Allowed variations within a family	18
	Table 5 – Tolerance (categories) on rated chromaticity coordinate values.....	21
	Table 6 – Lumen maintenance code at an operational time as stated in 6.1	22
	Table 7 – Sample sizes.....	26
	Table C.1 – Example lifetime metric values for lumen maintenance factor ratings	36
	numbers in %.....	36
	Table C.2 – Example lifetime metric values for abrupt failure	37
	numbers in %.....	37
	Table C.3 – Example lifetime metric values of x for median LED lamp life (combined failures)	37
	numbers in %.....	37
	Table C.4 – Example lifetime metric values.....	37
	Table F.1 – Recommended values for displacement factor.....	42

INTERNATIONAL ELECTROTECHNICAL COMMISSION

LED MODULES FOR GENERAL LIGHTING – PERFORMANCE REQUIREMENTS

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

DISCLAIMER

This Consolidated version is not an official IEC Standard and has been prepared for user convenience. Only the current versions of the standard and its amendment(s) are to be considered the official documents.

This Consolidated version of IEC 62717 bears the edition number 1.1. It consists of the first edition (2014-12) [documents 34A/1796/FDIS and 34A/1817/RVD] and its amendment 1 (2015-09) [documents 34A/1853/FDIS and 34A/1870/RVD]. The technical content is identical to the base edition and its amendment.

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendment 1. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.

International Standard IEC 62717 has been prepared by subcommittee 34A: Lamps, of IEC technical committee 34: Lamps and related equipment.

This edition includes the following significant technical changes with respect to IEC PAS 62717.

- all terms and definitions are aligned with IEC 62504 and relevant documents of CIE. For example, general terms like “rated value” are shifted to IEC 62504.
- a statement on the applicability on a population is included.
- the normative references are completed and cleaned from standards that are not in use.
- with regard to EMC, references to harmonic currents are given.
- the change, which has an effect on most parts of the standard, is the split of failure mechanisms into abrupt failures and luminous flux depreciation. Consequently, new terms and definitions, new requirements for lumen maintenance and a complete new structure and contents of Annex C are introduced.
- transition from t_{pmax} to t_{prated} is made, with the background that there is not one t_{pmax} , but a choice of $t_p(rated)$ values, in combination with lifetime.
- places where to mark (product, packaging, data sheets) are changed, and as a consequence of the split of failure mechanisms, new parameters are listed. Further, changes in the endurance test (ramping speed of temperature) are reflected in marking.
- the concept of displacement factor instead of power factor is introduced. This led to new definitions, requirements and Annexes E and F.
- the requirements on luminous efficacy are changed.
- the requirements, associated with the family concept are reviewed.
- statistics, based on confidence intervals are removed. This concerns requirements and limits for LED module power and luminous flux and deletion of Annex E.
- new requirements for lumen maintenance are introduced.
- as part of the endurance test, the maximum light decrease after accelerated operation life test is now fixed.
- with regard to the discussion on type test and sample size, the number of pieces in a test sample is drastically reduced, see Table 7.
- Annex A on measuring methods is completely restructured and reviewed, for example for ambient temperature and for shortening of stabilisation time when conducting subsequent light output measurements.
- for electrical characteristics, the ageing time may be chosen as 500 h.
- for photometric data file formats, reference is given to IEC 62722-1.
- mistakes in the photometric code (Annex D) are corrected.
- Annex G on optimised test duration is removed; instead, an INF sheet shall be published.
- from the luminaire standard, a new Annex H on “Test equipment for temperature measurement” is taken over.
- finally, the Bibliography is updated.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

In this standard, the following print types are used:

- requirements: roman type.
- *test specifications: italic type.*
- notes: smaller roman type.

The committee has decided that the contents of the base publication and its amendment will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

The first edition of a performance standard (precursor: IEC PAS 62717) for LED modules for general lighting applications acknowledges the need for relevant tests for this new source of electrical light, sometimes called “solid state lighting”. The publication is closely related to simultaneously developed performance standard publication (which also started with a Publicly Available Specification) for luminaires in general (IEC 62722-1) and for LED-luminaires (IEC 62722-2-1). Changes in the LED module standard will have an impact on the luminaire standards and vice versa, due to the behaviour of LED. Therefore, in the development of the present standard, a close collaboration between experts of both products has taken place.

The provisions in the standard represent the technical knowledge of experts from the fields of the semiconductor (LED chip) industry and of those of the traditional electrical light sources.

Three types of LED-modules are covered: with integral controlgear, with means of control on board, but with separate controlgear (“semi-ballasted”), and with complete separate controlgear.

LED MODULES FOR GENERAL LIGHTING – PERFORMANCE REQUIREMENTS

1 Scope


1.1 General

This International Standard specifies the performance requirements for LED modules, together with the test methods and conditions, required to show compliance with this standard. The following types of LED modules are distinguished and schematically shown in Figure 1:

Type 1: integrated LED modules for use on d.c. supplies up to 250 V or on a.c. supplies up to 1 000 V at 50 Hz or 60 Hz.

Type 2: LED modules operating with part of separate controlgear connected to the mains voltage, and having further control means inside (“semi-integrated”) for operation under constant voltage, constant current or constant power.

Type 3: LED modules where the complete controlgear is separate from the module (non-integrated) for operation under constant voltage, constant current or constant power.



IEC

The power supply of the controlgear for semi-ballasted LED modules (Type 2) is an electronic device capable of controlling currents, voltage or power within design limits.

The control unit of the controlgear for semi-ballasted LED modules (Type 2) is an electronic device to control the electrical energy to the LEDs.

A LED module with separate controlgear can be either a non-ballasted LED module or a semi-ballasted LED module.

Figure 1 – Types of LED modules

The requirements of this standard relate only to type testing.

Recommendations for whole product testing or batch testing are under consideration.

This standard covers LED modules, based on inorganic LED technology that produces white light.

Life time of LED modules is in most cases much longer than the practical test times. Consequently, verification of manufacturer's life time claims cannot be made in a sufficiently confident way, because projecting test data further in time is not standardised. For that reason the acceptance or rejection of a manufacturer's life time claim, past an operational time as stated in 6.1, is out of the scope of this standard.

Instead of life time validation this standard has opted for lumen maintenance codes at a defined finite test time. Therefore, the code number does not imply a prediction of achievable life time. The categories, represented by the code, are lumen-depreciation character categories showing behaviour in agreement with manufacturer's information which is provided before the test is started.

In order to validate a life time claim, an extrapolation of test data is needed. A general method of projecting measurement data beyond limited test time is under consideration.

The pass/fail criterion of the life time test as defined in this standard is different from the life time metrics claimed by manufacturers. For explanation of recommended life time metrics, see Annex C.

NOTE When modules are operated in a luminaire, the claimed performance data can deviate from the values established via this standard due to e.g. luminaire components that impact the performance of the LED module.

The separate electronic controlgear for LED modules as mentioned in Type 2 and Type 3 is not part of the testing against the requirements of this standard.

Protection for water and dust ingress, see B.3.

1.2 Statement

It may be expected that integrated LED modules which comply with this standard will start and operate satisfactorily at voltages between 92 % and 106 % of rated supply voltage. LED modules with separate controlgear are expected to start and operate satisfactorily in combination with the specified controlgear complying with IEC 61347-2-13 and IEC 62384. All LED modules are expected to start and operate satisfactorily when operated under the conditions specified by the LED module manufacturer and in a luminaire complying with IEC 60598-1.

The requirements for individuals apply for 95 % of the population.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-845:1987, *International Electrotechnical Vocabulary – Chapter 845: Lighting*

IEC 60068-2-14, *Environmental testing – Part 2-14: Tests – Test N: Change of temperature*

IEC 60068-3-5:2001, *Environmental testing – Part 3-5: Supporting documentation and guidance – Confirmation of the performance of temperature chambers*

IEC 60081, *Double-capped fluorescent lamps – Performance specifications*

IEC 61000-3-2:2005¹, *Electromagnetic compatibility (EMC) – Part 3-2: Limits – Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)*

IEC 61000-3-2:2005/AMD 1:2008

IEC 61000-3-2:2005/AMD 2:2009

IEC 61000-4-7, *Electromagnetic compatibility (EMC) – Part 4-7: Testing and measurement techniques – General guide on harmonics and interharmonics measurements and instrumentation, for power supply systems and equipment connected thereto*

IEC TR 61341, *Method of measurement of centre beam intensity and beam angle(s) of reflector lamps*

IEC 61347-2-13, *Lamp controlgear – Part 2-13: Particular requirements for d.c. or a.c. supplied electronic controlgear for LED modules*

IEC 62031:2008, *LED modules for general lighting – Safety specifications*

IEC 62504, *General lighting – Light emitting diode (LED) products and related equipment – Terms and definitions*

CIE 13.3:1995, *Method of measuring and specifying colour rendering properties of light sources*

CIE 121:1996, *The photometry and goniophotometry of luminaires*

CIE 177:2007, *Colour rendering of white LED light sources*

IES LM-80, *IES Approved Method: Measuring Lumen Maintenance of LED Light Sources*

¹ Third edition. This edition has been replaced in 2014 by IEC 61000-3-2:2014, *Electromagnetic compatibility (EMC) – Part 3-2: Limits – Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)*.