



Fastställd

Utgåva

Sida

Ansvarig kommitté

SFK TK 65

2017-09-06 2 1 (1+44)

© Copyright SEK. Reproduction in any form without permission is prohibited.

Elektrisk utrustning för mätning, styrning och laboratorieändamål – EMC-fordringar –

Del 3-1: Immunitetsfordringar på system av betydelse för säkerheten (säkerhetskritiska system) och på utrustning med säkerhetsfunktion – Allmänna tillämpningar i industri

Electrical equipment for measurement, control and laboratory use – EMC requirements –

Part 3-1: Immunity requirements for safety-related systems and for equipment intended to perform safety-related functions (functional safety) – General industrial applications

Som svensk standard gäller europastandarden EN 61326-3-1:2017. Den svenska standarden innehåller den officiella engelska språkversionen av EN 61326-3-1:2017.

Nationellt förord

Europastandarden EN 61326-3-1:2017

består av:

- europastandardens ikraftsättningsdokument, utarbetat inom CENELEC
- IEC 61326-3-1, Second edition, 2017 Electrical equipment for measurement, control and laboratory use EMC requirements Part 3-1: Immunity requirements for safety-related systems and for equipment intended to perform safety-related functions (functional safety) General industrial applications

utarbetad inom International Electrotechnical Commission, IEC.

Standarden ska användas tillsammans med SS-EN 61326-1.

Tidigare fastställd svensk standard SS-EN 61326-3-1, utgåva 1, 2009, gäller ej fr o m 2020-06-20.

ICS 25.040.40; 33.100.20

Denna standard är fastställd av SEK Svensk Elstandard, som också kan lämna upplysningar om **sakinnehållet** i standarden. Postadress: Box 1284, 164 29 KISTA Telefon: 08 - 444 14 00. E-post: sek@elstandard.se. Internet: www.elstandard.se

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284 164 29 Kista Tel 08-444 14 00 www.elstandard.se

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 61326-3-1

July 2017

ICS 25.040.40; 33.100.20

Supersedes EN 61326-3-1:2008

English Version

Electrical equipment for measurement, control and laboratory use - EMC requirements - Part 3-1: Immunity requirements for safety-related systems and for equipment intended to perform safety-related functions (functional safety) - General industrial applications

(IEC 61326-3-1:2017)

Matériel électrique de mesure, de commande et de laboratoire - Exigences relatives à la CEM - Partie 3-1: Exigences d'immunité pour les systèmes relatifs à la sécurité et pour les matériels destinés à réaliser des fonctions relatives à la sécurité (sécurité fonctionnelle) - Applications industrielles générales (IEC 61326-3-1:2017)

Elektrische Mess-, Steuer-, Regel- und Laborgeräte - EMV-Anforderungen - Teil 3-1: Störfestigkeitsanforderungen für sicherheitsbezogene Systeme und für Geräte, die für sicherheitsbezogene Funktionen vorgesehen sind (Funktionale Sicherheit) - Allgemeine industrielle Anwendungen (IEC 61326-3-1:2017)

This European Standard was approved by CENELEC on 2017-06-20. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

© 2017 CENELEC All rights of exploitation in any form and by any means reserved worldwide for CENELEC Members.

European foreword

The text of document 65A/819/FDIS, future edition 2 of IEC 61326-3-1, prepared by SC 65A "System aspects", of IEC/TC 65 "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61326-3-1:2017.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with (dow) 2020-06-20 the document have to be withdrawn

This document supersedes EN 61326-3-1:2008.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61326-3-1:2017 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60204-1:2005	NOTE	Harmonized as EN 60204-1:2006.
IEC 61000 (series)	NOTE	Harmonized as EN 61000 (series).
IEC 61000-1-2:2005	NOTE	Harmonized as EN 60204-1:2006.
IEC 61000-6-5	NOTE	Harmonized as EN 61000-6-5.
IEC 61000-6-7	NOTE	Harmonized as EN 61000-6-7.
IEC 61326-2-1:2012	NOTE	Harmonized as EN 61326-2-1:2013.
IEC 61326-2-2:2012	NOTE	Harmonized as EN 61326-2-2:2013.
IEC 61326-2-3:2012	NOTE	Harmonized as EN 61326-2-3:2013.
IEC 61326-2-4:2012	NOTE	Harmonized as EN 61326-2-4:2013.
IEC 61326-2-5:2012	NOTE	Harmonized as EN 61326-2-5:2013.
IEC 61326-3-1:2008	NOTE	Harmonized as EN 61326-3-1:2008.
IEC 61508 (series)	NOTE	Harmonized as EN 61508 (series).

EN 61326-3-1:2017

IEC 61508-1:2010	NOTE	Harmonized as EN 61508-1:2010.
IEC 61508-4:2010	NOTE	Harmonized as EN 61508-4:2010.
IEC 61511 (series)	NOTE	Harmonized as EN 61511 (series).
IEC 61784-3	NOTE	Harmonized as EN 61784-3.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

Publication IEC 60050-161	<u>Year</u> -	Title EN/HD International Electrotechnical Vocabulary- (IEV) Chapter 161: Electromagnetic	<u>Year</u> -
IEC 61000-4-2	2008	compatibility Electromagnetic compatibility (EMC) PartEN 61000-4-2 4-2: Testing and measurement techniques - Electrostatic discharge immunity test	2009
IEC 61000-4-3	2006	Electromagnetic compatibility (EMC) PartEN 61000-4-3 4-3: Testing and measurement techniques - Radiated, radio-frequency, electromagnetic field immunity test	2006
+ A1	2007	+ A1	2008
+ A2	2010	+ A2	2010
IEC 61000-4-4	2012	Electromagnetic compatibility (EMC) PartEN 61000-4-4 4-4: Testing and measurement techniques - Electrical fast transient/burst immunity test	2012
IEC 61000-4-5	2014	Electromagnetic compatibility (EMC) - PartEN 61000-4-5 4-5: Testing and measurement techniques - Surge immunity test	2014
IEC 61000-4-6	2013	Electromagnetic compatibility (EMC) PartEN 61000-4-6 4-6: Testing and measurement techniques - Immunity to conducted disturbances, induced by radio-frequency fields	2014
IEC 61000-4-8	2009	Electromagnetic compatibility (EMC) PartEN 61000-4-8 4-8: Testing and measurement techniques - Power frequency magnetic field immunity test	2010
IEC 61000-4-11	2004	Electromagnetic compatibility (EMC) PartEN 61000-4-11 4-11: Testing and measurement techniques - Voltage dips, short interruptions and voltage variations immunity tests	2004
IEC 61000-4-16	2015	Electromagnetic compatibility (EMC) - PartEN 61000-4-16 4-16: Testing and measurement techniques - Test for immunity to conducted, common mode disturbances in the frequency range 0 Hz to 150 kHz	2016

EN 61326-3-1:2017

IEC 61000-4-29	2000	Electromagnetic compatibility (EMC) PartEN 61000-4-29 4-29: Testing and measurement techniques - Voltage dips, short interruptions and voltage variations on d.c. input power port immunity tests	2000
IEC 61000-4-34	2005	Electromagnetic compatibility (EMC) PartEN 61000-4-34 4-34: Testing and measurement techniques - Voltage dips, short interruptions and voltage variations immunity tests for equipment with input current more than 16 A per phase	2007
+ A1	2009	· · · + A1	2009
IEC 61000-6-2	2016	Electromagnetic compatibility (EMC) - PartEN 61000-6-2 6-2: Generic standards - Immunity standard for industrial environments	2017
IEC 61326-1	2012	Electrical equipment for measurement,EN 61326-1 control and laboratory use - EMC requirements Part 1: General requirements	2013
IEC 61326-3-2	-	· •	-
IEC 61508-2	2010	Functional safety of EN 61508-2 electrical/electronic/programmable electronic safety-related systems Part 2: Requirements for electrical/electronic/programmable electronic safety-related systems	2010

CONTENTS

2 Normative references 8 3 Terms, definitions and abbreviations 9 3.1 Terms and definitions 9 3.2 Abbreviations 12 4 General 13 5 EMC test plan 13 5.1 General 13 5.2 Instruction for testing 13 5.3 Configuration of EUT during testing 14 5.3.1 General 14 5.3.2 Composition of EUT 14 5.3.3 Assembly of EUT 14 5.3.4 I/O ports 14 5.3.5 Auxiliary equipment (AE) 14 5.3.6 Cabling and earthing (grounding) 14 5.4 Operation conditions of EUT during testing 14 5.4.1 Operation modes 14 5.4.2 Environmental conditions 15 5.4.3 EUT software during test 15 5.5 Specification of performance criteria 15 5.6 Test description 15 6.1 Performance criterion DS <td< th=""><th>F</th><th>DREWO</th><th>RD</th><th>4</th></td<>	F	DREWO	RD	4
2 Normative references 8 3 Terms, definitions and abbreviations 9 3.1 Terms and definitions 9 3.2 Abbreviations 12 4 General 13 5 EMC test plan 13 5.1 General 13 5.2 Instruction for testing 13 5.3 Configuration of EUT during testing 14 5.3.2 Composition of EUT 14 5.3.3 Assembly of EUT 14 5.3.4 I/O ports 14 5.3.5 Auxiliary equipment (AE) 14 5.3.6 Cabling and earthing (grounding) 14 5.4 Operation conditions of EUT during testing 14 5.4 Operation modes 14 5.4 Operation onditions of EUT during testing 14 5.4 Operation of orditions of EUT during testing 14 5.4.1 Operation modes 14 5.4.2 Environmental conditions 15 5.5 <td>IN</td> <td>TRODU</td> <td>CTION</td> <td>6</td>	IN	TRODU	CTION	6
3 Terms definitions and abbreviations 9 3.1 Terms and definitions 9 3.2 Abbreviations 12 4 General 13 5 EMC test plan 13 5.1 General 13 5.2 Instruction for testing 13 5.3 Configuration of EUT during testing 14 5.3.1 General 14 5.3.2 Composition of EUT 14 5.3.3 Assembly of EUT 14 5.3.5 Auxiliary equipment (AE) 14 5.3.6 Cabling and earthing (grounding) 14 5.4.0 Operation conditions of EUT during testing 14 5.4.1 Operation modes 14 5.4.2 Environmental conditions 15 5.4.3 EUT software during test 15 5.5 Specification of performance criteria 15 5.6 Test description 15 6 Performance criterion DS 15 6.1 Performance criterion DS 16 6.2 Application of the performance criterion DS 16 6.3 Aspects to be considered during application of performance criterion DS 16 6.2 Test phillosophy for guipment intended	1	Scop	e	8
3.1 Terms and definitions. 9 3.2 Abbreviations 12 4 General. 13 5 EMC test plan. 13 5.1 General. 13 5.2 Instruction for testing. 13 5.3 Configuration of EUT during testing. 14 5.3.1 General. 14 5.3.2 Composition of EUT 14 5.3.3 Assembly of EUT. 14 5.3.4 I/O ports 14 5.3.5 Auxiliary equipment (AE). 14 5.3.6 Cabling and earthing (grounding). 14 5.4 Operation conditions of EUT during testing. 14 5.4.1 Operation modes. 14 5.4.2 Environmental conditions. 15 5.4.3 EUT software during test. 15 5.5 Specification of performance criteria. 15 5.6 Test description. 15 6.1 Performance criterion DS. 15 6.2 Application of the performance criterion DS. 16 6.3 Aspects to be consi	2	Norm	ative references	8
3.2 Abbreviations 12 4 General 13 5 EMC test plan 13 5.1 General 13 5.2 Instruction for testing 13 5.3 Configuration of EUT during testing 14 5.3.1 General 14 5.3.2 Composition of EUT 14 5.3.3 Assembly of EUT 14 5.3.4 I/O ports 14 5.3.5 Auxiliary equipment (AE) 14 5.3.6 Cabling and earthing (grounding) 14 5.4 Operation conditions of EUT during testing 14 5.4 Operation conditions of EUT during testing 14 5.4 Operation modes 14 5.4.1 Operation conditions 15 5.4.2 Environmental conditions 15 5.4.2 Environmental conditions 15 5.5 Specification of performance criteria 15 5.6 Test description 15 6.7 Test description 15 6.1 Performance criterion DS	3	Term	s, definitions and abbreviations	9
4 General 13 5 EMC test plan 13 5.1 General 13 5.2 Instruction for testing 13 5.3 Configuration of EUT during testing 14 5.3.1 General 14 5.3.2 Composition of EUT 14 5.3.3 Assembly of EUT 14 5.3.4 I/O ports 14 5.3.5 Auxiliary equipment (AE) 14 5.3.6 Cabling and earthing (grounding) 14 5.4 4 Operation conditions of EUT during testing 14 5.4.1 Depration modes 14 5.4.2 Environmental conditions 15 5.4.3 EUT software during test 15 5.5 Specification of performance criteria 15 5.6 Test description 15 6 Performance criteria 15 5.6 Test description of performance criteria 15 6.1 Performance criteria 15 6.2 Application of the performance criteria 15 6.3 <td></td> <td>3.1</td> <td>Terms and definitions</td> <td>9</td>		3.1	Terms and definitions	9
5 EMC test plan. 13 5.1 General. 13 5.2 Instruction for testing. 13 5.3 Configuration of EUT during testing. 14 5.3.1 General. 14 5.3.2 Composition of EUT. 14 5.3.3 Assembly of EUT. 14 5.3.4 I/O ports. 14 5.3.5 Auxiliary equipment (AE). 14 5.3.6 Cabling and earthing (grounding). 14 5.4 Operation conditions of EUT during testing. 14 5.4.1 Operation modes. 14 5.4.2 Environmental conditions. 15 5.4.3 EUT software during test 15 5.5 Specification of performance criteria 15 5.6 Test description 15 6 Performance criteria 15 6.1 Performance criteria 15 6.2 Application of the performance criterion DS 16 6.3 Aspects to be considered during application of performance criterion DS 16 6.2 Application of the performance criterion particles of the performance criterion pa		3.2	Abbreviations	12
5.1 General 13 5.2 Instruction for testing 13 5.3 Configuration of EUT during testing 14 5.3.1 General 14 5.3.2 Composition of EUT 14 5.3.3 Assembly of EUT 14 5.3.4 I/O ports 14 5.3.5 Auxiliary equipment (AE) 14 5.3.6 Cabling and earthing (grounding) 14 5.4 Operation conditions of EUT during testing 14 5.4.1 Operation modes 14 5.4.2 Environmental conditions 15 5.4.2 Environmental conditions 15 5.4.3 EUT software during test 15 5.5 Specification of performance criteria 15 5.6 Test description 15 6 Performance criteria 15 6.1 Performance criterion DS 15 6.2 Application of the performance criterion DS 16 6.3 Aspects to be considered during application of performance criterion DS 16 6.1 Performance criteria	4	Gene	ral	13
5.2 Instruction for testing 13 5.3 Configuration of EUT during testing 14 5.3.1 General 14 5.3.2 Composition of EUT 14 5.3.3 Assembly of EUT 14 5.3.4 I/O ports 14 5.3.5 Auxiliary equipment (AE) 14 5.3.6 Cabling and earthing (grounding) 14 5.4 Operation conditions of EUT during testing 14 5.4.1 Operation modes 14 5.4.2 Environmental conditions 15 5.4.3 EUT software during test 15 5.5 Specification of performance criteria 15 5.6 Test description 15 6.1 Performance criterion DS 15 6.2 Application of the performance criterion DS 16 6.3 Aspects to be considered during application of performance criterion DS 16 6.1 Performance criteria 17 8 Test set-up and test philosophy for EUTs with functions intended for safety applications 22 8.1 Testing of safety-related systems and equipme	5	EMC	test plan	13
5.2 Instruction for testing 13 5.3 Configuration of EUT during testing 14 5.3.1 General 14 5.3.2 Composition of EUT 14 5.3.3 Assembly of EUT 14 5.3.4 I/O ports 14 5.3.5 Auxiliary equipment (AE) 14 5.3.6 Cabling and earthing (grounding) 14 5.4 Operation conditions of EUT during testing 14 5.4.1 Operation modes 14 5.4.2 Environmental conditions 15 5.4.3 EUT software during test 15 5.5 Specification of performance criteria 15 5.6 Test description 15 6.1 Performance criterion DS 15 6.2 Application of the performance criterion DS 16 6.3 Aspects to be considered during application of performance criterion DS 16 6.1 Performance criteria 17 8 Test set-up and test philosophy for EUTs with functions intended for safety applications 22 8.1 Testing of safety-related systems and equipme		5.1	General	13
5.3 Configuration of EUT during testing 14 5.3.1 General 14 5.3.2 Composition of EUT 14 5.3.3 Assembly of EUT 14 5.3.4 I/O ports 14 5.3.5 Auxiliary equipment (AE) 14 5.3.6 Cabling and earthing (grounding) 14 5.4 Operation modes 14 5.4.1 Operation modes 14 5.4.2 Environmental conditions 15 5.4.3 EUT software during test 15 5.5 Specification of performance criteria 15 5.6 Test description 15 6.1 Performance criteria 15 6.1 Performance criterion DS 15 6.2 Application of the performance criterion DS 16 6.3 Aspects to be considered during application of performance criterion DS 16 6.1 Test set-up and test philosophy for EUTs with functions intended for safety applications 22 8.1 Testing of safety-related systems and equipment intended to be used in safety-related systems 22 8.2		5.2		
5.3.2 Composition of EUT 14 5.3.3 Assembly of EUT 14 5.3.4 I/O ports 14 5.3.5 Auxiliary equipment (AE) 14 5.3.6 Cabling and earthing (grounding) 14 5.4 Operation conditions of EUT during testing 14 5.4.1 Operation modes 14 5.4.2 Environmental conditions 15 5.4.3 EUT software during test 15 5.5 Specification of performance criteria 15 6.6 Test description 15 6.1 Performance criterion DS 15 6.2 Application of the performance criterion DS 16 6.3 Aspects to be considered during application of performance criterion DS 16 6.1 Performance criterion DS 16 6.2 Application of the performance criterion DS 16 6.3 Aspects to be considered during application of performance criterion DS 16 6.3 Aspects to be considered during application of performance criterion DS 16 7 Immunity requirements 22 8.1		5.3	G	
5.3.3 Assembly of EUT 14 5.3.4 I/O ports 14 5.3.5 Auxiliary equipment (AE) 14 5.3.6 Cabling and earthing (grounding) 14 5.4 Operation conditions of EUT during testing 14 5.4.1 Operation modes 14 5.4.2 Environmental conditions 15 5.4.3 EUT software during test 15 5.5 Specification of performance criteria 15 6.6 Test description 15 6.7 Test description 15 6.1 Performance criterian 15 6.2 Application of the performance criterion DS 16 6.3 Aspects to be considered during application of performance criterion DS 16 6.3 Aspects to be considered during application of performance criterion DS 16 6.3 Aspects to be considered during application of performance criterion DS 16 6.3 Aspects to be considered during application of performance criterion DS 16 7 Immunity requirements 22 8.1 Testing of safety-related systems and equipment intended to be us		5.3.1	General	14
5.3.4 I/O ports		5.3.2	Composition of EUT	14
5.3.5 Auxiliary equipment (AE)		5.3.3	Assembly of EUT	14
5.3.6 Cabling and earthing (grounding)		5.3.4	I/O ports	14
5.4 Operation conditions of EUT during testing		5.3.5	Auxiliary equipment (AE)	14
5.4.1 Operation modes		5.3.6	Cabling and earthing (grounding)	14
5.4.2 Environmental conditions		5.4	·	
5.4.3 EUT software during test		5.4.1	·	
5.5 Specification of performance criteria		_		
5.6 Test description			3	
6 Performance criteria			· ·	
6.1 Performance criterion DS	_		•	
6.2 Application of the performance criterion DS	6			
6.3 Aspects to be considered during application of performance criterion DS		_		
7 Immunity requirements			··	
8 Test set-up and test philosophy for EUTs with functions intended for safety applications	7			
applications				. 17
8.1 Testing of safety-related systems and equipment intended to be used in safety-related systems	8			22
safety-related systems				
8.3 Test philosophy for safety-related systems				22
8.4 Test configuration and test performance 23 8.5 Monitoring 24 9 Test results and test report 24 Annex A (informative) Approaches on how to apply IEC 61326-3 series 27 Annex B (informative) Evaluation of electromagnetic phenomena 30 Annex C (informative) Allowed effects during immunity tests 34 Bibliography 39 Figure 1 – Typical test set-up for equipment intended for use in safety-related system,		8.2	Test philosophy for equipment intended for use in safety-related systems	.22
8.5 Monitoring		8.3	Test philosophy for safety-related systems	23
9 Test results and test report		8.4	· ·	
Annex A (informative) Approaches on how to apply IEC 61326-3 series				
Annex B (informative) Evaluation of electromagnetic phenomena	9	Test	results and test report	24
Annex C (informative) Allowed effects during immunity tests	Ar	nnex A (informative) Approaches on how to apply IEC 61326-3 series	27
Bibliography	Ar	nnex B (informative) Evaluation of electromagnetic phenomena	30
Figure 1 – Typical test set-up for equipment intended for use in safety-related system,	Ar	nnex C (informative) Allowed effects during immunity tests	34
	Bi	bliograp	hy	39
				.25

Figure 2 – Typical test set-up for equipment intended for use in a safety-related system integrated into a representative safety-related system during test	26
Figure A.1 – Correlation between the standards IEC 61326-1, IEC 61326-2-x, IEC 61326-3-1 and IEC 61326-3-2	29
Figure B.1 – Emission/immunity levels and compatibility level, with an example of emission/immunity levels for a single emitter and susceptor, as a function of some independent variables (see IEC TR 61000-1-1)	31
Table 1 – Reaction of EUT during test	16
Table 2 – Immunity test requirements – Enclosure port	17
Table 3 – Immunity test requirements – Input and output AC power ports	18
Table 4 – Immunity test requirements – Input and output DC power ports	19
Table 5 – Immunity test requirements – I/O signal/control ports	19
Table 6 – Immunity test requirements – I/O signal/control ports connected direct to power supply networks	20
Table 7 – Immunity test requirements – Functional earth port	20
Table 8 – Frequency ranges of mobile transmitters and ISM equipment for tests with electromagnetic fields	21
Table 9 – Frequency ranges of mobile transmitters and ISM equipment for the conducted RF tests	22
Table 10 – Applicable performance criteria and observed behaviour during test for equipment intended for use in safety-related systems	23
Table B.1 – Exemplary considerations on electromagnetic phenomena and test levels with regard to functional safety in industrial applications	33
Table C.1 – Allowed effects during immunity tests on functions of equipment	35
Table C.2 – Allowed effects during immunity tests on functions of a system	37

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTRICAL EQUIPMENT FOR MEASUREMENT, CONTROL AND LABORATORY USE – EMC REQUIREMENTS –

Part 3-1: Immunity requirements for safety-related systems and for equipment intended to perform safety-related functions (functional safety) – General industrial applications

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61326-3-1 has been prepared by subcommittee 65A: System aspects, of IEC technical committee 65: Industrial-process measurement, control and automation.

This second edition cancels and replaces the first edition published in 2008. This edition constitutes a technical revision. This edition includes the following significant technical changes with respect to the previous edition:

- extension of the frequency range up to 6 GHz for the radio-frequency electromagnetic field test according to IEC 61000-4-3,
- replacement of the performance criterion FS with DS according to the generic standard IEC 61000-6-7.
- adding Table 1 Aspects to be considered during application of performance criterion DS,

- including immunity tests for devices with current consumption > 16 A according to IEC 61000-4-34,
- updating Table 8 Frequency ranges of mobile transmitters and ISM equipment,
- updating Figure A.1 and Figure 1 for better readability.

IEC 61326-3-1 is to be read in conjunction with IEC 61326-1.

The text of this standard is based on the following documents:

FDIS	Report on voting
65A/819/FDIS	65A/825/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts of the IEC 61326 series, under the general title *Electrical equipment for measurement, control and laboratory use - EMC requirements*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- · withdrawn,
- · replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

Functional safety is that part of the overall safety relating to the equipment under control (EUC) and the EUC control system which depends on the correct functioning of the electrical safety-related systems. To achieve this, all items of equipment of the safety-related system which are involved in the performance of the safety functions must behave in a specified manner under all relevant conditions.

The IEC basic safety publication for functional safety of electrical/electronic/programmable electronic safety-related systems is IEC 61508. It sets the overall requirements to achieve functional safety. Sufficient immunity to electromagnetic disturbances is one of those requirements.

The concept of IEC 61508 distinguishes between the consideration of the application and the design of safety-related electrical and electronic systems. The overall safety requirements specification specifies all relevant requirements of the intended application, as follows:

- a) definition of the safety functions, based on a risk assessment of the intended application (which functions are intended to reduce risk);
- b) appropriate safety integrity level (SIL) for each safety-function based on a risk assessment of the intended application;
- c) definition of the environment in which the system is intended to work including the electromagnetic environment as required by IEC 61508-2.

The requirements for each safety function are then specified in one or more system safety requirements specifications (SSRS). Hence, with regard to immunity against electromagnetic phenomena, the essential starting point is that the electromagnetic environment and its phenomena are considered in the SSRS, as required by IEC 61508. The safety-related system intended to implement the specified safety function has to fulfil the SSRS, and, from it, corresponding immunity requirements have to be derived for the items of equipment, which results in an equipment requirement specification. With respect to the electromagnetic environment, the SSRS and the equipment requirement specification should be based on a competent assessment of the foreseeable electromagnetic threats in the real environment over the whole operational life of the equipment. Hence, immunity requirements for the equipment depend on the characteristics of the electromagnetic environment in which the equipment is intended to be used.

The equipment manufacturer, therefore, has to prove that the equipment fulfils the equipment requirement specification and the system integrator must prove that the system fulfils the SSRS. Evidence has to be produced by application of appropriate methods. They do not need to consider any other aspects of the application, for example, risk of the application associated to any failure of the safety-related system. The objective is for all equipment in the system to comply with particular performance criteria taking into account functional safety aspects (for example, the performance criterion DS) up to levels specified in the SSRS independent of the required safety integrity level (SIL).

For approaches on how to apply IEC 61326-3 series, see Annex A.

There exists meanwhile the generic EMC standard IEC 61000-6-7 dealing with functional safety aspects in industrial environments. Generic EMC standards are designed to apply for a defined electromagnetic environment, to products for which no dedicated product family EMC/product EMC standards exist. However, for the equipment in the scope of this document, the information given in the generic EMC standard was considered not to be sufficient. More detailed information and specifications were needed, for example specific test set-ups, consideration of the functional earth port or the deliberate differentiation between types of electromagnetic environments relevant for the equipment in the scope of this document.

Though historically this product standard was developed several years before the generic EMC standard, this 2^{nd} edition considers the information given in the generic EMC standard and applies it where appropriate.

ELECTRICAL EQUIPMENT FOR MEASUREMENT, CONTROL AND LABORATORY USE – EMC REQUIREMENTS –

Part 3-1: Immunity requirements for safety-related systems and for equipment intended to perform safety-related functions (functional safety) – General industrial applications

1 Scope

This part of IEC 61326 covers all equipment within the scope of IEC 61326-1, but is limited to systems and equipment for industrial applications intended to perform safety functions as defined in IEC 61508 with SIL 1-3.

The electromagnetic environments encompassed by this product family standard are industrial, both indoor and outdoor, as described for industrial locations in IEC 61000-6-2 or defined in 3.8 of IEC 61326-1. Equipment and systems intended for use in other electromagnetic environments, for example, in the process industry or in environments with potentially explosive atmospheres, are excluded from the scope of this document.

Equipment and systems considered as "proven-in-use" according to IEC 61508 or "prior use" according to IEC 61511 are excluded from the scope of this document.

Fire alarm systems and security alarm systems intended for protection of buildings are excluded from the scope of this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-161, International Electrotechnical Vocabulary – Part 161: Electromagnetic compatibility (available at http://www.electropedia.org/)

IEC 61000-4-2:2008, Electromagnetic compatibility (EMC) – Part 4-2: Testing and measurement techniques – Electrostatic discharge immunity test

IEC 61000-4-3:2006, Electromagnetic compatibility (EMC) – Part 4-3: Testing and measurement techniques – Radiated, radio-frequency, electromagnetic field immunity test IEC 61000-4-3:2006/AMD1:2007 IEC 61000-4-3:2006/AMD2:2010

IEC 61000-4-4:2012, Electromagnetic compatibility (EMC) – Part 4-4: Testing and measurement techniques – Electrical fast transient/burst immunity test

IEC 61000-4-5:2014, Electromagnetic compatibility (EMC) – Part 4-5: Testing and measurement techniques – Surge immunity test

IEC 61000-4-6:2013, Electromagnetic compatibility (EMC) – Part 4-6: Testing and measurement techniques – Immunity to conducted disturbances, induced by radio-frequency fields

IEC 61000-4-8:2009, Electromagnetic compatibility (EMC) – Part 4-8: Testing and measurement techniques – Power frequency magnetic field immunity test

IEC 61000-4-11:2004, Electromagnetic compatibility (EMC) – Part 4-11: Testing and measurement techniques – Voltage dips, short interruptions and voltage variations immunity tests

IEC 61000-4-16:2015, Electromagnetic compatibility (EMC) – Part 4-16: Testing and measurement techniques – Test for immunity to conducted, common mode disturbances in the frequency range 0 Hz to 150 kHz

IEC 61000-4-29:2000, Electromagnetic compatibility (EMC) – Part 4-29: Testing and measurement techniques – Voltage dips, short interruptions and voltage variations on d.c. input power port immunity tests

IEC 61000-4-34:2005, Electromagnetic compatibility (EMC) – Part 4-34: Testing and measurement techniques – Voltage dips, short interruptions and voltage variations immunity tests for equipment with input current more than 16 A per phase IEC 61000-4-34:2005/AMD1:2009

IEC 61000-6-2:2016, Electromagnetic compatibility (EMC) – Part 6-2: Generic standards – Immunity for industrial environments

IEC 61326-1:2012, Electrical equipment for measurement, control and laboratory use – EMC requirements – Part 1: General requirements

IEC 61326-3-2:____1, Electrical equipment for measurement, control and laboratory use – EMC requirements – Part 3-2: Immunity requirements for safety-related systems and for equipment intended to perform safety-related functions (functional safety) – Industrial applications with specified electromagnetic environment

IEC 61508-2:2010, Functional safety of electrical/electronic/programmable electronic safety-related systems – Part 2: Requirements for electrical/electronic/programmable electronic safety-related systems

¹ Under preparation. Stage at the time of publication: IEC/DIS 61326-3-2:2016.