

© Copyright SEK. Reproduction in any form without permission is prohibited.

Dataformat för utbyte av konfigurationsdata för industriella automationssystem (AutomationML) – Del 3: Geometri och kinematik

*Engineering data exchange format for use in industrial automation systems engineering –
Automation markup language –
Part 3: Geometry and kinematics*

Som svensk standard gäller europastandarden EN 62714-3:2017. Den svenska standarden innehåller den officiella engelska språkversionen av EN 62714-3:2017.

Nationellt förord

Europastandarden EN 62714-3:2017

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 62714-3, First edition, 2017 - Engineering data exchange format for use in industrial automation systems engineering - Automation markup language - Part 3: Geometry and kinematics**

utarbetad inom International Electrotechnical Commission, IEC.

ICS 01.040.01; 25.040.01; 35.240.30

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

May 2017

ICS 01.040.01; 25.040.01; 35.240.30

English Version

Engineering data exchange format for use in industrial
automation systems engineering - Automation markup language -
Part 3: Geometry and kinematics
(IEC 62714-3:2017)

Format d'échange de données techniques pour une
utilisation dans l'ingénierie des systèmes d'automatisation
industrielle - Automation markup language - Partie 3:
Géométrie et cinématique
(IEC 62714-3:2017)

Datenaustauschformat für Planungsdaten industrieller
Automatisierungssysteme - Automation markup language -
Teil 3: Geometrie und Kinematik
(IEC 62714-3:2017)

This European Standard was approved by CENELEC on 2017-03-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

European foreword

The text of document 65E/497/CDV, future edition 1 of IEC 62714-3, prepared by SC 65E "Devices and integration in enterprise systems", of IEC/TC 65 "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62714-3:2017.

The following dates are fixed:

- latest date by which the document has to be implemented at (dop) 2017-12-01
national level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with (dow) 2020-03-01
the document have to be withdrawn

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62714-3:2017 was approved by CENELEC as a European Standard without any modification.

Annex ZA
(normative)

**Normative references to international publications
with their corresponding European publications**

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 62714-1	2014	Engineering data exchange format for use in industrial automation systems engineering - Automation markup language - Part 1: Architecture and general requirements	EN 62714-1	2014
IEC 62714-2	2015	Engineering data exchange format for use in industrial automation systems engineering - Automation markup language - Part 2: Role class libraries	EN 62714-2	2015
ISO/PAS 17506	-	Industrial automation systems and integration - COLLADA digital asset schema specification for 3D visualization of industrial data	-	-
W3C XML 1.0	2004	Extensible Markup Language (XML) 1.0	-	-

CONTENTS

FOREWORD.....	6
INTRODUCTION.....	8
1 Scope.....	10
2 Normative references	10
3 Terms, definitions and abbreviations	10
3.1 Terms and definitions.....	10
3.2 Abbreviations	11
4 Conformity.....	11
5 Extensions of AML libraries for geometry and kinematics.....	11
5.1 General.....	11
5.2 AutomationMLBaseRoleClassLib – RoleClass Frame.....	11
5.3 AutomationMLInterfaceClassLib.....	11
5.3.1 InterfaceClass COLLADAIInterface	11
5.3.2 InterfaceClass AttachmentInterface	12
6 Frame attribute	12
7 Integration of COLLADA documents	13
8 Attachment of two AML objects.....	14
9 Meta information about the COLLADA source tool	15
Annex A (informative) Referencing methods for geometric/kinematic descriptions.....	17
A.1 Integration of a common COLLADA document with explicit referencing	17
A.1.1 General	17
A.1.2 Definition of the Frame attribute.....	18
A.1.3 Structure of the COLLADA documents	20
A.1.4 Referencing using URI and fragments without a target and ID	23
A.1.5 Referencing using URI and fragments including a target without an ID	23
A.1.6 Referencing using URI without a fragment, including a target and an ID	24
A.1.7 Referencing using URI and fragments including a target and an ID.....	25
A.1.8 Referencing using URI without a fragment, target and ID.....	26
A.2 Implicit referencing of COLLADA elements.....	27
A.2.1 General	27
A.2.2 Implicit referencing	27
A.2.3 Implicit referencing to COLLADA subdocuments	29
A.2.4 Publishing elements of a COLLADA document in CAEX.....	33
A.3 Attachment between objects in CAEX	35
Annex B (informative) Modelling of kinematic systems and their combination in AML	41
B.1 General.....	41
B.2 Modelling an AML document of a linear unit in CAEX and COLLADA	41
B.2.1 General	41
B.2.2 Definition of the visual scene	41
B.2.3 Definition of the joint.....	43
B.2.4 Definition of the kinematic model	43
B.2.5 Definition of the articulated system	43
B.2.6 Definition of the kinematic scene	45
B.2.7 Assembling of the scene.....	45
B.2.8 Combination of CAEX and COLLADA into AML.....	46

B.3	Modelling an AML document of a robot in CAEX and COLLADA.....	47
B.3.1	General	47
B.3.2	Definition of the visual scene	48
B.3.3	Definition of joints.....	50
B.3.4	Definition of the kinematic model	51
B.3.5	Definition of the articulated system	51
B.3.6	Definition of the kinematic scene	54
B.3.7	Assembling of the scene.....	55
B.3.8	Combination of CAEX and COLLADA into AML.....	56
B.4	Modelling an AML document of a combined system including a robot and a linear axis in CAEX and COLLADA	58
B.5	Modelling an AML document of a gripper connected to robot in CAEX and COLLADA	61
B.5.1	General	61
B.5.2	Definition of the visual scene	62
B.5.3	Definition of the kinematic system.....	63
B.5.4	Assembling of the scene.....	71
B.5.5	Combination of CAEX and COLLADA into AML.....	72
B.6	Modelling an AML document of a work piece connected to a gripper in CAEX and COLLADA	75
B.6.1	General	75
B.6.2	Implicit upper boundary	75
B.6.3	Definition of the work piece.....	77
B.6.4	Combination of CAEX and COLLADA into AML.....	78
Annex C (informative) XML representation of AML libraries	82	
C.1	AutomationMLBaseRoleClassLib	82
C.2	AutomationMLInterfaceClassLib.....	82
 Figure 1 – Overview of the engineering data exchange format AML	8	
Figure 2 – Required XML text in case of ISO/PAS 17506	16	
Figure 3 – Required XML text in case of COLLADA 1.4.1.....	16	
Figure A.1 – Decision tree for different referencing methods	17	
Figure A.2 – Two frames represented in the InstanceHierarchy of an AML document.....	18	
Figure A.3 – XML representation of the AML document.....	18	
Figure A.4 – Translation and spatially fixed rotation	19	
Figure A.5 – COLLADA scene used in this example	20	
Figure A.6 – Structure and References	20	
Figure A.7 – Content of the COLLADA document cube.dae.....	21	
Figure A.8 – Content of the COLLADA document red_blue_cubes.dae.....	22	
Figure A.9 – “RedCube” – Hierarchy of the AML document	23	
Figure A.10 – XML representation of the AML document.....	23	
Figure A.11 – Referencing the red cube by ID.....	23	
Figure A.12 – “BlueCube” – Hierarchy of the AML document.....	24	
Figure A.13 – XML representation of the AML document.....	24	
Figure A.14 – Referencing the blue cube	24	
Figure A.15 – Hierarchy of the AML document	24	
Figure A.16 – XML representation of the AML document.....	25	

Figure A.17 – Referencing the blue cube starting from the element “subpart”	25
Figure A.18 – Hierarchy of the AML document	25
Figure A.19 – XML representation of the AML document	25
Figure A.20 – Referencing the blue cube	26
Figure A.21 – Hierarchy of the AML document	26
Figure A.22 – XML representation of the AML document	26
Figure A.23 – Referencing the complete COLLADA scene	27
Figure A.24 – Implicit Referencing: Hierarchy of the AML document	28
Figure A.25 – XML representation of the AML document	28
Figure A.26 – Structure and relations of referenced COLLADA subdocuments	29
Figure A.27 – Content of the modified COLLADA document red_blue_cubes.dae	30
Figure A.28 – Content of the COLLADA document red_cube.dae	30
Figure A.29 – Content of the COLLADA document blue_cube.dae	31
Figure A.31 – XML representation of the AML document	32
Figure A.33 – Additional frame element in COLLADA document	33
Figure A.34 – Publishing frames: Hierarchy of the AML document	34
Figure A.35 – XML representation of the AML document	35
Figure A.36 – Structure for attachments between objects in CAEX	36
Figure A.37 – Visualization of yellow cube with additional frame	36
Figure A.38 – COLLADA document of yellow cube with additional frame	37
Figure A.39 – Hierarchy of the AML document	38
Figure A.40 – XML representation of the AML document	39
Figure A.41 – Attachment between geometric AML objects	40
Figure A.42 – XML representation of the AML document	40
Figure B.1 – Visualization of the linear unit	41
Figure B.2 – Definition of the visual scene	42
Figure B.3 – Definition of the joint	43
Figure B.4 – Definition of kinematic model	43
Figure B.5 – Definition of the articulated system library	44
Figure B.6 – Definition of the kinematic articulated system	44
Figure B.7 – Definition of the motion articulated system	45
Figure B.8 – Definition of the kinematic scene	45
Figure B.9 – Instantiation of the kinematic scene	46
Figure B.10 – Hierarchy of the AML document	46
Figure B.11 – XML representation of the AML document	47
Figure B.13 – Definition of the visual scene	50
Figure B.14 – Definition of joints	50
Figure B.15 – Definition of kinematic model	51
Figure B.16 – Definition of the articulated system library	51
Figure B.17 – Definition of the kinematic articulated system	53
Figure B.18 – Definition of the motion articulated system	54
Figure B.19 – Definition of the kinematic scene	55
Figure B.20 – Instantiation of the kinematic scene	56

Figure B.21 – Hierarchy of the AML document	57
Figure B.22 – XML representation of the AML document.....	57
Figure B.24 – Hierarchy of the AML document	59
Figure B.25 – XML representation of the AML document.....	60
Figure B.26 – XML representation of the AML document.....	60
Figure B.27 – Visualization of the robot attached to the linear unit	61
Figure B.30 – Definition of the visual scene	63
Figure B.31 – Definition of the kinematics	64
Figure B.32 – Definition of joints	64
Figure B.33 – Definition of kinematic model	65
Figure B.34 – Definition of the articulated system	66
Figure B.35 – Definition of the articulated system	67
Figure B.36 – Definition of the kinematic scene.....	68
Figure B.37 – Definition of the joint dependency using MathML	68
Figure B.38 – XML representation of the COLLADA document gripper_kinematics.dae	71
Figure B.39 – XML representation of the COLLADA document gripper.dae	72
Figure B.40 – Hierarchy of the AML document	73
Figure B.41 – XML representation of the AML document.....	74
Figure B.42 – XML representation of the AML document.....	75
Figure B.43 – Visualization of the robot on a linear unit and attached gripper	75
Figure B.44 – Example for implicit upper boundary	76
Figure B.45 – Structure for attachments between objects in CAEX.....	76
Figure B.46 – Visualization of the work piece with additional frame.....	77
Figure B.48 – Hierarchy of the AML document	79
Figure B.49 – XML representation of the AML document.....	81
Figure B.50 – Attachment between geometric AML objects	81
Figure B.51 – XML representation of the AML document.....	81
Figure C.1 – XML representation of AML libraries AutomationMLBaseRoleClassLib.....	82
Figure C.2 – XML representation of AML libraries AutomationMLInterfaceClassLib	83
 Table 1 – Abbreviations	11
Table 2 – RoleClass Frame.....	11
Table 3 – InterfaceClass COLLADAIInterface	12
Table 4 – InterfaceClass AttachmentInterface	12
Table 5 – Attribute “Frame”	13
Table 6 – Sub-attributes of the attribute “Frame”	13
Table 7 – Rules for resolving document and entry point	14
Table 8 – Meta information about the COLLADA source tool	16

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ENGINEERING DATA EXCHANGE FORMAT FOR USE IN INDUSTRIAL AUTOMATION SYSTEMS ENGINEERING – AUTOMATION MARKUP LANGUAGE –

Part 3: Geometry and kinematics

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62714-3 has been prepared by subcommittee 65E: Devices and integration in enterprise systems, of IEC technical committee 65: Industrial-process measurement, control and automation.

The text of this standard is based on the following documents:

CDV	Report on voting
65E/497/CDV	65E/508/RVC

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62714 series, published under the general title *Engineering data exchange format for use in industrial automation systems engineering – Automation markup language*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

The data exchange format defined in IEC 62714 (Automation Markup Language, AML) is an XML schema based data format and has been developed in order to support the data exchange between engineering tools in a heterogeneous engineering tool landscape. IEC 62714-1 gives an overview about the format.

The goal of AML is to interconnect engineering tools from the existing heterogeneous tool landscape in their different disciplines, e.g. mechanical plant engineering, electrical design, process engineering, process control engineering, HMI development, PLC programming, robot programming etc.

AML stores engineering information following the object oriented paradigm and allows modelling of physical and logical plant components as data objects encapsulating different aspects. An object may consist of other sub-objects and may itself be part of a larger composition or aggregation. Typical objects in plant automation comprise information on topology, geometry, kinematics and logic, whereas logic comprises sequencing, behaviour and control.

AML combines existing industry data formats that are designed for the storage and exchange of different aspects of engineering information. These data formats are used on “as-is” basis within their own specifications and are not branched for AML needs.

The core of AML is the top-level data format CAEX that connects the different data formats. Therefore, AML has an inherent distributed document architecture.

Figure 1 illustrates the basic AML architecture and the distribution of topology, geometry, kinematic and logic information.




Figure 1 – Overview of the engineering data exchange format AML

Due to the different aspects of AML, IEC 62714 consists of different parts focussing on different aspects.

- IEC 62714-1: Architecture and general requirements

This part specifies the general AML architecture, the modelling of engineering data, classes, instances, relations, references, hierarchies, basic AML libraries and extended AML concepts.

- IEC 62714-2: Role class libraries

This part specifies additional AML libraries.

- IEC 62714-3: Geometry and kinematics

This part specifies the modelling of geometry and kinematics information.

Further parts may be added in the future in order to interconnect further data standards to AML.

Clause 5 describes the geometry related extensions of the role class libraries.

Clause 6 describes the frame attribute which can be used to represent the geometric position of an InternalElement, InstanceHierarchy, SystemUnitClass, or SystemUnitClassLibrary with respect to another CAEX Object.

Clause 7 gives a normative description regarding referencing COLLADA documents.

Clause 8 specifies the normative provisions for the attachment of two geometric AML objects.

Clause 9 defines how to store meta informations about the source tool directly into the COLLADA document.

Annex A describes the referencing methods for geometric and kinematic models.

Annex B provides an example for modelling of kinematic systems and their combination in AML.

Annex C gives an informative XML representation of the libraries defined in this part of IEC 62714.

ENGINEERING DATA EXCHANGE FORMAT FOR USE IN INDUSTRIAL AUTOMATION SYSTEMS ENGINEERING – AUTOMATION MARKUP LANGUAGE –

Part 3: Geometry and kinematics

1 Scope

This part of IEC 62714 specifies the integration of geometry and kinematics information for the exchange between engineering tools in the plant automation area by means of AML.

It does not define details of the data exchange procedure or implementation requirements for the import/export tools.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62714-1:2014, *Engineering data exchange format for use in industrial automation systems engineering – Automation markup language – Part 1: Architecture and general requirements*

IEC 62714-2:2015, *Engineering data exchange format for use in industrial automation systems engineering – Automation markup language – Part 2: Role class libraries*

ISO/PAS 17506, *Industrial automation systems and integration – COLLADA digital asset schema specification for 3D visualization of industrial data*

COLLADA 1.4.1: March 2008 COLLADA – Digital Asset Schema Release 1.4.1
(available at <http://www.khronos.org/files/collada_spec_1_4.pdf>)

Extensible Markup Language (XML) 1.0:2004, W3C Recommendation
(available at <<http://www.w3.org/TR/2004/REC-xml-20040204/>>)