

© Copyright SEK. Reproduction in any form without permission is prohibited.

Laddningsbara celler och batterier med alkalisk eller annan icke syrabaserad elektrolyt – Säkerhetskrav på lithiumceller och lithiumbatterier för tillämpningar i industrin

*Secondary cells and batteries containing alkaline or other non-acid electrolytes –
Safety requirements for secondary lithium cells and batteries for use in industrial applications*

Som svensk standard gäller europastandarden EN 62619:2017. Den svenska standarden innehåller den officiella engelska språkversionen av EN 62619:2017.

Nationellt förord

Europastandarden EN 62619:2017

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 62619, First edition, 2017 - Secondary cells and batteries containing alkaline or other non-acid electrolytes - Safety requirements for secondary lithium cells and batteries for use in industrial applications**

utarbetad inom International Electrotechnical Commission, IEC.

ICS 29.220.30

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 62619

May 2017

ICS 29.220.30

English Version

**Secondary cells and batteries containing alkaline or other non-acid electrolytes - Safety requirements for secondary lithium cells and batteries, for use in industrial applications
(IEC 62619:2017)**

Accumulateurs alcalins et autres accumulateurs à électrolyte non acide - Exigences de sécurité pour les accumulateurs au lithium pour utilisation dans des applications industrielles
(IEC 62619:2017)

Akkumulatoren und Batterien mit alkalischen oder anderen nicht säurehaltigen Elektrolyten - Sicherheitsanforderungen für Lithium-Akkumulatoren und -Batterien für die Verwendung in industriellen Anwendungen
(IEC 62619:2017)

This European Standard was approved by CENELEC on 2017-03-20. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

European foreword

The text of document 21A/617/FDIS, future edition 1 of IEC 62619, prepared by SC 21A, Secondary cells and batteries containing alkaline or other non-acid electrolytes, of IEC/TC 21 "Secondary cells and batteries" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62619:2017.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2017-12-20
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2020-03-20

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rightsEndorsement notice.

The text of the International Standard IEC 62619:2017 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60730-1:2013	NOTE	Harmonized as EN 60730-1:2016.
IEC 60812	NOTE	Harmonized as EN 60812.
IEC 61025	NOTE	Harmonized as EN 61025.
IEC 61434	NOTE	Harmonized as EN 61434.
IEC 61508 (series)	NOTE	Harmonized as EN 61508 (series).
IEC 61511-1	NOTE	Harmonized as EN 61511-1.
IEC 61513	NOTE	Harmonized as EN 61513.
IEC 61960	NOTE	Harmonized as EN 61960.
IEC 62061	NOTE	Harmonized as EN 62061.
IEC 62660 (series)	NOTE	Harmonized as EN 62660 (series).
IEC 62281	NOTE	Harmonized as EN 62281.
ISO 9001:2015	NOTE	Harmonized as EN ISO 9001:2015.

Annex ZA

(normative)

**Normative references to international publications
with their corresponding European publications**

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 62133	2012	Secondary cells and batteries containing alkaline or other non-acid electrolytes - Safety requirements for portable sealed secondary cells, and for batteries made from them, for use in portable applications	EN 62133	2013
IEC 62620	2014	Secondary cells and batteries containing alkaline or other non-acid electrolytes -- Secondary lithium cells and batteries for use in industrial applications	EN 62620	2015
ISO/IEC Guide 51	-	Safety aspects - Guidelines for their inclusion in standards	-	-

CONTENTS

FOREWORD	4
1 Scope	6
2 Normative references	6
3 Terms and definitions	7
4 Parameter measurement tolerances	9
5 General safety considerations	10
5.1 General.....	10
5.2 Insulation and wiring	10
5.3 Venting	10
5.4 Temperature/voltage/current management.....	10
5.5 Terminal contacts of the battery pack and/or battery system	10
5.6 Assembly of cells, modules, or battery packs into battery systems	11
5.6.1 General	11
5.6.2 Battery system design	11
5.7 Operating region of lithium cells and battery systems for safe use	11
5.8 Quality plan	11
6 Type test conditions	12
6.1 General.....	12
6.2 Test items	12
7 Specific requirements and tests	13
7.1 Charging procedures for test purposes	13
7.2 Reasonably foreseeable misuse.....	13
7.2.1 External short-circuit test (cell or cell block).....	13
7.2.2 Impact test (cell or cell block)	14
7.2.3 Drop test (cell or cell block, and battery system).....	15
7.2.4 Thermal abuse test (cell or cell block).....	17
7.2.5 Overcharge test (cell or cell block).....	18
7.2.6 Forced discharge test (cell or cell block).....	18
7.3 Considerations for internal short-circuit – Design evaluation	19
7.3.1 General	19
7.3.2 Internal short-circuit test (cell)	19
7.3.3 Propagation test (battery system)	20
8 Battery system safety (considering functional safety).....	20
8.1 General requirements	20
8.2 Battery management system (or battery management unit)	21
8.2.1 Requirements for the BMS	21
8.2.2 Overcharge control of voltage (battery system)	22
8.2.3 Overcharge control of current (battery system)	23
8.2.4 Overheating control (battery system)	24
9 Information for safety.....	24
10 Marking and designation.....	24
Annex A (normative) Operating region of cells for safe use	25
A.1 General.....	25
A.2 Charging conditions for safe use	25
A.3 Consideration on charging voltage	25
A.4 Consideration on temperature	26

A.5	High temperature range	26
A.6	Low temperature range	26
A.7	Discharging conditions for safe use.....	26
A.8	Example of operating region	27
Annex B (informative)	Procedure of propagation test (see 7.3.3).....	28
B.1	General.....	28
B.2	Test conditions	28
B.3	Methods for initiating the thermal runaway can include	28
Annex C (informative)	Packaging	29
Bibliography.....		30
Figure 1 – Configuration of the impact test.....		15
Figure 2 – Impact location.....		17
Figure 3 – Configuration for the shortest edge drop test.....		17
Figure 4 – Configuration for the corner drop test.....		17
Figure 5 – Examples of BMS locations and battery system configurations.....		22
Figure 6 – Example of the circuit configuration for overcharge control of voltage		23
Figure A.1 – An example of operating region for charging of typical lithium-ion cells		27
Figure A.2 – An example of operating region for discharging of typical lithium-ion cells		27
Table 1 – Sample size for type tests		13
Table 2 – Drop test method and condition		16

INTERNATIONAL ELECTROTECHNICAL COMMISSION

SECONDARY CELLS AND BATTERIES CONTAINING ALKALINE OR OTHER NON-ACID ELECTROLYTES – SAFETY REQUIREMENTS FOR SECONDARY LITHIUM CELLS AND BATTERIES, FOR USE IN INDUSTRIAL APPLICATIONS

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62619 has been prepared by subcommittee 21A: Secondary cells and batteries containing alkaline or other non-acid electrolytes, of IEC technical committee 21: Secondary cells and batteries.

The text of this standard is based on the following documents:

FDIS	Report on voting
21A/617/FDIS	21A/624/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

SECONDARY CELLS AND BATTERIES CONTAINING ALKALINE OR OTHER NON-ACID ELECTROLYTES – SAFETY REQUIREMENTS FOR SECONDARY LITHIUM CELLS AND BATTERIES, FOR USE IN INDUSTRIAL APPLICATIONS

1 Scope

This document specifies requirements and tests for the safe operation of secondary lithium cells and batteries used in industrial applications including stationary applications.

When there exists an IEC standard specifying test conditions and requirements for cells used in special applications and which is in conflict with this document, the former takes precedence (e.g., IEC 62660 series on road vehicles).

The following are some examples of applications that utilize cells and batteries under the scope of this document.

- Stationary applications: telecom, uninterruptible power supplies (UPS), electrical energy storage system, utility switching, emergency power, and similar applications.
- Motive applications: forklift truck, golf cart, auto guided vehicle (AGV), railway, and marine, excluding road vehicles.

Since this document covers batteries for various industrial applications, it includes those requirements, which are common and minimum to the various applications.

Electrical safety is included only as a part of the risk analysis of Clause 8. In regard to details for addressing electrical safety, the end use application standard requirements have to be considered.

This document applies to cells and batteries. If the battery is divided into smaller units, the smaller unit can be tested as the representative of the battery. The manufacturer clearly declares the tested unit. The manufacturer may add functions, which are present in the final battery to the tested unit.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62133:2012, *Secondary cells and batteries containing alkaline or other non-acid electrolytes – Safety requirements for portable sealed secondary cells, and for batteries made from them, for use in portable applications*

IEC 62620:2014, *Secondary cells and batteries containing alkaline or other non-acid electrolytes – Secondary lithium cells and batteries for use in industrial applications*

ISO/IEC Guide 51, *Safety aspects – Guidelines for their inclusion in standards*