

REDLINE VERSION



**Multimedia systems –
Guide to the recommended characteristics of analogue interfaces to achieve
interoperability**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.160.01, 35.200

ISBN 978-2-8322-5276-5

Warning! Make sure that you obtained this publication from an authorized distributor.
--

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	2
1 Scope.....	8
2 Normative references	10
3 Terms and definitions	10
4 General conditions.....	13
5 Power supply.....	14
5.1 Alternating current (AC) power supply voltages and frequencies	14
5.2 Direct current (DC) power supply voltages	14
5.3 Power supply feed for microphones	14
6 Interconnections	14
6.1 Connections.....	14
6.1.1 General	14
6.1.2 Characteristics of cables	14
6.2 Connectors	16
7 Marking and symbols for marking	16
7.1 Marking.....	16
7.2 Symbols for marking	16
8 Electrical recommended values.....	16
8.1 General purpose output/input	16
8.2 General purpose audio output/input	16
8.2.1 Audio-only interfaces for consumer equipment.....	16
8.2.2 Interfaces for professional equipment and consumer equipment where audio and video signals are present on the same connector or cable	18
8.3 General purpose video input/output	20
9 Interoperability of microphones and amplifiers	20
9.1 Microphones (excluding piezoelectric types).....	20
9.2 Power supply feed for electret microphones fed over a signal conductor ("plug-in power")	21
9.3 Power supply feed for electret microphones fed by a separate conductor ("soundcard power" or "PC power")	22
9.4 Phantom supply system	22
9.4.1 General	22
9.4.2 Supply voltage polarity	23
9.4.3 Circuit diagram	23
9.4.4 Value of the supply voltage	23
9.4.5 Supply current	23
9.4.6 Marking	23
9.5 A-B supply system	24
9.5.1 General	24
9.5.2 Output impedance of the microphone	24
9.5.3 Circuit diagram	24
9.5.4 Connection of the power supply to earth	24
9.5.5 Marking	24
9.6 Polarity of the audio frequency voltage	24
10 Interoperability of record-playing units (pick-ups) and amplifiers	27

11	Interoperability of loudspeakers and amplifiers	27
11.1	Single unit loudspeakers.....	27
11.2	Loudspeaker systems	27
11.2.1	Loudspeakers with built-in amplifier	27
11.2.2	Impedance-defined loudspeaker systems	28
11.2.3	Constant voltage loudspeaker systems.....	28
11.3	Voltage (or power) interoperability of amplifiers and loudspeakers	28
11.3.1	Overview	28
11.3.2	Interoperability requirements	29
11.4	Polarity of the sound pressure	29
12	Interoperability of headphones and amplifiers	29
12.1	General.....	29
12.2	Interoperability of headphones with stationary amplifiers	29
12.3	Interoperability of portable audio headphones/earphones and portable audio equipment	30
12.3.1	General	30
12.3.2	Portable audio headphones/earphones	30
12.3.3	Portable audio equipment.....	30
12.3.4	Recommended values and input/output values for portable audio headphones/earphones and portable audio equipment	30
13	Interoperability of amplifiers with other amplifiers.....	31
13.1	Pre-amplifiers and power amplifiers for general purpose and sound reinforcement.....	31
13.2	Broadcast and similar line amplifiers.....	32
	Annex A (informative) Pairing and screening of conductors.....	33
	Annex B (informative) Phantom power variants for specialized applications.....	34
	Bibliography.....	35
	Figure 1 – Audio and video sources and destinations	9
	Figure 2 – Example of plug-in power system for a single microphone.....	25
	Figure 3 – Example of plug-in power system for a two-channel microphone	25
	Figure 4 – Example of soundcard power system.....	25
	Figure 5 – Example of phantom power supply system	26
	Figure 6 – Example of A-B power supply system	26
	Figure B.1 – Caution symbol.....	34
	Table 1 – Direct current (DC) power supply voltages and tolerances.....	14
	Table 2 – General purpose values for audio-only interfaces	17
	Table 3 – General purpose values for audio signals for professional interfaces	19
	Table 4 – General purpose recommended values for video signals	20
	Table 5 – Recommended values for microphones and amplifiers	21
	Table 6 – Required values for phantom supply systems	26
	Table 7 – Required values for A-B power supply systems	26
	Table 8 – Recommended values for analogue record-playing units and amplifiers.....	27
	Table 9 – Recommended values for impedance-defined loudspeaker systems	28
	Table 10 – Recommended values for constant voltage loudspeaker systems	28

Table 11 – Recommended values for headphones and amplifiers in stationary applications	30
Table 12 – Recommended values for portable audio headphones/earphones and portable audio equipment	31
Table 13 – Recommended values for pre-amplifiers and power amplifiers	32
Table 14 – Recommended values for broadcast and similar line amplifiers	32

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**MULTIMEDIA SYSTEMS –
GUIDE TO THE RECOMMENDED CHARACTERISTICS
OF ANALOGUE INTERFACES TO ACHIEVE INTEROPERABILITY****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

DISCLAIMER

This Redline version is not an official IEC Standard and is intended only to provide the user with an indication of what changes have been made to the previous version. Only the current version of the standard is to be considered the official document.

This Redline version provides you with a quick and easy way to compare all the changes between this standard and its previous edition. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

International Standard IEC 61938 has been prepared by IEC technical committee 100: Audio, video and multimedia systems and equipment.

This third edition cancels and replaces the second edition published in 2013. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) electric tolerance is standardized;
- b) recommended value of output source impedance is adjusted;
- c) value of 6 Ω is additionally recommended to impedance-defined loudspeaker systems;
- d) values in each table are chosen with respect to the state of the art and representative of best practice in industry.

The text of this International Standard is based on the following documents:

CDV	Report on voting
100/2879/CDV	100/2996/RVC

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The “colour inside” logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this publication using a colour printer.

INTRODUCTION

The first edition of IEC 61938 was derived from IEC 60268-15, IEC 60574-4 and IEC 60933-1 and also from related proposals which had been submitted up until the date of this revision. IEC 60268-15 was the first standard to address 'interoperability' – the ability of equipment from different manufacturers to be assembled into a system with full compatibility at every 'interface'. ~~However, the purpose, terminology and implications of IEC 61938 are now widely misunderstood because the words 'matching' and 'preferred' used in IEC 61938, are frequently misinterpreted, resulting in IEC 61938 being regarded as a performance standard, which was never its intention.~~ The aim of ~~this~~ the previous revision ~~is~~ was to make the intention of this document easily comprehensible by using widely used terminology in the title and text of the document. The purpose of this revision is to expand the measurement frequency range in step with the progress of recent equipment.

The features of the revision are the following:

- a) unification and arrangement of existing related standards, including effective proposals which have been submitted;
- ~~b) The concept of "general purpose input/output".~~
- b) extension of the measurement frequency range.

NOTE The standard numbers mentioned above correspond to the revised numbers, if applicable.

MULTIMEDIA SYSTEMS – GUIDE TO THE RECOMMENDED CHARACTERISTICS OF ANALOGUE INTERFACES TO ACHIEVE INTEROPERABILITY


1 Scope

This document gives guidance on current practice for the characteristics of multimedia analogue interfaces to achieve interoperability between equipment from different manufacturers. It is not a performance standard.

Recommendations for interfaces for equipment used in vehicles, and for analogue video interfaces for broadcast and similar equipment, are not given.

Refer to IEC 60958 for the interconnection of digital signals.

Figure 1 shows in a diagram the possible interfaces of the audio and video sources and destinations.



IEC

NOTE The numbers indicated above the arrows refer to the appropriate clause or subclauses of this document.

Figure 1 – Audio and video sources and destinations

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60038:~~2009~~, *IEC standard voltages*

IEC 60094-2:~~1994~~, *Magnetic tape recording and reproducing systems – Part 2: Calibration tapes*

~~IEC 60107-6:1989, Recommended methods of measurement on receivers for television broadcast transmissions – Part 6: Measurements under conditions different from broadcast signal standards~~

~~IEC 60130-9:2011, Connectors for frequencies below 3 MHz – Part 9: Circular connectors for radio and associated sound equipment~~

IEC 60268-1:~~1985~~, *Sound system equipment – Part 1: General*
~~Amendment 1:1988~~
~~Amendment 2:1988~~

IEC 60268-3:~~2000~~, *Sound system equipment – Part 3: Amplifiers*

IEC 60268-5:~~2003~~, *Sound system equipment – Part 5: Loudspeakers*
~~Amendment 1:2007~~

IEC 60268-7:2010, *Sound system equipment – Part 7: Headphones and earphones*

IEC 60268-11:1987, *Sound system equipment – Part 11: Application of connectors for the interconnection of sound system components*

IEC 60268-11:1987/AMD1:1989, *Sound system equipment – Part 11: Application of connectors for the interconnection of sound system components*

IEC 60268-11:1987/AMD2:1991, *Sound system equipment – Part 11: Application of connectors for the interconnection of sound system components*

IEC 60268-12:~~1987~~, *Sound system equipment – Part 12: Application of connectors for broadcast and similar use*
~~Amendment 1:1994~~
~~Amendment 2:1994~~

IEC 60603-11:1992, *Connectors for frequencies below 3 MHz for use with printed boards – Part 11: Detail specification for concentric connectors (dimensions for free connectors and fixed connectors)*

IEC 60958:~~2016~~, *Digital audio interface – ALL PARTS*

ITU-R BT.1700:2005, *Characteristics of composite video signals for conventional analogue television systems*

INTERNATIONAL STANDARD

**Multimedia systems –
Guide to the recommended characteristics of analogue interfaces to achieve
interoperability**

CONTENTS

FOREWORD	5
INTRODUCTION	7
1 Scope	8
2 Normative references	10
3 Terms and definitions	10
4 General conditions	13
5 Power supply	13
5.1 Alternating current (AC) power supply voltages and frequencies	13
5.2 Direct current (DC) power supply voltages	14
5.3 Power supply feed for microphones	14
6 Interconnections	14
6.1 Connections	14
6.1.1 General	14
6.1.2 Characteristics of cables	14
6.2 Connectors	16
7 Marking and symbols for marking	16
7.1 Marking	16
7.2 Symbols for marking	16
8 Electrical recommended values	16
8.1 General purpose output/input	16
8.2 General purpose audio output/input	16
8.2.1 Audio-only interfaces for consumer equipment	16
8.2.2 Interfaces for professional equipment and consumer equipment where audio and video signals are present on the same connector or cable	17
8.3 General purpose video input/output	19
9 Interoperability of microphones and amplifiers	19
9.1 Microphones (excluding piezoelectric types)	19
9.2 Power supply feed for electret microphones fed over a signal conductor ("plug-in power")	20
9.3 Power supply feed for electret microphones fed by a separate conductor ("soundcard power" or "PC power")	21
9.4 Phantom supply system	21
9.4.1 General	21
9.4.2 Supply voltage polarity	21
9.4.3 Circuit diagram	22
9.4.4 Value of the supply voltage	22
9.4.5 Supply current	22
9.4.6 Marking	22
9.5 A-B supply system	23
9.5.1 General	23
9.5.2 Output impedance of the microphone	23
9.5.3 Circuit diagram	23
9.5.4 Connection of the power supply to earth	23
9.5.5 Marking	23
9.6 Polarity of the audio frequency voltage	23
10 Interoperability of record-playing units (pick-ups) and amplifiers	25

11	Interoperability of loudspeakers and amplifiers	26
11.1	Single unit loudspeakers.....	26
11.2	Loudspeaker systems	26
11.2.1	Loudspeakers with built-in amplifier	26
11.2.2	Impedance-defined loudspeaker systems	26
11.2.3	Constant voltage loudspeaker systems.....	27
11.3	Voltage (or power) interoperability of amplifiers and loudspeakers	27
11.3.1	Overview	27
11.3.2	Interoperability requirements	27
11.4	Polarity of the sound pressure	28
12	Interoperability of headphones and amplifiers	28
12.1	General.....	28
12.2	Interoperability of headphones with stationary amplifiers	28
12.3	Interoperability of portable audio headphones/earphones and portable audio equipment.....	29
12.3.1	General	29
12.3.2	Portable audio headphones/earphones	29
12.3.3	Portable audio equipment.....	29
12.3.4	Recommended values and input/output values for portable audio headphones/earphones and portable audio equipment	29
13	Interoperability of amplifiers with other amplifiers.....	30
13.1	Pre-amplifiers and power amplifiers for general purpose and sound reinforcement.....	30
13.2	Broadcast and similar line amplifiers.....	31
Annex A (informative)	Pairing and screening of conductors.....	32
Annex B (informative)	Phantom power variants for specialized applications.....	33
Bibliography	34
Figure 1	– Audio and video sources and destinations	9
Figure 2	– Example of plug-in power system for a single microphone.....	23
Figure 3	– Example of plug-in power system for a two-channel microphone	24
Figure 4	– Example of soundcard power system.....	24
Figure 5	– Example of phantom power supply system	24
Figure 6	– Example of A-B power supply system	25
Figure B.1	– Caution symbol	33
Table 1	– Direct current (DC) power supply voltages and tolerances.....	14
Table 2	– General purpose values for audio-only interfaces	16
Table 3	– General purpose values for audio signals for professional interfaces	18
Table 4	– General purpose recommended values for video signals	19
Table 5	– Recommended values for microphones and amplifiers	20
Table 6	– Required values for phantom supply systems	25
Table 7	– Required values for A-B power supply systems	25
Table 8	– Recommended values for analogue record-playing units and amplifiers.....	25
Table 9	– Recommended values for impedance-defined loudspeaker systems	26
Table 10	– Recommended values for constant voltage loudspeaker systems	27

Table 11 – Recommended values for headphones and amplifiers in stationary applications	28
Table 12 – Recommended values for portable audio headphones/earphones and portable audio equipment	29
Table 13 – Recommended values for pre-amplifiers and power amplifiers	31
Table 14 – Recommended values for broadcast and similar line amplifiers	31

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**MULTIMEDIA SYSTEMS –
GUIDE TO THE RECOMMENDED CHARACTERISTICS
OF ANALOGUE INTERFACES TO ACHIEVE INTEROPERABILITY****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61938 has been prepared by IEC technical committee 100: Audio, video and multimedia systems and equipment.

This third edition cancels and replaces the second edition published in 2013. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) electric tolerance is standardized;
- b) recommended value of output source impedance is adjusted;
- c) value of 6 Ω is additionally recommended to impedance-defined loudspeaker systems;
- d) values in each table are chosen with respect to the state of the art and representative of best practice in industry.

The text of this International Standard is based on the following documents:

CDV	Report on voting
100/2879/CDV	100/2996/RVC

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

INTRODUCTION

The first edition of IEC 61938 was derived from IEC 60268-15, IEC 60574-4 and IEC 60933-1 and also from related proposals which had been submitted up until the date of this revision. IEC 60268-15 was the first standard to address 'interoperability' – the ability of equipment from different manufacturers to be assembled into a system with full compatibility at every 'interface'. The aim of the previous revision was to make the intention of this document easily comprehensible by using widely used terminology in the title and text of the document. The purpose of this revision is to expand the measurement frequency range in step with the progress of recent equipment.

The features of the revision are the following:

- a) unification and arrangement of existing related standards, including effective proposals which have been submitted;
- b) extension of the measurement frequency range.

NOTE The standard numbers mentioned above correspond to the revised numbers, if applicable.

MULTIMEDIA SYSTEMS – GUIDE TO THE RECOMMENDED CHARACTERISTICS OF ANALOGUE INTERFACES TO ACHIEVE INTEROPERABILITY

1 Scope

This document gives guidance on current practice for the characteristics of multimedia analogue interfaces to achieve interoperability between equipment from different manufacturers. It is not a performance standard.

Recommendations for interfaces for equipment used in vehicles, and for analogue video interfaces for broadcast and similar equipment, are not given.

Refer to IEC 60958 for the interconnection of digital signals.

Figure 1 shows in a diagram the possible interfaces of the audio and video sources and destinations.




Figure 1 – Audio and video sources and destinations

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60038, *IEC standard voltages*

IEC 60094-2, *Magnetic tape recording and reproducing systems – Part 2: Calibration tapes*

IEC 60268-1, *Sound system equipment – Part 1: General*

IEC 60268-3, *Sound system equipment – Part 3: Amplifiers*

IEC 60268-5, *Sound system equipment – Part 5: Loudspeakers*

IEC 60268-7:2010, *Sound system equipment – Part 7: Headphones and earphones*

IEC 60268-11:1987, *Sound system equipment – Part 11: Application of connectors for the interconnection of sound system components*

IEC 60268-11:1987/AMD1:1989, *Sound system equipment – Part 11: Application of connectors for the interconnection of sound system components*

IEC 60268-11:1987/AMD2:1991, *Sound system equipment – Part 11: Application of connectors for the interconnection of sound system components*

IEC 60268-12, *Sound system equipment – Part 12: Application of connectors for broadcast and similar use*

IEC 60603-11:1992, *Connectors for frequencies below 3 MHz for use with printed boards – Part 11: Detail specification for concentric connectors (dimensions for free connectors and fixed connectors)*

IEC 60958:2016, *Digital audio interface – ALL PARTS*

ITU-R BT.1700:2005, *Characteristics of composite video signals for conventional analogue television systems*