



Fastställd

Utgåva

Sida

Ansvarig kommitté SEK TK 57

2018-02-21 1 1 (1+80)

© Copyright SEK. Reproduction in any form without permission is prohibited.

System för kommunikation på elnätet – Del 2: Terminaler för analoga bärfrekvenssystem (APLC)

Power line communication systems for power utility applications – Part 2: Analogue power line carrier terminals or APLC

Som svensk standard gäller europastandarden EN 62488-2:2017. Den svenska standarden innehåller den officiella engelska språkversionen av EN 62488-2:2017.

Nationellt förord

Europastandarden EN 62488-2:2017

består av:

- europastandardens ikraftsättningsdokument, utarbetat inom CENELEC
- IEC 62488-2, First edition, 2017 Power line communication systems for power utility applications - Part 2: Analogue power line carrier terminals or APLC

utarbetad inom International Electrotechnical Commission, IEC.

ICS 33.200.00

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284 164 29 Kista Tel 08-444 14 00 www.elstandard.se

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 62488-2

October 2017

ICS 33.200

English Version

Power line communication systems for power utility applications
- Part 2: Analogue power line carrier terminals or APLC
(IEC 62488-2:2017)

Systèmes de communication sur lignes d'énergie pour les applications des compagnies d'électricité - Partie 2 : Bornes analogiques à courant porteur en ligne (CPL) (IEC 62488-2:2017)

Systeme zur Kommunikation über Hochspannungsleitungen für Anwendungen der elektrischen Energieversorgung - Teil 2: Anschlussgeräte für analoge Nachrichtenübertragung über Hochspannungsleitungen (APLC) (IEC 62488-2:2017)

This European Standard was approved by CENELEC on 2017-08-30. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

European foreword

The text of document 57/1867/FDIS, future edition 1 of IEC 62488-2, prepared by IEC/TC 57 "Power systems management and associated information exchange" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62488-2:2017.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with (dow) 2020-08-30 the document have to be withdrawn

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62488-2:2017 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60255-26:2013	NOTE	Harmonized as EN 60255-26:2013.
IEC 60255-151:2009	NOTE	Harmonized as EN 60255-151:2009.
IEC 60495:1993	NOTE	Harmonized as EN 60495:1994.
IEC 60721-3-4:1995	NOTE	Harmonized as EN 60721-3-4:1995.
IEC 60870-5-101	NOTE	Harmonized as EN 60870-5-101.
IEC 60870-5-104	NOTE	Harmonized as EN 60870-5-104.
IEC 61869-2:2012	NOTE	Harmonized as EN 61869-2:2012.
IEC 62351 (series)	NOTE	Harmonized as EN 62351 (series).

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

Publication	<u>Year</u>	Title EN/HD	<u>Year</u>
IEC 60038	-	IEC standard voltages EN 60038	-
IEC 60068-2-1	-	Environmental testing Part 2-1: Tests -EN 60068-2-1 Test A: Cold	-
IEC 60068-2-2	-	Environmental testing Part 2-2: Tests -EN 60068-2-2 Test B: Dry heat	-
IEC 60068-2-6	-	Environmental testing Part 2-6: Tests -EN 60068-2-6 Test Fc: Vibration (sinusoidal)	-
IEC 60068-2-27	-	Environmental testing Part 2-27: Tests -EN 60068-2-27 Test Ea and guidance: Shock	-
IEC 60068-2-30	-	Environmental testing Part 2-30: Tests -EN 60068-2-30 Test Db: Damp heat, cyclic (12 h + 12 h cycle)	-
IEC 60068-2-31	-	Environmental testing Part 2-31: Tests -EN 60068-2-31 Test Ec: Rough handling shocks, primarily for equipment-type specimens	-
IEC 60255-27	2013	Measuring relays and protection equipmentEN 60255-27 Part 27: Product safety requirements	2014
IEC 60529	-	Degrees of protection provided by- enclosures (IP Code)	-
IEC 60721-3-1	1997	Classification of environmental conditions -EN 60721-3-1 - Part 3: Classification of groups of environmental parameters and their severities Section 1: Storage	1997
IEC 60721-3-2	1997	Classification of environmental conditions -EN 60721-3-2 - Part 3: Classification of groups of environmental parameters and their severities Section 2: Transportation	1997
+ A1	1995	<u> </u>	-
IEC 60721-3-3	1994	Classification of environmental conditions -EN 60721-3-3 - Part 3: Classification of groups of environmental parameters and their severities Section 3: Stationary use at weatherprotected locations	1995
+ A2	1996	+ A2	1997
IEC 60834-1	-	Performance and testing of teleprotection- equipment of power systems Part 1: Narrow-band command systems	-

EN 62488-2:2017

IEC 60950-1	-	Information technology equipment - SafetyEN 60950-1 - Part 1: General requirements	-
IEC 61000-4-2	-	Electromagnetic compatibility (EMC) PartEN 61000-4-2 4-2: Testing and measurement techniques	-
IEC 61000-4-3	-	 Electrostatic discharge immunity test Electromagnetic compatibility (EMC) - Part- 4-3: Testing and measurement techniques Radiated, radio-frequency, 	-
IEC 61000-4-4	-	electromagnetic field immunity test Electromagnetic compatibility (EMC) PartEN 61000-4-4 4-4: Testing and measurement techniques - Electrical fast transient/burst immunity	-
IEC 61000-4-5	-	test Electromagnetic compatibility (EMC) - PartEN 61000-4-5 4-5: Testing and measurement techniques - Surge immunity test	-
IEC 61000-4-6	-	Electromagnetic compatibility (EMC) PartEN 61000-4-6 4-6: Testing and measurement techniques - Immunity to conducted disturbances,	-
IEC 61000-4-8	-	induced by radio-frequency fields Electromagnetic compatibility (EMC) PartEN 61000-4-8 4-8: Testing and measurement techniques - Power frequency magnetic field immunity	-
IEC 61000-4-11	-	test Electromagnetic compatibility (EMC) PartEN 61000-4-11 4-11: Testing and measurement techniques - Voltage dips, short interruptions and voltage variations	-
IEC 61000-4-16	-	immunity tests Electromagnetic compatibility (EMC) - PartEN 61000-4-16 4-16: Testing and measurement techniques - Test for immunity to conducted, common mode disturbances in	-
IEC 61000-4-17	-	the frequency range 0 Hz to 150 kHz Electromagnetic compatibility (EMC) - Part- 4-17: Testing and measurement techniques - Ripple on d.c. input power port immunity test	-
IEC 61000-4-18	-	Electromagnetic compatibility (EMC) PartEN 61000-4-18 4-18: Testing and measurement techniques - Damped oscillatory wave immunity test	-
IEC 61000-4-20	2010	Electromagnetic compatibility (EMC) PartEN 61000-4-20 4-20: Testing and measurement techniques - Emission and immunity testing in transverse electromagnetic	2010
IEC 61000-4-29	-	(TEM) waveguides Electromagnetic compatibility (EMC) PartEN 61000-4-29 4-29: Testing and measurement techniques - Voltage dips, short interruptions and voltage variations on d.c.	-
IEC 61000-6-2	-	input power port immunity tests Electromagnetic compatibility (EMC) - PartEN 61000-6-2 6-2: Generic standards - Immunity standard for industrial environments	-
IEC 61000-6-4	2006	Electromagnetic compatibility (EMC) PartEN 61000-6-4 6-4: Generic standards - Emission standard for industrial environments	2007

IEC 61000-6-5	2015	Electromagnetic compatibility (EMC) - PartEN 61000-6-5 6-5: Generic standards - Immunity for equipment used in power station and substation environment	2015
IEC 62488-1	2012	Power line communication systems for EN 62488-1 power utility applications Part 1: Planning of analogue and digital power line carrier systems operating over EHV/HV/MV electricity grids	2013
CISPR 14-1	2016	Electromagnetic compatibility -EN 55014-1 Requirements for household appliances, electric tools and similar apparatus - Part 1: Emission	2017
CISPR 16-1-1	2015	Specification for radio disturbance and- immunity measuring apparatus and methods - Part 1-1: Radio disturbance and immunity measuring apparatus - Measuring apparatus	-
CISPR 16-1-2	2014	Specification for radio disturbance and EN 55016-1-2 immunity measuring apparatus and methods - Part 1-2: Radio disturbance and immunity measuring apparatus - Coupling devices for conducted disturbance measurements	2014
CISPR 16-1-4	2010	Specification for radio disturbance and EN 55016-1-4 immunity measuring apparatus and methods Part 1-4: Radio disturbance and immunity measuring apparatus - Antennas and test sites for radiated disturbance measurements	2010
CISPR 16-2-1	2014	Specification for radio disturbance andEN 55016-2-1 immunity measuring apparatus and methods - Part 2-1: Methods of measurement of disturbances and immunity - Conducted disturbance measurements	2014
CISPR 16-2-3	2016	Specification for radio disturbance andEN 55016-2-3 immunity measuring apparatus and methods - Part 2-3: Methods of measurement of disturbances and immunity - Radiated disturbance measurements	2017
CISPR 22	2008	Information technology equipment - Radio- disturbance characteristics - Limits and methods of measurement	-

CONTENTS

FC	DREWO	RD	7
IN	TRODU	CTION	9
1	Scop	e	10
2	Norm	native references	11
3	Term	s, definitions and abbreviations	13
	3.1	Terms and definitions	
	3.2	Abbreviations	
4	Low 1	frequency side interfaces	
	4.1	General	
	4.2	Analogue interfaces	
	4.2.1	General	17
	4.2.2	Voice frequency band	17
	4.2.3	Nominal impedance	17
	4.2.4	Return loss	17
	4.2.5	Degree of unbalance to Earth	17
	4.2.6	ITU-T voice channel interface	17
	4.2.7	Subscriber interface	17
	4.2.8		
	4.2.9	Narrowband telegraphic channel interface	18
	4.3	Analogue teleprotection system interface	
	4.3.1	Description	
	4.3.2	J I	
	4.3.3	' '	
	4.3.4	•	
	4.3.5	•	
	4.3.6	1	
	4.3.7	'	
	4.4	Digital interfaces	
	4.4.1	Telephony signaling interface	
5	4.4.2	Internal data modemsmission line side high frequency interface	
5			
	5.1	APLC high frequency band and channelling	
	5.2	Frequency accuracy	
	5.3 5.4	Nominal impedance	
	5.5	Return loss	
	5.6	Degree of unbalance to earth	
	5.7	Tapping loss	
	5.8	Spurious emissions	
6		ity and Performance	
Ü	6.1	General	
	6.2	APLC internally generated noise	
	6.3	Automatic gain control	
	6.4	Limiter action	
	6.5	Transmit/Receive frequency difference	
	6.6	Attenuation distortion	
	5.5		0

	6.7	Group-delay distortion	30
	6.8	Harmonic distortion	31
	6.9	Selectivity	31
	6.10	Crosstalk attenuation	31
	6.10.	.1 Co-channel crosstalk attenuation	31
	6.10.	.2 Inter-channel crosstalk attenuation	31
7	Testi	ing	32
	7.1	General	
	7.2	Test setup for APLC link tests	
	7.3	Return loss	
	7.4	Degree of unbalance to earth	
	7.4.1	-	
	7.4.2		
	7.4.3		
	7.5	Tapping loss	
	7.6	Spurious emissions	
	7.6.1	·	
	7.6.2	-	
	7.7	Selectivity	
	7.8	Co-channel and inter-channel crosstalk attenuation	
8	_	figuration and management	
	8.1	General	
	8.2	Configuration	
	8.3	Network management system	
	8.4	Local terminal alarms	
9		er security	
J	•	General	
	9.1	Authentication	
40	9.2		
10		C safety	
		General	
		Safety reference standard	
	10.3	Classification of APLC Terminals	
		Ingress protection	
		Type and routine tests	
11	Stora	age and transportation, operating conditions, power supply	
	11.1	Storage and transportation	
	11.1.		
	11.1.		
	11.2	Operating conditions	45
	11.2.		
	11.2.		
	11.2.	.3 Operating conditions set of tests	47
	11.3	Power supply	
	11.3.	11.7	
	11.3.		
12	EMC	<u> </u>	49
	12.1	Emission and Immunity reference standards	49
	12.2	Emission	EC

12.2.1	Radiated and conducted emission	50
12.2.2	Low frequency disturbance emission	54
12.3 lmr	nunity	54
12.3.1	EMC Environment	54
12.3.2	Functional requirements	
12.3.3	Immunity test list	56
	mative) Characteristics of compandors for telephony (based on the J-T Recommendation G.162)	59
A.1 Ge	neral	59
A.2 Cha	aracteristics of compandors	59
A.3 Def	inition and value of the unaffected level	59
A.4 Rat	io of compression and expansion	59
A.5 Rai	nge of level	60
A.6 Sig	nal to noise ratio	60
Annex B (info	rmative) APLC communication model	61
B.1 Ge	neral	61
B.2 AM	-SSB modulation technique	64
B.3 Fur	nctional blocks of an APLC terminal	65
Annex C (info	rmative) HF modulated power signal	67
C.1 Ge	neral	67
C.2 Dis	crete tone signals	67
C.3 Voi	ce channels	69
C.4 Cor	mposite channels	70
C.5 Cal	culation examples	72
C.5.1	General	
C.5.2	Calculation example 1: Load capacity and PEP	
C.5.3	Calculation example 2: Power distribution adjustment	
Bibliography		74
_	hematic representation of the scope of IEC 62488-2	
	neric architecture of an APLC terminal	
Figure 3 – Su	bscriber PBX interfaces local and remote	18
Figure 4 - Int	erfaces for PBX trunk interconnection through APLC link	18
Figure 5 – Lo	w symbol rate ITU-T telegraphic channelling	19
Figure 6 – Co	mmonly used EIA RS-232 connector	22
_	mmonly used V.11 connector	
=	H IEEE 802.3 RJ45 type connector	
Figure 9 – ET	H IEEE 802.3 SC type connector	24
Figure 10 – T	apping loss limits for APLC terminals	26
Figure 11 – M	laximum level of spurious emissions outside the high frequency band	27
_	eference points for measuring APLC parameters	
Figure 13 – A	ttenuation distortion limits for the voice frequency band of 300 Hz to -T G.232)	
Figure 14 – A	ttenuation distortion limits for the voice frequency band of 300 Hz to	
	ttenuation distortion limits for the voice frequency band of 300 Hz to	29

Figure 16 – Group delay distortion limits for the voice frequency band of 300 Hz to 3400 Hz	30
Figure 17 – Group delay distortion limits for the voice frequency band of 300 Hz to 2400 Hz	
Figure 18 – Group delay distortion limits for the voice frequency band of 300 Hz to 2000 Hz	
Figure 19 – Test circuit for return loss measurement	33
Figure 20 – Test circuit for LCL measurement (Tx port)	34
Figure 21 – Test circuit for OSB measurement (Rx port)	35
Figure 22 – Test circuit for Tapping Loss measurement	35
Figure 23 – Test circuit for selectivity measurement	37
Figure 24 – LF disturbances measurement setup	54
Figure B.1 – Basic components of the APLC Terminal	61
Figure B.2 – Baseband and pass band signals correspondence in SSB modulation	61
Figure B.3 – APLC Terminal LF, baseband and HF interfaces identification	62
Figure B.4 – Examples for low frequency signals with bandwidth 4 kHz (IEC 62488-1)	62
Figure B.5 – Composition of the modulating baseband for eight telephony channels with signalling APLC terminal (source Japan NC)	62
Figure B.6 – Line-up limits of circuits for a 4 kHz channel terminal (ITU-T G.120)	63
Figure B.7 – Example of HF channelling plan (4 kHz based – IEC 62488-1)	64
Figure B.8 – Principle of phasing SSB modulator	64
Figure B.9 – Principle of phasing SSB demodulator	65
Figure B.10 – Generic APLC terminal main functional blocks	66
Figure C.1 – Sine wave and its probability distribution	68
Figure C.2 – Probability of combined sine waves	69
Figure C.3 – Nominal high frequency band output power of multichannel PLC terminals	70
Table 1 – FSK symbol rate and related narrowband standards	23
Table 2 – Basic insulation [Table C.6 of IEC 60255-27:2013]	40
Table 3 – Double or reinforced insulation [Table C.10 of IEC 60255-27:2013]	40
Table 4 – List of Type and Routine Tests [Table 12 of IEC 60255-27:2013]	42
Table 5 - Classification of climatic conditions [Table 1 of IEC 60721-3-1:1997]	43
Table 6 – Climatic tests for storage and transportation	44
Table 7 - Classification of climatic conditions from Table 1 of IEC 60721-3-3:2002	46
Table 8 – Classification of mechanical conditions from Table 6 of IEC 60721-3-3:2002	47
Table 9 – Climatic tests	47
Table 10 – Sinusoidal vibration test	48
Table 11 – Non-repetitive shock test	48
Table 12 – Emission – Enclosure port [Table 1 of IEC 61000-6-4:2011 (ed.2.1)]	50
Table 13 – Emission – Low voltage AC mains port [Table 2 of IEC 61000-6-4:2011 (ed.2.1)]	52
Table 14 – Emission – Telecommunications/network port [Table 3 of IEC 61000-6- 4:2011 (ed.2.1)]	53
Table 15 – Characterization of the electromagnetic phenomena [Table 1 of IEC 61000-	55

Table 16 – Port classification	56
Table 17 – Performance criteria	56
Table 18 – Immunity test list	57
Table C.1 – Load capacity of voice channels	71

INTERNATIONAL ELECTROTECHNICAL COMMISSION

POWER LINE COMMUNICATION SYSTEMS FOR POWER UTILITY APPLICATIONS –

Part 2: Analogue power line carrier terminals or APLC

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62488-2 has been prepared by IEC technical committee 57: Power systems management and associated information exchange.

This first edition of IEC 62488-2 cancels and replaces the relevant parts of IEC 60663 and IEC 60495, which will be withdrawn at a later date.

This standard is to be used in conjunction with IEC 62488-1.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
57/1867/FDIS	57/1891/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 62488 series, published under the general title *Power line communication systems for power utility applications*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

IEC 62488 series is a family of standards dealing with all aspects of power line communication systems operating over electricity power lines.

These international standards apply to power line carrier terminals and systems (PLC) used to transmit information over power networks including extra high, high and medium voltage (EHV/HV/MV) power lines. Both analogue and digital modulation as well as narrow and broadband systems will be included.

The complexity and extensive size of present-day electricity generation, transmission and distribution systems are such that it is possible to control them only by means of an associated and often equally large and complex telecommunication system having a high order of reliability.

The control of electrical networks and transmission and reception of data are through a combination of analogue and digital communication systems controlling devices and systems distributed throughout the electrical network.

The emergence of digital communication systems for controlling the devices of the electrical distribution network enables faster data transmission. The traditional analogue communication systems mainly due to legacy applications are still extensively used.

The ability to represent the various electrical parameters as an analogue signal and/or a digital signal ensures the quality and quantitative aspects of seamless communication to be maintained throughout the electrical power network.

Therefore, by using either analogue power line communication, digital power line communication or a combination of both types of systems, seamless efficient communication may be maintained throughout the power network.

In many countries, Power Line Carrier (PLC) channels represent a main part of the utility-owned telecommunication system. A circuit which would normally be routed via a PLC channel can also be routed via a channel using a different transmission medium, such as a point to point radio or open-wire circuit. Since, in many cases, automatic switching is used, the actual rerouting, although predetermined, is unpredictable.

It is important, therefore, that the input and output signals and criteria exchanged among all terminal used in the communications system are compatible. This compatibility is also beneficial in creating the ability to interchange and interconnect terminals from different sources.

This document has been prepared to enable compatibility between APLC links from different sources or between APLC links and other transmission medium to be achieved and to define the terminal performance required in APLC networks.

POWER LINE COMMUNICATION SYSTEMS FOR POWER UTILITY APPLICATIONS –

Part 2: Analogue power line carrier terminals or APLC

1 Scope

This part of IEC 62488 applies to Amplitude Modulation Single Sideband (AM-SSB) Analogue Power Line Carrier (APLC) Terminals and Systems used to transmit information over power lines (EHV/HV/MV).

In particular this document covers basically baseband signals with bandwidths of 4 kHz and 2,5 kHz, or multiples thereof, corresponding to the same high frequency bandwidth/s for single or multi-channel APLC terminals.

Figure 1 shows a schematic representation of the scope of the IEC 62488-2 standard within a complete power line communication system installation.




Figure 1 – Schematic representation of the scope of IEC 62488-2

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60038, IEC standard voltages

IEC 60068-2-1, Environmental testing - Part 2-1: Tests - Test A: Cold

IEC 60068-2-2, Environmental testing - Part 2-2: Tests - Test B: Dry heat

IEC 60068-2-6, Environmental testing - Part 2-6: Tests - Test Fc: Vibration (sinusoidal)

IEC 60068-2-27, Environmental testing – Part 2-27: Tests – Test Ea and guidance: Shock

IEC 60068-2-30, Environmental testing – Part 2-30: Tests – Test Db: Damp heat, cyclic (12 h + 12 h cycle)

IEC 60068-2-31, Environmental testing – Part 2-31: Tests – Test Ec: Rough handling shocks, primarily for equipment-type specimens

IEC 60255-27:2013, Measuring relays and protection equipment – Part 27: Product safety requirements

IEC 60529, Degrees of protection provided by enclosures (IP Code)

IEC 60721-3-1:1997, Classification of environmental conditions – Part 3 Classification of groups of environmental parameters and their severities – Section 1: Storage

IEC 60721-3-2:1997, Classification of environmental conditions – Part 3: Classification of groups of environmental parameters and their severities – Section 2: Transportation

IEC 60721-3-3:1994, Classification of environmental conditions – Part 3: Classification of groups of environmental parameters and their severities – Section 3: Stationary use at weatherprotected locations

IEC 60721-3-3:1994/AMD1:1995

IEC 60721-3-3:1994/AMD2:1996

IEC 60834-1, Teleprotection equipment of power systems – Performance and testing – Part 1: Command systems

IEC 60950-1, Information technology equipment - Safety - Part 1: General requirements

IEC 61000-4-2, Electromagnetic compatibility (EMC) – Part 4-2: Testing and measurement techniques – Electrostatic discharge immunity test

IEC 61000-4-3, Electromagnetic compatibility (EMC) – Part 4-3: Testing and measurement techniques – Radiated, radio-frequency, electromagnetic field immunity test

IEC 61000-4-4, Electromagnetic compatibility (EMC) – Part 4-4: Testing and measurement techniques – Electrical fast transient/burst immunity test

IEC 61000-4-5, Electromagnetic compatibility (EMC) – Part 4-5: Testing and measurement techniques – Surge immunity test

- IEC 61000-4-6, Electromagnetic compatibility (EMC) Part 4-6: Testing and measurement techniques Immunity to conducted disturbances, induced by radio-frequency fields
- IEC 61000-4-8, Electromagnetic compatibility (EMC) Part 4-8: Testing and measurement techniques Power frequency magnetic field immunity test
- IEC 61000-4-11, Electromagnetic compatibility (EMC) Part 4-11: Testing and measurement techniques Voltage dips, short interruptions and voltage variations immunity tests
- IEC 61000-4-16, Electromagnetic compatibility (EMC) Part 4-16: Testing and measurement techniques Test for immunity to conducted, common mode disturbances in the frequency range 0 Hz to 150 kHz
- IEC 61000-4-17, Electromagnetic compatibility (EMC) Part 4-17: Testing and measurement techniques Ripple on d.c. input power port immunity test
- IEC 61000-4-18, Electromagnetic compatibility (EMC) Part 4-18: Testing and measurement techniques Damped oscillatory wave immunity test
- IEC 61000-4-20:2010, Electromagnetic compatibility (EMC) Part 4-20: Testing and measurement techniques Emission and immunity testing in transverse electromagnetic (TEM) waveguides
- IEC 61000-4-29, Electromagnetic compatibility (EMC) Part 4-29: Testing and measurement techniques Voltage dips, short interruptions and voltage variations on d.c. input power port immunity tests
- IEC 61000-6-2, Electromagnetic compatibility (EMC) Part 6-2: Generic standards Immunity standard for industrial environments
- IEC 61000-6-4:2006, Electromagnetic compatibility (EMC) Part 6-4: Generic standards Emission standard for industrial environments IEC 61000-6-4:2006/AMD1:2010
- IEC 61000-6-5:2015, Electromagnetic compatibility (EMC) Part 6-5: Generic standards Immunity for equipment used in power station and substation environment
- IEC 62488-1:2012, Power line communication systems for power utility applications Part 1: Planning of analogue and digital power line carrier systems operating over EHV/HV/MV electricity grids
- CISPR 16-1-1:2015, Specification for radio disturbance and immunity measuring apparatus and methods Part 1-1: Radio disturbance and immunity measuring apparatus Measuring apparatus
- CISPR 16-1-2:2014, Specification for radio disturbance and immunity measuring apparatus and methods Part 1-2: Radio disturbance and immunity measuring apparatus Coupling devices for conducted disturbance measurements
- CISPR 16-1-4:2010, Specification for radio disturbance and immunity measuring apparatus and methods Part 1-4: Radio disturbance and immunity measuring apparatus Antennas and test sites for radiated disturbance measurements
- CISPR 16-2-1:2014, Specification for radio disturbance and immunity measuring apparatus and methods Part 2-1: Methods of measurement of disturbances and immunity Conducted disturbance measurements

CISPR 16-2-3:2016, Specification for radio disturbance and immunity measuring apparatus and methods – Part 2-3: Methods of measurement of disturbances and immunity – Radiated disturbance measurements

CISPR 14-1:2016, Electromagnetic compatibility – Requirements for household appliances, electric tools and similar apparatus – Part 1: Emission

CISPR 22:2008, Information technology equipment – Radio disturbance characteristics – Limits and methods of measurement