

© Copyright SEK. Reproduction in any form without permission is prohibited.

## Kopplingsapparater för högst 1000 V – Produktdata och produktegenskaper för informationsutbyte – Del 1: Katalogdata

*Low-voltage switchgear and controlgear –  
Product data and properties for information exchange –  
Part 1: Catalogue data*

Som svensk standard gäller europastandarden EN 62683-1:2017. Den svenska standarden innehåller den officiella engelska språkversionen av EN 62683-1:2017.

### Nationellt förord

Europastandarden EN 62683-1:2017

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 62683-1, First edition, 2017 - Low-voltage switchgear and controlgear - Product data and properties for information exchange - Part 1: Catalogue data**

utarbetad inom International Electrotechnical Commission, IEC.

Tidigare fastställd svensk standard SS-EN 62683, utgåva 2, 2016, gäller ej fr o m 2020-08-16.

---

ICS 29.130.20

---

Denna standard är fastställd av SEK Svensk Elstandard, som också kan lämna upplysningar om **sakinnehållet** i standarden.  
Postadress: Box 1284, 164 29 KISTA  
Telefon: 08 - 444 14 00.  
E-post: sek@elstandard.se. Internet: www.elstandard.se

---

### *Standarder underlättar utvecklingen och höjer elsäkerheten*

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

### *SEK är Sveriges röst i standardiseringsarbetet inom elområdet*

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

### *Stora delar av arbetet sker internationellt*

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

### *Var med och påverka!*

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

### **SEK Svensk Elstandard**

Box 1284  
164 29 Kista  
Tel 08-444 14 00  
[www.elstandard.se](http://www.elstandard.se)

English Version

**Low-voltage switchgear and controlgear - Product data and  
properties for information exchange - Part 1: Catalogue data  
(IEC 62683-1:2017)**

Appareillage à basse tension - Données et propriétés de  
produits pour l'échange d'informations - Partie 1: Données  
de catalogue  
(IEC 62683-1:2017)

Niederspannungsschaltgeräte - Produktdaten und -  
eigenschaften für den Informationsaustausch - Teil 1:  
Katalogdaten  
(IEC 62683-1:2017)

This European Standard was approved by CENELEC on 2017-08-16. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

## **European foreword**

The text of document 121A/152a/FDIS, future edition 1 of IEC 62683-1, prepared by SC 121A "Low-voltage switchgear and controlgear" of IEC/TC 121 "Switchgear and controlgear and their assemblies for low voltage" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62683-1:2017.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2018-05-16
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2020-08-16

This document supersedes EN 62683:2015.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

## **Endorsement notice**

The text of the International Standard IEC 62683-1:2017 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC/TS 60034-20-1:2002	NOTE	Harmonized as CLC/TS 60034-20-1:2004.
IEC 60127-1	NOTE	Harmonized as EN 60127-1.
IEC 60529:1989	NOTE	Harmonized as EN 60529:1991.
IEC 60529:1989/AMD1:1999	NOTE	Harmonized as EN 60529:1991/A1:2000.
IEC 60529:1989/AMD2:2013	NOTE	Harmonized as EN 60529:1991/A2:2013.
IEC 62262:2002	NOTE	Harmonized as EN 62262:2002.
IEC 60715	NOTE	Harmonized as EN 60715.
IEC 60825-1	NOTE	Harmonized as EN 60825-1.
IEC 60947-2:2016	NOTE	Harmonized as EN 60947-2:2017.
IEC 60947-3	NOTE	Harmonized as EN 60947-3.
IEC 60947-4 (series)	NOTE	Harmonized as EN 60947-4 (series).
IEC 60947-4-1:2009	NOTE	Harmonized as EN 60947-4-1:2010.

IEC 60947-4-1:2009/AMD1:2012	NOTE	Harmonized as EN 60947-4-1:2010/A1:2012.
IEC 60947-4-2	NOTE	Harmonized as EN 60947-4-2.
IEC 60947-4-3	NOTE	Harmonized as EN 60947-4-3.
IEC 60947-5-1:2016	NOTE	Harmonized as EN 60947-5-1:2016.
IEC 60947-5-2:2007	NOTE	Harmonized as EN 60947-5-2:2007.
IEC 60947-5-2:2007/AMD1:2012	NOTE	Harmonized as EN 60947-5-2:2007/A1:2012.
IEC 60947-5-5:1997	NOTE	Harmonized as EN 60947-5-5:1997.
IEC 60947-5-5:1997/AMD1:2005	NOTE	Harmonized as EN 60947-5-5:1997/A1:2005.
IEC 60947-5-5:1997/AMD2:2016	NOTE	Harmonized as EN 60947-5-5:1997/A2:2017.
IEC 60947-6-1:2005	NOTE	Harmonized as EN 60947-6-1:2005.
IEC 60947-6-1:2005/AMD1:2013	NOTE	Harmonized as EN 60947-6-1:2005/A1:2014.
IEC 60947-6-2	NOTE	Harmonized as EN 60947-6-2.
IEC 60947-7-1:2009	NOTE	Harmonized as EN 60947-7-1:2009.
IEC 60947-7-2:2009	NOTE	Harmonized as EN 60947-7-2:2009.
IEC 60947-7-3:2009	NOTE	Harmonized as EN 60947-7-3:2009.
IEC 60947-8	NOTE	Harmonized as EN 60947-8.
IEC 60999-1:1999	NOTE	Harmonized as EN 60999-1:2000.
IEC 61058-1:2016	NOTE	Harmonized as EN 61058-1:2017.
IEC 61095	NOTE	Harmonized as EN 61095.
IEC 61140:2016	NOTE	Harmonized as EN 61140:2016.
IEC 61672-1:2013	NOTE	Harmonized as EN 61672-1:2013.
IEC 61987-10	NOTE	Harmonized as EN 61987-10.
IEC 62271-1:2007	NOTE	Harmonized as EN 62271-1:2008.
IEC 62474	NOTE	Harmonized as EN 62474.
IEC 82079-1:2012	NOTE	Harmonized as EN 82079-1:2012.
ISO 13850:2015	NOTE	Harmonized as EN ISO 13850:2015.
ISO 14025	NOTE	Harmonized as EN ISO 14025.

## Annex ZA (normative)

### Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: [www.cenelec.eu](http://www.cenelec.eu).

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60947-1	2007	Low-voltage switchgear and controlgear Part 1: General rules	- EN 60947-1	2007
+ A1	2010		+ A1	2011
+ A2	2014		+ A2	2014
IEC 61360-1	-	Standard data element types with associated classification scheme - Part 1: Definitions - Principles and methods	EN 61360-1	-

## CONTENTS

FOREWORD.....	6
INTRODUCTION.....	8
1 Scope.....	10
2 Normative references .....	10
3 Terms and definitions .....	10
4 General .....	11
5 Properties.....	11
5.1 Criteria for naming properties.....	11
5.2 Attributes of a property .....	12
6 Block of properties.....	12
7 Device classes .....	12
7.1 Device class attributes .....	12
7.2 Classification of low-voltage switchgear and controlgear .....	13
7.3 Properties of circuit-breaker classes .....	20
7.3.1 General .....	20
7.3.2 Circuit-breaker.....	20
7.3.3 Release for circuit-breaker.....	22
7.3.4 Residual current release for circuit-breaker .....	23
7.3.5 Shunt release for circuit-breaker.....	24
7.3.6 Under-voltage release for circuit-breaker .....	25
7.3.7 Motor-operator for circuit-breaker .....	26
7.3.8 Plug-in base for circuit-breaker .....	27
7.3.9 Draw-out cradle for circuit-breaker.....	28
7.4 Properties of switch classes.....	28
7.4.1 General .....	28
7.4.2 Switch-disconnector.....	29
7.4.3 Switch-disconnector-fuse.....	31
7.4.4 Fuse-switch-disconnector .....	33
7.5 Properties of contactors, starters and similar equipment classes.....	34
7.5.1 General .....	34
7.5.2 Motor protection circuit-breaker .....	35
7.5.3 Motor management device.....	36
7.5.4 Motor management device, extension module.....	38
7.5.5 Motor management device, operator panel .....	39
7.5.6 Motor-starter combination .....	40
7.5.7 Motor-starter.....	41
7.5.8 AC semiconductor motor controller .....	42
7.5.9 Power contactor, AC switching .....	43
7.5.10 Capacitor contactor .....	44
7.5.11 Combination of contactors .....	45
7.5.12 Power contactor, DC switching .....	46
7.5.13 Thermal overload relay .....	47
7.5.14 Electronic overload relay .....	48
7.5.15 Relay for thermistor protection (PTC).....	49
7.5.16 Electromechanical contactor for household and similar purposes.....	50
7.5.17 Transient suppressor .....	51

7.5.18	Mechanical interlocking device .....	51
7.5.19	Motor-starter enclosure.....	52
7.5.20	Coil for contactor or contactor relay .....	53
7.5.21	Electromechanical latching device .....	53
7.5.22	Control interface for contactor .....	54
7.6	Properties of control switch classes .....	55
7.6.1	General .....	55
7.6.2	Inductive proximity switch .....	55
7.6.3	Capacitive proximity switch.....	56
7.6.4	Non-mechanical magnetic proximity switch .....	57
7.6.5	Ultrasonic proximity switch .....	57
7.6.6	Through beam photoelectric proximity switch .....	58
7.6.7	Retroreflective photoelectric proximity switch.....	59
7.6.8	Diffuse reflective photoelectric proximity switch .....	60
7.6.9	Diffuse reflective photoelectric proximity switch with background suppression .....	62
7.6.10	Auxiliary contact block .....	63
7.6.11	Contactor relay .....	64
7.6.12	Position switch.....	65
7.6.13	Rotary limit switch .....	66
7.6.14	Safety position switch with separate actuator.....	66
7.6.15	Guard locking safety position switch .....	66
7.6.16	Trip wire switch .....	67
7.6.17	Hinge switch .....	67
7.6.18	Push-button.....	68
7.6.19	Rotary button.....	69
7.6.20	Front element for rotary button .....	71
7.6.21	Joy stick .....	72
7.6.22	Foot switch .....	73
7.6.23	Emergency stop push-button .....	74
7.6.24	Indicator light.....	75
7.6.25	Indicating tower .....	76
7.6.26	Front element for push-button.....	77
7.6.27	Contact block for control circuit.....	78
7.6.28	Front element for emergency stop push-button .....	79
7.6.29	Module for indicating tower .....	80
7.6.30	Reflector for reflective photoelectric proximity switch .....	81
7.6.31	Lamp for control device .....	82
7.6.32	Label holder for push-button and indicator light .....	82
7.6.33	Label plate for control operation .....	83
7.6.34	Protective cover for control device .....	84
7.6.35	Pneumatic time delay auxiliary contact block .....	84
7.6.36	Electronic time delay auxiliary block .....	85
7.6.37	Time relay .....	86
7.6.38	Rotary encoder .....	87
7.6.39	Linear encoder .....	88
7.7	Properties of multiple function equipment classes .....	89
7.8	Properties of terminal block classes .....	89
7.8.1	General .....	89



7.8.2	Feed-through terminal block .....	89
7.8.3	Disconnect terminal block .....	90
7.8.4	Protective conductor terminal block .....	91
7.8.5	Fuse terminal block .....	92
8	Products properties .....	93
	Bibliography.....	134
	Figure 1 – Height of the device .....	129
	Figure 2 – Width of the device .....	129
	Figure 3 – Length of the device.....	129
	Table 1 – Library of blocks used in the device classes of low-voltage switchgear .....	12
	Table 2 – Low-voltage switchgear and controlgear classification .....	13
	Table 3 – Circuit-breaker .....	20
	Table 4 – Release for circuit-breaker .....	22
	Table 5 – Residual current release for circuit-breaker .....	23
	Table 6 – Shunt release for circuit-breaker .....	24
	Table 7 – Under-voltage release for circuit-breaker.....	25
	Table 8 – Motor-operator for circuit-breaker.....	26
	Table 9 – Plug-in base for circuit-breaker.....	27
	Table 10 – Draw-out cradle for circuit-breaker .....	28
	Table 11 – Switch-disconnector .....	29
	Table 12 – Switch-disconnector-fuse .....	31
	Table 13 – Fuse-switch-disconnector .....	33
	Table 14 – Motor protection circuit-breaker .....	35
	Table 15 – Motor management device .....	36
	Table 16 – Motor management device, extension module .....	38
	Table 17 – Motor management device, operator panel .....	39
	Table 18 – Motor-starter combination.....	40
	Table 19 – Motor-starter .....	41
	Table 20 – AC semiconductor motor controller.....	42
	Table 21 – Power contactor, AC switching .....	43
	Table 22 – Capacitor contactor .....	44
	Table 23 – Combination of contactors .....	45
	Table 24 – Power contactor, DC switching .....	46
	Table 25 – Thermal overload relay .....	47
	Table 26 – Electronic overload relay .....	48
	Table 27 – Relay for thermistor protection (PTC) .....	49
	Table 28 – Electromechanical contactor for household and similar purposes .....	50
	Table 29 – Transient suppressor.....	51
	Table 30 – Mechanical interlocking device .....	51
	Table 31 – Motor-starter enclosure .....	52
	Table 32 – Coil for contactor or contactor relay.....	53
	Table 33 – Electromechanical latching device.....	53

Table 34 – Control interface for contactor .....	54
Table 35 – Inductive proximity switch .....	55
Table 36 – Capacitive proximity switch .....	56
Table 37 – Through beam photoelectric proximity switch .....	58
Table 38 – Retroreflective photoelectric proximity switch .....	59
Table 39 – Diffuse reflective photoelectric proximity switch .....	60
Table 40 – Diffuse reflective photoelectric proximity switch with background suppression .....	62
Table 41 – Auxiliary contact block .....	63
Table 42 – Contactor relay .....	64
Table 43 – Position switch .....	65
Table 44 – Trip wire switch .....	67
Table 45 – Push-button .....	68
Table 46 – Rotary button .....	69
Table 47 – Front element for rotary button .....	71
Table 48 – Joy stick .....	72
Table 49 – Foot switch .....	73
Table 50 – Emergency stop push-button .....	74
Table 51 – Indicator light .....	75
Table 52 – Indicating tower .....	76
Table 53 – Front element for push-button .....	77
Table 54 – Contact block for control circuit .....	78
Table 55 – Front element for emergency stop push-button .....	79
Table 56 – Module for indicating tower .....	80
Table 57 – Reflector for reflective photoelectric proximity switch .....	81
Table 58 – Lamp for control device .....	82
Table 59 – Label holder for push-button and indicator light .....	82
Table 60 – Label plate for control operation .....	83
Table 61 – Protective cover for control device .....	84
Table 62 – Pneumatic time delay auxiliary contact block .....	84
Table 63 – Electronic time delay auxiliary block .....	85
Table 64 – Time relay .....	86
Table 65 – Rotary encoder .....	87
Table 66 – Linear encoder .....	88
Table 67 – Feed-through terminal block .....	89
Table 68 – Disconnect terminal block .....	90
Table 69 – Protective conductor terminal block .....	91
Table 70 – Fuse terminal block .....	92
Table 71 – Library of properties used in the device classes .....	93
Table 72 – Value lists of properties .....	130

# INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

## **LOW-VOLTAGE SWITCHGEAR AND CONTROLGEAR – PRODUCT DATA AND PROPERTIES FOR INFORMATION EXCHANGE –**

### **Part 1: Catalogue data**

#### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62683-1 has been prepared by subcommittee 121A: Low-voltage switchgear and controlgear, of IEC technical committee 121: Switchgear and controlgear and their assemblies for low voltage.

This first edition cancels and replaces the second edition of IEC 62683 published in 2015. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the second edition of IEC 62683:

- a) new device class descriptions;
- b) new associated properties;
- c) slight modifications of some properties.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
121A/152/FDIS	121A/156/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62683 series, published under the general title *Low-voltage switchgear and controlgear – product data and properties for information exchange*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## INTRODUCTION

Mainly large customers and wholesalers are requesting standardized product descriptions and product properties to product manufacturers. However, all stakeholders will benefit from this standardized presentation and data exchange.

Multiple associations or groups of actors launched different initiatives to try to respond to this demand but, due to the lack of standardization of classes and properties, the situation is not satisfactory neither for customers nor for manufacturers.

In order to keep the lead of product description, IEC proposes a new consistent solution within its product standards.

The purpose of this document is to:

- define device classes and properties for low-voltage switchgear and controlgear in a dedicated standard,
- provide a basis for introduction of the low-voltage switchgear and controlgear classes and properties into the IEC 61360 database maintained by IEC SC3D (see <http://std.iec.ch/iec61360>).

This document is not intended to establish a hierarchy of product classes called classification.

The intended benefits of this document are to:

- reduce the costs, time and efforts of mapping data for each customer request;
- optimize the workflow of B2B exchanges;
- minimize duplication of articles in customer inventories and in databases;
- minimize losses and misinterpretation of data during exchanges;
- facilitate the selection of a product, especially regarding reliability and safety;
- give access to product data everywhere regardless of country, language and culture;
- provide product data related to environmental aspects such as material declaration;
- contribute to the fast growth of e-business by simplifying the development of
  - e-catalogue allowing the differentiation of products performances, certificates, etc;
  - e-commerce: use of electronic networks to exchange information, products, services and payments for commercial and communication purposes between individuals (consumers) and businesses, and between businesses themselves.

The output of this document consists of:

- reference dictionary of low-voltage switchgear and controlgear using existing terms from IEC standards. However, terminology used in e-business may be relevant for the purpose of naming classes in this document to get a high level of acceptance;
- properties for e-commerce purposes, conformity of properties with product standards being the main goal of this document.

NOTE The classes "under consideration" are for information only and are intended to be completed during the next maintenance cycle.

For this project, the introduction of low-voltage switchgear and controlgear within the IEC 61360 database needs to address the following technical aspects:

- IEC 61360 requires mandatory attributes. The complete set of mandatory attributes with additional relevant attributes for low-voltage switchgear and controlgear will be available within the IEC 61360 database. At the development stage, the CDD 62683 database is available at the following address:

<https://cdd.iec.ch/cdd/iec62683/iec62683.nsf>. Within the present document, only the most useful attributes will be presented;

- The switchgear and controlgear data model is implemented in an appropriate domain of the IEC Component Data Dictionary (CDD), IEC 61360, by creating dictionaries of blocks, classes and properties.

# LOW-VOLTAGE SWITCHGEAR AND CONTROLGEAR – PRODUCT DATA AND PROPERTIES FOR INFORMATION EXCHANGE –

## Part 1: Catalogue data

### 1 Scope

This document establishes the reference dictionary of the general description of low-voltage switchgear and controlgear classes based on defined properties.

This dictionary is used to facilitate the exchange in electronic format of data describing low-voltage switchgear and controlgear.

This document provides clear and unambiguous definitions of a limited number of properties and classes which are mainly used for presentation, selection and identification of products particularly in electronic catalogues.

Each property has an unambiguously defined meaning and naming, and, where relevant, a defined value list, a defined format and a defined unit.

The intention is not to cover manufacturer-specific features.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60947-1:2007, *Low-voltage switchgear and controlgear – Part 1: General rules*  
IEC 60947-1:2007/AMD1:2010  
IEC 60947-1:2007/AMD2:2014

IEC 61360-1, *Standard data element types with associated classification scheme for electric items – Part 1: Definitions – Principles and methods*