

© Copyright SEK. Reproduction in any form without permission is prohibited.

Kopplingsapparater för spänning över 1 kV – Del 1: Gemensamma specifikationer för kopplingsapparater för växelström

High-voltage switchgear and controlgear –

Part 1: Common specifications for alternating current switchgear and controlgear

Som svensk standard gäller europastandarden EN 62271-1:2017. Den svenska standarden innehåller den officiella engelska språkversionen av EN 62271-1:2017.

Nationellt förord

Europastandarden EN 62271-1:2017

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 62271-1, Second edition, 2017 - High-voltage switchgear and controlgear - Part 1: Common specifications for alternating current switchgear and controlgear**

utarbetad inom International Electrotechnical Commission, IEC.

Tidigare fastställd svensk standard SS-EN 62271-1, utgåva 1, 2009 och SS-EN 62271-1/A1, utgåva 1, 2011, gäller ej fr o m 2020-08-16.

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

English Version

High-voltage switchgear and controlgear - Part 1: Common specifications for alternating current switchgear and controlgear (IEC 62271-1:2017)

Appareillage à haute tension - Partie 1: Spécifications communes pour appareillage à courant alternatif (IEC 62271-1:2017)

Hochspannungs-Schaltgeräte und -Schaltanlagen - Teil 1: Gemeinsame Bestimmungen für Wechselstrom-Schaltgeräte und -Schaltanlagen (IEC 62271-1:2017)

This European Standard was approved by CENELEC on 2017-08-16. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

European foreword

The text of document 17/1033/FDIS, future edition 2 of IEC 62271-1, prepared by IEC/TC 17 "High-voltage switchgear and controlgear" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62271-1:2017.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2018-05-16
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2020-08-16

This document supersedes EN 62271-1:2008.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62271-1:2017 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60447	NOTE	Harmonized as EN 60447.
IEC 60721-2-4	NOTE	Harmonized as prEN 60721-2-4 ¹⁾ .
IEC 60721-2-2	NOTE	Harmonized as EN 60721-2-2.
IEC 60721-3-3	NOTE	Harmonized as EN 60721-3-3.
IEC 60721-3-4	NOTE	Harmonized as EN 60721-3-4.
IEC 60664-1	NOTE	Harmonized as EN 60664-1.
IEC/TS 62271-304	NOTE	Harmonized as CLC/TS 62271-304.
IEC 62271-207	NOTE	Harmonized as EN 62271-207.
IEC 60721-1	NOTE	Harmonized as EN 60721-1.
IEC 60721-2 (series)	NOTE	Harmonized as EN 60721-2 (series).
IEC 60721-3 (series)	NOTE	Harmonized as EN 60721-3 (series).
IEC 61936-1:2010	NOTE	Harmonized as EN 61936-1:2010.
IEC 61936-1:2010/AMD1:2014	NOTE	Harmonized as EN 61936-1:2010/A1:2014.
IEC 61850 (series)	NOTE	Harmonized as EN 61850 (series).

1) At draft stage.

IEC 62271-3	NOTE	Harmonized as EN 62271-3.
IEC 60073	NOTE	Harmonized as EN 60073.
IEC 60695-3 (series)	NOTE	Harmonized as EN 60695-3 (series).
IEC 60695-7 (series)	NOTE	Harmonized as EN 60695-7 (series).
IEC 60068-2-17:1994	NOTE	Harmonized as EN 60068-2-17:1994.
CISPR 16-1 (series)	NOTE	Harmonized as EN 55016-1 (series).
IEC 60909-0	NOTE	Harmonized as EN 60909-0.
IEC 60228	NOTE	Harmonized as EN 60228.
IEC 60445	NOTE	Harmonized as EN 60445.
IEC 60947-7-1	NOTE	Harmonized as EN 60947-7-1.
IEC 60947-7-2	NOTE	Harmonized as EN 60947-7-2.
IEC 61810 (series)	NOTE	Harmonized as EN 61810 (series).
IEC 61810-1	NOTE	Harmonized as EN 61810-1.
IEC 61810-2	NOTE	Harmonized as EN 61810-2.
IEC 60947-4-1	NOTE	Harmonized as EN 60947-4-1.
IEC 60947-2	NOTE	Harmonized as EN 60947-2.
IEC 60947-4-2	NOTE	Harmonized as EN 60947-4-2.
IEC 60947-3	NOTE	Harmonized as EN 60947-3.
IEC 60947-5-1	NOTE	Harmonized as EN 60947-5-1.
IEC 60730-2-13	NOTE	Harmonized as EN 60730-2-13.
IEC 60669-1	NOTE	Harmonized as EN 60669-1.
IEC 60730-2-9	NOTE	Harmonized as EN 60730-2-9.
IEC 61020-1	NOTE	Harmonized as EN 61020-1.
IEC 60269-1	NOTE	Harmonized as EN 60269-1.
IEC 60269-2	NOTE	Harmonized as EN 60269-2.
IEC 60034-1	NOTE	Harmonized as EN 60034-1.
IEC 60051-1	NOTE	Harmonized as EN 60051-1.
IEC 60051-2	NOTE	Harmonized as EN 60051-2.
IEC 60051-4	NOTE	Harmonized as EN 60051-4.

EN 62271-1:2017

IEC 60051-5	NOTE	Harmonized as EN 60051-5.
IEC 60309-1	NOTE	Harmonized as EN 60309-1.
IEC 60309-2	NOTE	Harmonized as EN 60309-2.
IEC 60130 (series)	NOTE	Harmonized as EN 60130 (series).
IEC 62326-1	NOTE	Harmonized as EN 62326-1.
IEC 60393-1	NOTE	Harmonized as EN 60393-1.
IEC 60081	NOTE	Harmonized as EN 60081.
IEC 60064	NOTE	Harmonized as EN 60064.
IEC 60059	NOTE	Harmonized as EN 60059.
IEC 60068-2 (series)	NOTE	Harmonized as EN 60068-2 (series).

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60038 (mod)	2009	IEC standard voltages	EN 60038	2011
IEC 60050-131	2002	International Electrotechnical Vocabulary (IEV) -- Part 131: Circuit theory	-	-
IEC 60050-151	2001	International Electrotechnical Vocabulary (IEV) -- Part 151: Electrical and magnetic devices	-	-
IEC 60050-192	2015	International electrotechnical vocabulary - Part 192: Dependability	-	-
IEC 60050-351	-	International Electrotechnical Vocabulary - Part 351: Control technology	-	-
+ A1	2000		-	-
IEC 60050-441	1984	International Electrotechnical Vocabulary (IEV) -- Chapter 441: Switchgear, controlgear and fuses	-	-
IEC 60050-551	-	International Electrotechnical Vocabulary (IEV) -- Part 551: Power electronics	-	-
IEC 60050-581	2008	International Electrotechnical Vocabulary - Part 581: Electromechanical components for electronic equipment	-	-
IEC 60050-601	-	International Electrotechnical Vocabulary (IEV) -- Chapter 601: Generation, transmission and distribution of electricity - General	-	-
IEC 60050-605	-	International electrotechnical vocabulary - Chapter 605: Generation, transmission and distribution of electricity - Substations	-	-
IEC 60050-614	2016	International electrotechnical vocabulary - Part 614: Generation, transmission and distribution of electricity - Operation	-	-
IEC 60050-811	-	International electrotechnical vocabulary (IEV) -- Chapter 811: Electric traction	-	-
IEC 60050-826	2004	International Electrotechnical Vocabulary - Part 826: Electrical installations	-	-
IEC 60060-1	2010	High-voltage test techniques -- Part 1: General definitions and test requirements	EN 60060-1	2010
IEC 60068-2-1	2007	Environmental testing -- Part 2-1: Tests - Test A: Cold	EN 60068-2-1	2007
IEC 60068-2-2	2007	Environmental testing -- Part 2-2: Tests - Test B: Dry heat	EN 60068-2-2	2007
IEC 60068-2-30	2005	Environmental testing -- Part 2-30: Tests - Test Db: Damp heat, cyclic (12 h + 12 h cycle)	EN 60068-2-30	2005
IEC 60071-1	2006	Insulation co-ordination -- Part 1: Definitions, principles and rules	EN 60071-1	2006
+ A1	2010		+ A1	2010

EN 62271-1:2017

IEC 60071-2	1996	Insulation co-ordination -- Part 2: Application guide	EN 60071-2	1997
IEC 60085	2007	Electrical insulation - Thermal evaluation and designation	EN 60085	2008
IEC 60255-21-1	1988	Electrical relays -- Part 21: Vibration, shock, bump and seismic tests on measuring relays and protection equipment -- Section 1: Vibration tests (sinusoidal)	EN 60255-21-1	1995
IEC 60270	-	High-voltage test techniques - Partial discharge measurements	EN 60270	-
IEC 60296	-	Fluids for electrotechnical applications - Unused mineral insulating oils for transformers and switchgear	EN 60296	-
IEC 60376	-	Specification of technical grade sulfur hexafluoride (SF ₆) for use in electrical equipment	EN 60376	-
IEC 60480	-	Guidelines for the checking and treatment of sulphur hexafluoride (SF ₆) taken from electrical equipment and specification for its re-use	EN 60480	-
IEC 60507	-	Artificial pollution tests on high-voltage ceramic and glass insulators to be used on a.c. systems	EN 60507	-
IEC 60512-2-2	-	Connectors for electronic equipment - Tests and measurements -- Part 2-2: Electrical continuity and contact resistance tests - Test 2b: Contact resistance - Specified test current method	EN 60512-2-2	-
IEC 60529	1989	Degrees of protection provided by enclosures (IP Code)	EN 60529	1991
-	-		+ corrigendum May 1993	
IEC 60529 AMD 1	1999	Degrees of protection provided by enclosures (IP_code); Amendment_1	-	-
IEC 60529 AMD 2	2013	Degrees of protection provided by enclosures (IP_code); Amendment_2	-	-
IEC 61000-4-4	-	Electromagnetic compatibility (EMC) -- Part 4-4: Testing and measurement techniques - Electrical fast transient/burst immunity test	EN 61000-4-4	-
IEC 61000-4-11	-	Electromagnetic compatibility (EMC) -- Part 4-11: Testing and measurement techniques - Voltage dips, short interruptions and voltage variations immunity tests	EN 61000-4-11	-
IEC 61000-4-17	-	Electromagnetic compatibility (EMC) - Part - 4-17: Testing and measurement techniques - Ripple on d.c. input power port immunity test		-
IEC 61000-4-18	-	Electromagnetic compatibility (EMC) -- Part 4-18: Testing and measurement techniques - Damped oscillatory wave immunity test	EN 61000-4-18	-
IEC 61000-4-29	-	Electromagnetic compatibility (EMC) -- Part 4-29: Testing and measurement techniques - Voltage dips, short interruptions and voltage variations on d.c. input power port immunity tests	EN 61000-4-29	-
IEC 61000-6-2	-	Electromagnetic compatibility (EMC) - Part 6-2: Generic standards - Immunity standard for industrial environments	EN 61000-6-2	-

IEC 61000-6-5	-	Electromagnetic compatibility (EMC) - Part 6-5: Generic standards - Immunity for equipment used in power station and substation environment	EN 61000-6-5	-
IEC 61180	-	High-voltage test techniques for low-voltage equipment - Definitions, test and procedure requirements, test equipment	EN 61180	-
IEC 61810-7	2006	Electromechanical elementary relays -- Part 7: Test and measurement procedures	EN 61810-7	2006
IEC 62262	2002	Degrees of protection provided by enclosures for electrical equipment against external mechanical impacts (IK code)	EN 62262	2002
IEC 62271-4	-	High-voltage switchgear and controlgear -- Part 4: Handling procedures for sulphur hexafluoride (SF ₆) and its mixtures	EN 62271-4	-
IEC/TS 60815-1	2008	Selection and dimensioning of high-voltage-insulators intended for use in polluted conditions - Part 1: Definitions, information and general principles		-
IEC/TS 60815-2	2008	Selection and dimensioning of high-voltage-insulators intended for use in polluted conditions - Part 2: Ceramic and glass insulators for a.c. systems		-
IEC/TS 60815-3	2008	Selection and dimensioning of high-voltage-insulators intended for use in polluted conditions - Part 3: Polymer insulators for a.c. systems		-
CISPR 11 (mod)	2015	Industrial, scientific and medical equipment - Radio-frequency disturbance characteristics - Limits and methods of measurement	EN 55011	2016
CISPR/TR 18-2	-	Radio interference characteristics of overhead power lines and high-voltage equipment - Part 2: Methods of measurement and procedure for determining limits		-

CONTENTS

FOREWORD.....	8
INTRODUCTION.....	11
1 Scope.....	12
2 Normative references	12
3 Terms and definitions	14
3.1 General terms and definitions	15
3.2 Assemblies of switchgear and controlgear	18
3.3 Parts of assemblies	18
3.4 Switching devices	18
3.5 Parts of switchgear and controlgear	18
3.6 Operational characteristics of switchgear and controlgear.....	22
3.6.5 Terms and definitions relative to pressure (or density)	23
3.6.6 Terms and definitions relating to gas and vacuum tightness	23
3.6.7 Terms and definitions relating to liquid tightness.....	25
3.7 Characteristic quantities	25
3.8 Index of definitions.....	26
4 Normal and special service conditions	28
4.1 Normal service conditions	28
4.1.1 General	28
4.1.2 Indoor switchgear and controlgear	28
4.1.3 Outdoor switchgear and controlgear	29
4.2 Special service conditions.....	29
4.2.1 General	29
4.2.2 Altitude	29
4.2.3 Exposure to pollution	30
4.2.4 Temperature and humidity	30
4.2.5 Exposure to abnormal vibrations, shock or tilting	30
4.2.6 Wind speed	31
4.2.7 Other parameters	31
5 Ratings.....	31
5.1 General.....	31
5.2 Rated voltage (U_r)	31
5.2.1 General	31
5.2.2 Range I for rated voltages of 245 kV and below	31
5.2.3 Range II for rated voltages above 245 kV	32
5.3 Rated insulation level (U_d , U_p , U_s).....	32
5.4 Rated frequency (f_r).....	36
5.5 Rated continuous current (I_r)	36
5.6 Rated short-time withstand current (I_k)	36
5.7 Rated peak withstand current (I_p)	37
5.8 Rated duration of short-circuit (t_k).....	37
5.9 Rated supply voltage of auxiliary and control circuits (U_a)	37
5.9.1 General	37
5.9.2 Rated supply voltage (U_a)	37
5.10 Rated supply frequency of auxiliary and control circuits	38
5.11 Rated pressure of compressed gas supply for controlled pressure systems	38

6	Design and construction	39
6.1	Requirements for liquids in switchgear and controlgear	39
6.2	Requirements for gases in switchgear and controlgear	39
6.3	Earthing of switchgear and controlgear	39
6.4	Auxiliary and control equipment and circuits	39
6.4.1	General	39
6.4.2	Protection against electric shock	40
6.4.3	Components installed in enclosures	40
6.5	Dependent power operation	43
6.6	Stored energy operation	43
6.6.1	General	43
6.6.2	Energy storage in gas receivers or hydraulic accumulators	44
6.6.3	Energy storage in springs (or weights)	44
6.6.4	Manual charging	44
6.6.5	Motor charging	44
6.6.6	Energy storage in capacitors	44
6.7	Independent unlatched operation (independent manual or power operation)	44
6.8	Manually operated actuators	45
6.9	Operation of releases	45
6.9.1	General	45
6.9.2	Shunt closing release	45
6.9.3	Shunt opening release	45
6.9.4	Capacitor operation of shunt releases	45
6.9.5	Under-voltage release	46
6.10	Pressure/level indication	46
6.10.1	Gas pressure	46
6.10.2	Liquid level	46
6.11	Nameplates	46
6.11.1	General	46
6.11.2	Application	46
6.12	Locking devices	48
6.13	Position indication	48
6.14	Degrees of protection provided by enclosures	48
6.14.1	General	48
6.14.2	Protection of persons against access to hazardous parts and protection of the equipment against ingress of solid foreign objects (IP coding)	48
6.14.3	Protection against ingress of water (IP coding)	48
6.14.4	Protection against mechanical impact under normal service conditions (IK coding)	48
6.15	Creepage distances for outdoor insulators	49
6.16	Gas and vacuum tightness	49
6.16.1	General	49
6.16.2	Controlled pressure systems for gas	49
6.16.3	Closed pressure systems for gas	49
6.16.4	Sealed pressure systems	50
6.17	Tightness for liquid systems	50
6.17.1	General	50
6.17.2	Leakage rates	50
6.18	Fire hazard (flammability)	50

6.19	Electromagnetic compatibility (EMC)	50
6.20	X-ray emission	51
6.21	Corrosion	51
6.22	Filling levels for insulation, switching and/or operation	51
7	Type tests	51
7.1	General.....	51
7.1.1	Basics	51
7.1.2	Information for identification of test objects.....	51
7.1.3	Information to be included in type-test reports	52
7.2	Dielectric tests	52
7.2.1	General	52
7.2.2	Ambient air conditions during tests	52
7.2.3	Wet test procedure	53
7.2.4	Arrangement of the equipment.....	53
7.2.5	Criteria to pass the test	54
7.2.6	Application of the test voltage and test conditions.....	54
7.2.7	Tests of switchgear and controlgear of $U_r \leq 245$ kV	58
7.2.8	Tests of switchgear and controlgear of $U_r > 245$ kV	58
7.2.9	Artificial pollution tests for outdoor insulators.....	59
7.2.10	Partial discharge tests	59
7.2.11	Dielectric tests on auxiliary and control circuits.....	59
7.2.12	Voltage test as condition check	59
7.3	Radio interference voltage (RIV) test	60
7.4	Resistance measurement.....	60
7.4.1	Measurement of the resistance of auxiliary contacts class 1 and class 2.....	60
7.4.2	Measurement of the resistance of auxiliary contacts class 3	60
7.4.3	Electrical continuity of earthed metallic parts test	60
7.4.4	Resistance measurement of contacts and connections in the main circuit as a condition check.....	60
7.5	Continuous current tests	61
7.5.1	Condition of the test object	61
7.5.2	Arrangement of the equipment.....	61
7.5.3	Test current and duration.....	62
7.5.4	Temperature measurement during test	63
7.5.5	Resistance of the main circuit	64
7.5.6	Criteria to pass test	64
7.6	Short-time withstand current and peak withstand current tests	68
7.6.1	General	68
7.6.2	Arrangement of the equipment and of the test circuit	68
7.6.3	Test current and duration.....	69
7.6.4	Conditions of the test object after test.....	70
7.7	Verification of the protection	70
7.7.1	Verification of the IP coding	70
7.7.2	Verification of the IK coding	70
7.8	Tightness tests	71
7.8.1	General	71
7.8.2	Controlled pressure systems for gas	72
7.8.3	Closed pressure systems for gas	72
7.8.4	Sealed pressure systems.....	73

7.8.5	Liquid tightness tests	73
7.9	Electromagnetic compatibility tests (EMC)	73
7.9.1	Emission tests	73
7.9.2	Immunity tests on auxiliary and control circuits	76
7.9.3	Additional EMC tests on auxiliary and control circuits	78
7.10	Additional tests on auxiliary and control circuits	79
7.10.1	General	79
7.10.2	Functional tests	79
7.10.3	Verification of the operational characteristics of auxiliary contacts	79
7.10.4	Environmental tests	80
7.10.5	Dielectric test	81
7.11	X-radiation test for vacuum interrupters	81
7.11.1	General requirements	81
7.11.2	Test voltage and measurement procedure	83
7.11.3	Acceptance criteria	83
8	Routine tests	84
8.1	General.....	84
8.2	Dielectric test on the main circuit	84
8.3	Tests on auxiliary and control circuits	85
8.3.1	Inspection of auxiliary and control circuits, and verification of conformity to the circuit diagrams and wiring diagrams	85
8.3.2	Functional tests	85
8.3.3	Verification of protection against electrical shock.....	85
8.3.4	Dielectric tests.....	85
8.4	Measurement of the resistance of the main circuit.....	85
8.5	Tightness test	86
8.5.1	General	86
8.5.2	Controlled pressure systems for gas.....	86
8.5.3	Closed pressure systems for gas	86
8.5.4	Sealed pressure systems.....	86
8.5.5	Liquid tightness tests	86
8.6	Design and visual checks.....	86
9	Guide to the selection of switchgear and controlgear (informative)	87
9.1	General.....	87
9.2	Selection of rated values.....	87
9.3	Cable-interface considerations.....	87
9.4	Continuous or temporary overload due to changed service conditions.....	87
9.5	Environmental aspects.....	87
9.5.1	Service conditions	87
9.5.2	Clearances affected by service conditions	87
9.5.3	High humidity.....	87
9.5.4	Solar radiation	88
10	Information to be given with enquiries, tenders and orders (informative).....	88
10.1	General.....	88
10.2	Information with enquiries and orders	88
10.3	Information with tenders.....	89
11	Transport, storage, installation, operating instructions and maintenance.....	90
11.1	General.....	90
11.2	Conditions during transport, storage and installation	90

11.3	Installation	90
11.3.1	General	90
11.3.2	Unpacking and lifting	90
11.3.3	Assembly.....	91
11.3.4	Mounting	91
11.3.5	Connections	91
11.3.6	Information about gas and gas mixtures for controlled and closed pressure systems	91
11.3.7	Final installation inspection.....	92
11.3.8	Basic input data by the user	92
11.3.9	Basic input data by the manufacturer	92
11.4	Operating instructions	93
11.5	Maintenance	93
11.5.1	General	93
11.5.2	Information about fluids and gas to be included in maintenance manual	93
11.5.3	Recommendations for the manufacturer.....	93
11.5.4	Recommendations for the user	94
11.5.5	Failure report.....	95
12	Safety.....	96
12.1	General.....	96
12.2	Precautions by manufacturers.....	97
12.3	Precautions by users	97
13	Influence of the product on the environment	97
Annex A	(normative) Identification of test objects.....	99
A.1	General.....	99
A.2	Data.....	99
A.3	Drawings.....	99
Annex B	(informative) Determination of the equivalent RMS value of a short-time current during a short-circuit of a given duration	101
Annex C	(normative) Method for the weatherproofing test for outdoor switchgear and controlgear	102
Annex D	(informative) References for auxiliary and control circuit components	105
Annex E	(normative) Tolerances on test quantities during tests	107
Annex F	(informative) Information and technical requirements to be given with enquiries, tenders and orders	110
F.1	General.....	110
F.2	Normal and special service conditions (refer to Clause 4)	110
F.3	Ratings (refer to Clause 5)	111
F.4	Design and construction (refer to Clause 6)	111
F.5	System information	112
F.6	Documentation for enquiries and tenders	112
Annex G	(informative) List of symbols.....	113
Annex H	(informative) Electromagnetic compatibility on site	114
Annex I	(informative) List of notes concerning certain countries	115
Annex J	(informative) Extension of validity of type tests.....	116
J.1	General.....	116
J.2	Dielectric tests	116
J.3	Short-time withstand current tests.....	116

J.4	Continuous current test.....	116
J.5	Electromagnetic immunity test on auxiliary and control circuits	117
J.6	Environmental tests on auxiliary and control circuits	117
Annex K (informative)	Exposure to pollution.....	118
K.1	General.....	118
K.2	Pollution levels	118
K.3	Minimum requirements for switchgear	118
Bibliography	120
Figure 1	– Examples of classes of contacts.....	43
Figure 2	– Diagram of connections of a three-pole switching device.....	55
Figure 3	– Diagram of a test circuit for the radio interference voltage test	74
Figure 4	– Test location of radiation survey instrument	83
Figure B.1	– Determination of short-time current.....	101
Figure C.1	– Arrangement for weatherproofing test.....	103
Figure C.2	– Nozzle for weatherproofing test	104
Table 1	– Rated insulation levels for rated voltages of range I, series I.....	33
Table 2	– Rated insulation levels for rated voltages of range I, series II (based on current practice in some countries, including US).....	34
Table 3	– Rated insulation levels for rated voltages of range II	35
Table 4	– Additional rated insulation levels for range II, based on current practice in some countries, including US.....	36
Table 5	– Peak factors for rated peak withstand current.....	37
Table 6	– Direct current voltage	38
Table 7	– Alternating current voltage	38
Table 8	– Auxiliary contact classes	42
Table 9	– Nameplate information	47
Table 10	– Test conditions in general case	55
Table 11	– Power-frequency test conditions.....	56
Table 12	– Impulse test conditions.....	57
Table 13	– Test conditions for the alternative method	57
Table 14	– Limits of temperature and temperature rise for various parts, materials and dielectrics of high-voltage switchgear and controlgear	65
Table 15	– Permissible leakage rates for gas systems	72
Table 16	– Application of voltages at the fast transient/burst test.....	77
Table 17	– Application of voltage at the damped oscillatory wave test.....	77
Table 18	– Assessment criteria for transient disturbance immunity.....	78
Table D.1	– List of reference documents for auxiliary and control circuit components	105
Table E.1	– Tolerances on test quantities for type test.....	108
Table K.1	– Environmental examples by site pollution severity (SPS) class.....	119
Table K.2	– Minimum nominal specific creepage distance by pollution level.....	119

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HIGH-VOLTAGE SWITCHGEAR AND CONTROLGEAR –

Part 1: Common specifications for alternating current switchgear and controlgear

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62271-1 has been prepared by technical committee 17: High-voltage switchgear and controlgear.

This second edition cancels and replaces the first edition published in 2007 and Amendment 1:2011. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

New numbering in accordance with ISO/IEC directives, Part 2 (2016) and IEEE Std. C37.100.1.

- 4.1.2 a) The normal service condition for indoor switchgear is limited to one range of 40 °C to –5 °C.

- 4.1.3 a) The normal service condition for outdoor switchgear is limited to one range of 40 °C to –25 °C.
- 4.2.2: The specifications from IEC 60071-2:1996 are adopted for altitude correction factors above 1 000 m.
- 5.2.2: Range I, the rated voltage of 40,5 kV is added Series I Table 1; Table 2 and Table 4 are updated on recommendation of the US National Committee.
- 6.8: New subclause added for manual operated actuators consistent with “Man Machine Interface” recommendations of IEC 60447 [1] ¹.
- 7.2.6.1: Insert the wording regarding preliminary impulses across open vacuum interrupters according to the result of IEC 17/1026/RQ.
- 7.3: Changed the requirement for radio interference voltage to a rated voltage level of 245 kV and above, instead of 123 kV and above. This change is based on reported positive test and service experience of utility representatives in the maintenance team of this standard.
- 7.5.6, Table 14:
- a) Introduced the distinction of parts in “OG” (oxidizing gas) or in “NOG” (not oxidizing gas) replacing the former “air” and “SF₆”;
 - b) Increased the allowable temperature rise for some parts in groups 1 and 2 of Table 14 according to IEC TR 60943 [2];
 - c) Expanded the definition of allowable temperature rise for categories of accessible surfaces with reference to IEC Guide 117 [3]. See also point 15 in 7.5.6.2.
- 7.5.6.2: Point 5 is modified to clarify the introduction of “OG” and “NOG” gas.
- 7.10: Some tests were removed because the relevant test standards of IEC 60068 series were modified or withdrawn.
- 7.11.3: The acceptance criteria for X-radiation testing are modified to recognize higher rated vacuum interrupters.

Former informative Annex H: Corrosion is deleted, the content is part of IEC TR 62271-306 [4].

New Annex J (informative): Added informative guidelines for the extension of validity of type tests

New Annex K (informative): Added informative guidelines about exposure to pollution

The text of this International Standard is based on the following documents:

FDIS	Report on voting
17/1033/FDIS	17/1037/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The reader’s attention is drawn to the fact that Annex I lists all of the “in-some-country” clauses on differing practices of a less permanent nature relating to the subject of this standard.

¹ Numbers in square brackets refer to the Bibliography.

The list of all parts of the IEC 62271 series under the general title, *High-voltage switchgear and controlgear*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

In the preparation of this FDIS draft for the general revision of IEC 62271-1:2007 and IEC 62271-1:2007/AMD1:2011, the maintenance team was motivated by the following principles:

- Application of horizontal standards – such application is mandatory for product standards, (reference IEC Guide 108 [5]). A typical example is the application of IEC 60071 (all parts) dealing with insulation coordination.
- Application of the "principle of verifiability" – as defined in the Directives, Part 2, 5.5 (2016) "...Only those requirements which can be verified shall be included."
- Organizing information in the proper clause, e.g. terms and definitions in Clause 3, rated values in Clause 5. For example, the values of rated continuous current are specified in Clause 5 but the conditions of test and acceptance criteria (e.g. temperature rise limits) are moved to Clause 7.
- Normal service conditions in Clause 4 are unambiguous statements of conditions under which the switchgear and controlgear is expected to operate. For example: "Solar radiation does not exceed a level of 1 000 W/m²" rather than "Solar radiation up to a level of 1 000 W/m² should be considered".
- Ratings in Clause 5 have been limited to reflect the common specifications of the switchgear and controlgear that are specified by the user and are necessary for operation on the user's network. See the last paragraph of 5.1 for addition clarification.
- Statements or informative NOTES that reflect design guides (not requirements) or application (not standard requirements) are either removed or moved to Clause 9.
For example, the following former NOTE contains both a design guide and an application issue, neither of which belongs to normal service conditions:
"Under certain levels of solar radiation, appropriate measures, for example roofing, forced ventilation, test simulating solar gain, etc., may be necessary, or derating may be used, in order not to exceed the specified temperature rises and pressure rise limits".
- Specifications for design and construction in Clause 6 have been limited to requirements that can be verified by test or inspection.
- References to tests and procedures that relate to transportation, installation, commissioning and maintenance have been moved to Clause 11.
- Improve wording to minimize the possibility of miss-interpretation or conflicting interpretations of the specifications, methods or criteria.
- Elimination of hanging paragraphs and actual or potential circular references. Reference to ISO/IEC Directives, Part 2, 22.3.3 (2016).

As a result of the application of these principles or objectives, the FDIS draft includes more revisions that might otherwise be expected.

HIGH-VOLTAGE SWITCHGEAR AND CONTROLGEAR –

Part 1: Common specifications for alternating current switchgear and controlgear

1 Scope

This part of IEC 62271 applies to AC switchgear and controlgear designed for indoor and/or outdoor installation and for operation at service frequencies up to and including 60 Hz and having rated voltages above 1 000 V.

This document applies to all high-voltage switchgear and controlgear except as otherwise specified in the relevant IEC standards for the particular type of switchgear and controlgear.

NOTE For the use of this document, high-voltage is defined as the rated voltage above 1 000 V. However, the term medium voltage is commonly used for distribution systems with voltages above 1 kV and generally applied up to and including 52 kV.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60038:2009, *IEC standard voltages*

IEC 60050-131:2002, *International Electrotechnical Vocabulary (IEV) – Part 131: Circuit theory*

IEC 60050-151:2001, *International Electrotechnical Vocabulary (IEV) – Part 151: Electrical and magnetic devices*

IEC 60050-192:2015, *International Electrotechnical Vocabulary (IEV) – Part 192: Dependability*

IEC 60050-351, *International Electrotechnical Vocabulary (IEV) – Part 351: Control technology*

IEC 60050-441:1984, *International Electrotechnical Vocabulary (IEV) – Part 441: Switchgear, controlgear and fuses*
IEC 60050-441:1984/AMD1:2000

IEC 60050-551, *International Electrotechnical Vocabulary (IEV) – Part 551: Power electronics*

IEC 60050-581:2008, *International Electrotechnical Vocabulary (IEV) – Part 581: Electromechanical components for electronic equipment*

IEC 60050-601, *International Electrotechnical Vocabulary (IEV) – Chapter 601: Generation, transmission and distribution of electricity – General*

IEC 60050-605, *International Electrotechnical Vocabulary (IEV) – Chapter 605: Generation, transmission and distribution of electricity – Substations*

IEC 60050-614:2016, *International Electrotechnical Vocabulary (IEV) – Part 614: Generation, transmission and distribution of electricity – Operation*

IEC 60050-811, *International Electrotechnical Vocabulary (IEV) – Part 811: Electric traction*

IEC 60050-826:2004, *International Electrotechnical Vocabulary (IEV) – Part 826: Electrical installations*

IEC 60060-1:2010, *High-voltage test techniques – Part 1: General definitions and test requirements*

IEC 60068-2-1:2007, *Environmental testing – Part 2-1: Tests – Test A: Cold*

IEC 60068-2-2:2007, *Environmental testing – Part 2-2: Tests – Test B: Dry heat*

IEC 60068-2-30:2005, *Environmental testing – Part 2-30: Tests – Test Db: Damp heat, cyclic (12 h + 12 h cycle)*

IEC 60071-1:2006, *Insulation co-ordination – Part 1: Definitions, principles and rules*
IEC 60071-1:2006/AMD1:2010

IEC 60071-2:1996, *Insulation co-ordination – Part 2: Application guide*

IEC 60085:2007, *Electrical insulation – Thermal evaluation and designation*

IEC 60255-21-1:1988, *Electrical relays – Part 21: Vibration, shock, bump and seismic tests on measuring relays and protection equipment – Section One: Vibration tests (sinusoidal)*

IEC 60270, *High-voltage test techniques – Partial discharge measurements*

IEC 60296, *Fluids for electrotechnical applications – Unused mineral insulating oils for transformers and switchgear*

IEC 60376, *Specification of technical grade sulphur hexafluoride (SF₆) for use in electrical equipment*

IEC 60480, *Guidelines for the checking and treatment of sulphur hexafluoride (SF₆) taken from electrical equipment and specification for its re-use*

IEC 60507, *Artificial pollution tests on high-voltage ceramic and glass insulators to be used on a.c. systems*

IEC 60512-2-2, *Connectors for electronic equipment – Tests and measurements – Part 2-2: Electrical continuity and contact resistance tests – Test 2b: Contact resistance – Specified test current method*

IEC 60529:1989, *Degrees of protection provided by enclosures (IP Code)*

IEC 60529:1989/AMD1:1999

IEC 60529:1989/AMD2:2013

IEC TS 60815-1:2008, *Selection and dimensioning of high-voltage insulators intended for use in polluted conditions – Part 1: Definitions, information and general principles*

IEC TS 60815-2:2008, *Selection and dimensioning of high-voltage insulators intended for use in polluted conditions – Part 2: Ceramic and glass insulators for a.c. systems*

IEC TS 60815-3:2008, *Selection and dimensioning of high-voltage insulators intended for use in polluted conditions – Part 3: Polymer insulators for a.c. systems*

IEC 61000-4-4, *Electromagnetic compatibility (EMC) – Part 4-4: Testing and measurement techniques – Electrical fast transient/burst immunity test*

IEC 61000-4-11, *Electromagnetic compatibility (EMC) – Part 4-11: Testing and measurement techniques – Voltage dips, short interruptions and voltage variations immunity tests*

IEC 61000-4-17:2009, *Electromagnetic compatibility (EMC) – Part 4-17: Testing and measurement techniques – Ripple on d.c. input power port immunity test*

IEC 61000-4-18, *Electromagnetic compatibility (EMC) – Part 4-18: Testing and measurement techniques – Damped oscillatory wave immunity test*

IEC 61000-4-29, *Electromagnetic compatibility (EMC) – Part 4-29: Testing and measurement techniques – Voltage dips, short interruptions and voltage variations on d.c. input power port immunity tests*

IEC 61000-6-2, *Electromagnetic compatibility (EMC) – Part 6-2: Generic standards – Immunity for industrial environments*

IEC 61000-6-5, *Electromagnetic compatibility (EMC) – Part 6-5: Generic standards – Immunity for equipment used in power station and substation environment*

IEC 61180, *High-voltage test techniques for low-voltage equipment – Definitions, test and procedure requirements, test equipment*

IEC 61810-7:2006, *Electromechanical elementary relays – Part 7: Test and measurement procedures*

IEC 62262:2002, *Degrees of protection provided by enclosures for electrical equipment against external mechanical impacts (IK code)*

IEC 62271-4, *High-voltage switchgear and controlgear – Part 4: Handling procedures for sulphur hexafluoride (SF₆) and its mixtures*

CISPR 11:2015, *Industrial, scientific and medical equipment – Radio-frequency disturbance characteristics – Limits and methods of measurement*

CISPR TR 18-2, *Radio interference characteristics of overhead power lines and high-voltage equipment – Part 2: Methods of measurement and procedure for determining limits*