

© Copyright SEK. Reproduction in any form without permission is prohibited.

Tungreläer – Del 1-1: Artspecifikation – Förlaga till detaljspecifikation

*Reed switches –
Part 1-1: Generic specification –
Blank detail specification*

Som svensk standard gäller europastandarden EN IEC 62246-1-1:2018. Den svenska standarden innehåller den officiella engelska språkversionen av EN IEC 62246-1-1:2018.

Nationellt förord

Europastandarden EN IEC 62246-1-1:2018

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 62246-1-1, Second edition, 2018 - Reed switches - Part 1-1: Generic specification - Blank detail specification**

utarbetad inom International Electrotechnical Commission, IEC.

EN från CENELEC som är identiska med motsvarande IEC-standarder och som görs tillgängliga för nationalkommittéerna efter den 1 januari 2018 får en beteckning som inleds med EN IEC istället för som tidigare bara EN.

Standarden ska användas tillsammans med SS-EN 62246-1, utgåva 3, 2015.

Tidigare fastställd svensk standard SS-EN 62246-1-1, utgåva 1, 2013, gäller ej fr o m 2021-03-13.

ICS 29.120.70

Standarder underlättar utvecklingen och höjer elsäkerheten

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

SEK är Sveriges röst i standardiseringsarbetet inom elområdet

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

Stora delar av arbetet sker internationellt

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

Var med och påverka!

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

SEK Svensk Elstandard

Box 1284
164 29 Kista
Tel 08-444 14 00
www.elstandard.se

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN IEC 62246-1-1

April 2018

ICS 29.120.70

Supersedes EN 62246-1-1:2013

English Version

**Reed switches - Part 1-1: Generic specification - Blank detail
specification
(IEC 62246-1-1:2018)**

Contacts à lames souples - Partie 1-1: Spécification
générique - Spécification particulière-cadre
(IEC 62246-1-1:2018)

Reedschalter - Teil 1-1: Fachgrundspezifikation - Vordruck
für Bauartspezifikation
(IEC 62246-1-1:2018)

This European Standard was approved by CENELEC on 2018-03-13. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

© 2018 CENELEC All rights of exploitation in any form and by any means reserved worldwide for CENELEC Members.

Ref. No. EN IEC 62246-1-1:2018 E

SEK Svensk Elstandard

European foreword

The text of document 94/426/FDIS, future edition 2 of IEC 62246-1-1, prepared by IEC/TC 94 "All-or-nothing electrical relays" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 62246-1-1:2018.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2018-12-13
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2021-03-13

This document supersedes EN 62246-1-1:2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62246-1-1:2018 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60068-1:2013	NOTE	Harmonized as EN 60068-1:2014 (not modified).
IEC 60068-2-1:2007	NOTE	Harmonized as EN 60068-2-1:2007 (not modified).
IEC 60068-2-2:2007	NOTE	Harmonized as EN 60068-2-2:2007 (not modified).
IEC 60068-2-7:1983	NOTE	Harmonized as EN 60068-2-7:1993 (not modified).
IEC 60068-2-11:1981	NOTE	Harmonized as EN 60068-2-11:1999 (not modified).
IEC 60068-2-13:1983	NOTE	Harmonized as EN 60068-2-13:1999 (not modified).
IEC 60068-2-27:2008	NOTE	Harmonized as EN 60068-2-27:2009 (not modified).
IEC 60068-2-30:2005	NOTE	Harmonized as EN 60068-2-30:2005 (not modified).
IEC 60947-5-1:2017	NOTE	Harmonized as EN 60947-5-1:2017 (not modified).
IEC 60947-5-2:2007	NOTE	Harmonized as EN 60947-5-2:2007 (not modified).
IEC 60947-5-3:2013	NOTE	Harmonized as EN 60947-5-3:2013 (not modified).
IEC 61508-4:2010	NOTE	Harmonized as EN 61508-4:2010 (not modified).
IEC 61810-1:2015	NOTE	Harmonized as EN 61810-1:2015 (not modified).
IEC 61811-1	NOTE	Harmonized as EN 61811-1.
ISO 14119:2013	NOTE	Harmonized as EN ISO 14119:2013 (not modified).

Annex ZA
(normative)

**Normative references to international publications
with their corresponding European publications**

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60068-2-6	2007	Environmental testing -- Part 2-6: Tests - Test Fc: Vibration (sinusoidal)	EN 60068-2-6	2008
IEC 60068-2-11	1981	Basic environmental testing procedures - Part 2-11: Tests - Test Ka: Salt mist	EN 60068-2-11	1999
IEC 60068-2-14	2009	Environmental testing -- Part 2-14: Tests - Test N: Change of temperature	EN 60068-2-14	2009
IEC 60068-2-17	1994	Basic environmental testing procedures - Part 2-17: Tests - Test Q: Sealing	EN 60068-2-17	1994
IEC 60068-2-20	2008	Environmental testing -- Part 2-20: Tests - Test T: Test methods for solderability and resistance to soldering heat of devices with leads	EN 60068-2-20	2008
IEC 60068-2-21	2006	Environmental testing -- Part 2-21: Tests - Test U: Robustness of terminations and integral mounting devices	EN 60068-2-21	2006
IEC 60068-2-78	2012	Environmental testing -- Part 2-78: Tests - Test Cab: Damp heat, steady state	EN 60068-2-78	2013
IEC 60127-2	2014	Miniature fuses - Part 2: Cartridge fuse-links	EN 60127-2	2014
IEC 61373	2010	Railway applications - Rolling stock equipment - Shock and vibration tests	EN 61373	2010
IEC 61810-2	2017	Electromechanical elementary relays - Part 2: Reliability	EN 61810-2	2017
IEC 61810-2-1	2017	Electromechanical elementary relays - Part 2-1: Reliability - Procedure for the verification of B10 values	EN 61810-2-1	2017
IEC 62246-1	2015	Reed switches -- Part 1: Generic specification	EN 62246-1	2015
ISO 2859-1	1999	Sampling procedures for inspection by attributes -- Part 1: Sampling schemes indexed by acceptance quality limit (AQL) for lot-by-lot inspection	-	-

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope	7
2 Normative references	7
3 Terms and definitions	8
3.1 reed switch types	8
3.2 tests	8
3.3 inspection	9
3.4 safety and failure modes	9
4 Test schedules	10
4.1 General.....	10
4.2 Order of tests.....	10
4.3 Test groups and subgroups.....	10
4.4 Type test.....	10
4.5 Quality conformance inspection	10
4.6 Formation of inspection lots	10
4.7 Periodic test.....	11
4.8 Periodic test intervals between tests	11
4.9 Standard conditions for testing.....	11
4.10 Mounting of test specimens during the test	11
4.11 General conditions for testing	11
5 Characteristic values of the reed switches	37
5.1 Contact data	37
5.1.1 Failure criteria	37
5.1.2 Static contact-circuit resistance	41
5.1.3 Mechanical endurance.....	42
5.1.4 Final dielectric test	42
5.2 Environmental data	42
5.3 Reliability – Failure rate data	42
6 Marking and documentation.....	42
6.1 General.....	42
6.2 Marking of the reed switch	43
6.3 Marking of the packaging	43
6.4 Coded date of manufacturer.....	43
7 Preparation of blank detail and detail specification	43
Annex A (normative) Mounting in a standard coil	45
Annex B (normative) Variants	46
Annex C (informative) Typical applications.....	47
Annex D (informative) Examples of blank detail and detail specifications	48
D.1 Key to front page	48
D.2 Examples of blank detail specifications	49
D.2.1 Blank detail specification (1)	49
D.2.2 Blank detail specification (2)	50
D.2.3 Blank detail specification (3)	51
D.2.4 Blank detail specification (4)	52

D.2.5	Blank detail specification (5)	53
D.2.6	Blank detail specification (6)	54
D.2.7	Blank detail specification (7)	55
D.2.8	Blank detail specification (8)	56
D.2.9	Blank detail specification (9)	57
D.2.10	Blank detail specification (10)	58
D.2.11	Blank detail specification (11)	59
D.2.12	Blank detail specification (12)	60
Bibliography.....		61
Figure A.1 – Switch direction and position in a standard coil		45
Table 1 – Test procedure of quality assessment		12
Table 2 – Sampling and test schedule of type test (<i>1 of 5</i>)		14
Table 3 – Sampling and test schedule of type test (grouping)		27
Table 4 – Quality conformance inspection (<i>1 of 7</i>).....		29
Table 5 – Variant A of reed switches (<i>1 of 2</i>).....		37
Table 6 – Variant A of heavy-duty reed switches (<i>1 of 2</i>).....		39
Table 7 – Variant B of heavy-duty reed switches		41
Table 8 – Environmental data for reed switches		42
Table 9 – Reliability data for reed switches		42

INTERNATIONAL ELECTROTECHNICAL COMMISSION

REED SWITCHES –

Part 1-1: Generic specification – Blank detail specification

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62246-1-1 has been prepared by IEC technical committee 94: All-or-nothing electrical relays.

This second edition cancels and replaces the first edition published in 2013. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous editions:

- a) update of the scope, references and terms and definitions;
- b) inclusion of guidelines for the preparation of blank detail and detail specifications;
- c) update of characteristics values including functional ratings for safety;
- d) update of the quality conformance inspection procedures;
- e) update of typical applications.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
94/426/FDIS	94/427/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

This document is to be used in conjunction with IEC 62246-1:2015.

A list of all parts in the IEC 62246 series, published under the general title *Reed switches*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

Reed switches which are in mass production and which are widely used, in practice could be classified by the following characteristics:

a) Size:

- Normal or standard reed switches with a tube more than 50 mm in length and more than 5 mm in diameter;
- Sub-miniature reed switches with a tube more than 20 mm and up to 50 mm in length and up to 5 mm in diameter;
- Miniature reed switches with a tube more than 10 mm and up to 20 mm in length and more than 2 mm and up to 5 mm in diameter;
- Micro-miniature reed switches with a tube up to 10 mm in length and up to 2 mm in diameter.

b) Type of switching of electric circuit:

- Closing or normally open – A type or NO;
- Opening or normally closed – B type or NC;
- Changeover – C type or CO.

c) Withstand voltage level:

- Low-voltage (up to 1 000 V);
- High-voltage (more than 1 000 V).

d) Switches power:

- Low-power (up to 60 W or 60 VA);
- Power (100 W to 1 000 W or 100 VA to 1 000 VA);
- High-power (more than 1 000 W or 1 000 VA).

e) Types of electric contacts:

- The tube is filled with dry air, gas mixture, vacuumized, or high pressurized.

Based on the general provisions of IEC 62246-1:2015, this document selects and specifies blank detail and detail specifications including safety contact ratings and test procedures for reed switches where enhanced requirements for the verification of quality assessment specification apply.

This document describes sampling and test schedules for qualification approval procedures, quality conformance inspection, formation of inspection lots and intervals between tests.

NOTE All type of reed switches exclude mercury reed switches.

REED SWITCHES –

Part 1-1: Generic specification – Blank detail specification

1 Scope

This part of IEC 62246 which is a blank detail specification defines requirements and tests for reed switches for use in general and industrial applications.

This document is intended to be used in conjunction with IEC 62246-1:2015 and specific products standards applying as switching elements.

This document selects from IEC 62246-1:2015 and from other sources the appropriate test procedures to be used in detail specifications derived from this specification.

Reed switch types are specified depending on characteristic values including functional ratings for safety and tests.

NOTE Mercury wetted reed switches are not covered by this document due to their possible environmental impact.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-2-6:2007, *Environmental testing – Part 2-6: Tests – Test Fc: Vibration (sinusoidal)*

IEC 60068-2-11:1981, *Basic environmental testing procedures – Part 2-11: Tests – Test Ka: Salt mist*

IEC 60068-2-14:2009, *Environmental testing – Part 2-14: Tests – Test N: Change of temperature*

IEC 60068-2-17:1994, *Environmental testing – Part 2-17: Tests – Test Q: Sealing*

IEC 60068-2-20:2008, *Environmental testing – Part 2-20: Tests – Test T: Test methods for solderability and resistance to soldering heat of devices with leads*

IEC 60068-2-21:2006, *Environmental testing – Part 2-21: Tests – Test U: Robustness of terminations and integral mounting devices*

IEC 60068-2-78:2012, *Environmental testing – Part 2-78: Tests – Test Cab: Damp heat, steady state*

IEC 60127-2:2014, *Miniature fuses – Part 2: Cartridge fuse-links*

IEC 61373:2010, *Railway applications – Rolling stock equipment – Shock and vibration tests*

IEC 61810-2:2017, *Electromechanical elementary relays – Part 2: Reliability*

IEC 61810-2-1:2017, *Electromechanical elementary relays – Part 2-1: Reliability – Procedure for the verification of B_{10} values*

IEC 62246-1:2015, *Reed switches – Part 1: Generic specification*

ISO 2859-1:1999, *Sampling procedures for inspection by attributes – Part 1: Sampling schemes indexed by acceptance quality limit (AQL) for lot-by-lot inspection*