

© Copyright SEK. Reproduction in any form without permission is prohibited.

## Kabelnät för television, ljudradio och interaktiva tjänster – Del 3: Aktiva komponenter för bredbandsnät

*Cable networks for television signals, sound signals and interactive services –  
Part 3: Active wideband equipment for cable networks*

Som svensk standard gäller europastandarden EN IEC 60728-3:2018. Den svenska standarden innehåller den officiella engelska språkversionen av EN IEC 60728-3:2018.

### Nationellt förord

Europastandarden EN IEC 60728-3:2018

består av:

- **europastandardens ikraftsättningsdokument**, utarbetat inom CENELEC
- **IEC 60728-3, Fifth edition, 2017 - Cable networks for television signals, sound signals and interactive services - Part 3: Active wideband equipment for cable networks**

utarbetad inom International Electrotechnical Commission, IEC.

EN från CENELEC som är identiska med motsvarande IEC-standarder och som görs tillgängliga för nationalkommittéerna efter den 1 januari 2018 får en beteckning som inleds med EN IEC istället för som tidigare bara EN.

Tidigare fastställd svensk standard SS-EN 60728-3, utgåva 2, 2011 och SS-EN 60728-3-1, utgåva 1, 2013, gäller ej fr o m 2021-01-01.

---

ICS 33.060.40; 33.170.00

---

Denna standard är fastställd av SEK Svensk Elstandard, som också kan lämna upplysningar om **sakinnehållet** i standarden.  
Postadress: Box 1284, 164 29 KISTA  
Telefon: 08 - 444 14 00.  
E-post: sek@elstandard.se. Internet: www.elstandard.se

---

### *Standarder underlättar utvecklingen och höjer elsäkerheten*

Det finns många fördelar med att ha gemensamma tekniska regler för bl a mätning, säkerhet och provning och för utförande, skötsel och dokumentation av elprodukter och elanläggningar.

Genom att utforma sådana standarder blir säkerhetsfordringar tydliga och utvecklingskostnaderna rimliga samtidigt som marknadens acceptans för produkten eller tjänsten ökar.

Många standarder inom elområdet beskriver tekniska lösningar och metoder som åstadkommer den elsäkerhet som föreskrivs av svenska myndigheter och av EU.

### *SEK är Sveriges röst i standardiseringsarbetet inom elområdet*

SEK Svensk Elstandard svarar för standardiseringen inom elområdet i Sverige och samordnar svensk medverkan i internationell och europeisk standardisering. SEK är en ideell organisation med frivilligt deltagande från svenska myndigheter, företag och organisationer som vill medverka till och påverka utformningen av tekniska regler inom elektrotekniken.

SEK samordnar svenska intressenters medverkan i SEKs tekniska kommittéer och stödjer svenska experters medverkan i internationella och europeiska projekt.

### *Stora delar av arbetet sker internationellt*

Utformningen av standarder sker i allt väsentligt i internationellt och europeiskt samarbete. SEK är svensk nationalkommitté av International Electrotechnical Commission (IEC) och Comité Européen de Normalisation Electrotechnique (CENELEC).

Standardiseringsarbetet inom SEK är organiserat i referensgrupper bestående av ett antal tekniska kommittéer som speglar hur arbetet inom IEC och CENELEC är organiserat.

Arbetet i de tekniska kommittéerna är öppet för alla svenska organisationer, företag, institutioner, myndigheter och statliga verk. Den årliga avgiften för deltagandet och intäkter från försäljning finansierar SEKs standardiseringsverksamhet och medlemsavgift till IEC och CENELEC.

### *Var med och påverka!*

Den som deltar i SEKs tekniska kommittéarbete har möjlighet att påverka framtida standarder och får tidig tillgång till information och dokumentation om utvecklingen inom sitt teknikområde. Arbetet och kontakterna med kollegor, kunder och konkurrenter kan gynnsamt påverka enskilda företags affärsutveckling och bidrar till deltagarnas egen kompetensutveckling.

Du som vill dra nytta av dessa möjligheter är välkommen att kontakta SEKs kansli för mer information.

### **SEK Svensk Elstandard**

Box 1284  
164 29 Kista  
Tel 08-444 14 00  
[www.elstandard.se](http://www.elstandard.se)

English Version

**Cable networks for television signals, sound signals and  
interactive services - Part 3: Active wideband equipment for  
cable networks (TA 5)  
(IEC 60728-3:2017)**

Réseaux de distribution par câbles pour signaux de  
télévision, signaux de radiodiffusion sonore et services  
interactifs - Partie 3: Matériel actif à large bande pour  
réseaux de distribution par câbles  
(IEC 60728-3:2017)

Kabelnetze für Fernsehsignale, Tonsignale und interaktive  
Dienste - Teil 3: Aktive Breitbandgeräte für Kabelnetze  
(IEC 60728-3:2017)

This European Standard was approved by CENELEC on 2018-01-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

## European foreword

The text of document 100/2975/FDIS, future edition 5 of IEC 60728-3, prepared by technical area 5 "Cable networks for television signals, sound signals and interactive services" of IEC/TC 100 "Audio, video and multimedia systems and equipment" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 60728-3:2018.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2018-10-01
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2021-01-01

This document supersedes EN 60728-3:2011, EN 60728-3-1:2012 and CLC/TS 50083-3-3:2014.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

## Endorsement notice

The text of the International Standard IEC 60728-3:2017 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60728-1	NOTE	Harmonized as EN 60728-1.
IEC 60728-6:2011	NOTE	Harmonized as EN 60728-6:2011 (not modified)
IEC 60728-10	NOTE	Harmonized as EN 60728-10
IEC 61169-2	NOTE	Harmonized as EN 61169-2
IEC 61169-24	NOTE	Harmonized as EN 61169-24
ISO 80416 series	NOTE	Harmonized in EN 80416 series

## Annex ZA (normative)

### Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: [www.cenelec.eu](http://www.cenelec.eu).

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60068-1	-	Environmental testing -- Part 1: General and guidance	EN 60068-1	-
IEC 60068-2-1	-	Environmental testing -- Part 2-1: Tests - Test A: Cold	EN 60068-2-1	-
IEC 60068-2-2	-	Environmental testing -- Part 2-2: Tests - Test B: Dry heat	EN 60068-2-2	-
IEC 60068-2-6	-	Environmental testing -- Part 2-6: Tests - Test Fc: Vibration (sinusoidal)	EN 60068-2-6	-
IEC 60068-2-14	-	Environmental testing -- Part 2-14: Tests - Test N: Change of temperature	EN 60068-2-14	-
IEC 60068-2-27	-	Environmental testing -- Part 2-27: Tests - Test Ea and guidance: Shock	EN 60068-2-27	-
IEC 60068-2-30	-	Environmental testing -- Part 2-30: Tests - Test Db: Damp heat, cyclic (12 h + 12 h cycle)	EN 60068-2-30	-
IEC 60068-2-31	-	Environmental testing -- Part 2-31: Tests - Test Ec: Rough handling shocks, primarily for equipment-type specimens	EN 60068-2-31	-
IEC 60068-2-40	-	Basic environmental testing procedures - Part 2: Tests. Test Z/AM: Combined cold/low air pressure tests	EN 60068-2-40	-
IEC 60529	-	Degrees of protection provided by enclosures (IP Code)	-	-
IEC 60728-2	-	Cable networks for television signals, sound signals and interactive services - Part 2: Electromagnetic compatibility for equipment	EN 50083-2	-
IEC 60728-4	-	Cable networks for television signals, sound signals and interactive services -- Part 4: Passive wideband equipment for coaxial cable networks	EN 60728-4	-
IEC 60728-5	-	Cable networks for television signals, sound signals and interactive services - Part 5: Headend equipment	EN 60728-5	-
IEC 60728-11	-	Cable networks for television signals, sound signals and interactive services -- Part 11: Safety	EN 60728-11	-
IEC 61000-4-5	-	Electromagnetic compatibility (EMC) - Part 4-5: Testing and measurement techniques - Surge immunity test	EN 61000-4-5	-
IEC 61319-1	-	Interconnections of satellite receiving equipment -- Part 1: Europe	EN 61319-1	-

## EN IEC 60728-3:2018 (E)

IEC 61319-2	-	Interconnections of satellite receiving equipment -- Part 2: Japan	-	-
IEC 62368-1	-	Audio/video, information and communication technology equipment -- Part 1: Safety requirements	EN 62368-1	-

## CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references .....	8
3 Terms, definitions, symbols and abbreviated terms.....	9
3.1 Terms and definitions.....	9
3.2 Symbols.....	12
3.3 Abbreviated terms.....	14
4 Methods of measurement .....	14
4.1 General.....	14
4.2 Linear distortion .....	15
4.2.1 Return loss .....	15
4.2.2 Group delay variation .....	15
4.3 Non-linear distortion.....	16
4.3.1 General .....	16
4.3.2 Types of measurements.....	16
4.3.3 Intermodulation.....	17
4.3.4 Composite triple beat.....	19
4.3.5 Composite second order beat .....	22
4.3.6 Method of measurement of non-linearity for pure digital channel load .....	22
4.3.7 Hum modulation of carrier.....	30
4.4 Noise figure .....	33
4.4.1 General .....	33
4.4.2 Equipment required .....	33
4.4.3 Connection of equipment .....	33
4.4.4 Measurement procedure .....	34
4.5 Crosstalk attenuation .....	34
4.5.1 Crosstalk attenuation for loop-through ports .....	34
4.5.2 Crosstalk attenuation for output ports .....	34
4.6 Measurement of noise power ratio (NPR).....	36
4.6.1 General .....	36
4.6.2 Equipment required .....	37
4.6.3 Connection of equipment .....	37
4.6.4 Measurement procedure .....	38
4.6.5 Presentation of the results .....	38
4.7 Immunity to surge voltages .....	39
4.7.1 General .....	39
4.7.2 Equipment required .....	39
4.7.3 Connection of equipment .....	39
4.7.4 Measurement procedure .....	40
5 Equipment requirements.....	40
5.1 General requirements .....	40
5.2 Safety .....	40
5.3 Electromagnetic compatibility (EMC).....	40
5.4 Frequency range.....	40
5.5 Impedance and return loss.....	40

5.6	Gain.....	41
5.6.1	Minimum and maximum gain.....	41
5.6.2	Gain control.....	41
5.6.3	Slope and slope control .....	41
5.7	Flatness.....	41
5.8	Test points.....	41
5.9	Noise figure .....	41
5.10	Non-linear distortion.....	42
5.10.1	General .....	42
5.10.2	Second-order distortion .....	42
5.10.3	Third order distortion .....	42
5.10.4	Composite triple beat.....	42
5.10.5	Composite second order.....	42
5.10.6	Maximum operating level for pure digital channel load .....	42
5.11	Hum modulation.....	43
5.12	Power supply .....	43
5.13	Environmental.....	43
5.13.1	General .....	43
5.13.2	Transportation .....	43
5.13.3	Installation or maintenance.....	43
5.13.4	Operation .....	43
5.13.5	Energy efficiency of equipment .....	44
5.14	Marking.....	44
5.14.1	Marking of equipment .....	44
5.14.2	Marking of ports.....	44
5.15	Requirements for multi-switches .....	44
5.15.1	Control signals for multi-switches .....	44
5.15.2	Amplitude frequency response flatness.....	44
5.15.3	Return loss .....	44
5.15.4	Through loss.....	44
5.15.5	Isolation.....	44
5.15.6	Crosstalk attenuation .....	44
5.15.7	Satellite IF to terrestrial signal isolation .....	45
5.16	Immunity to surge voltages .....	45
5.16.1	Degrees of testing levels .....	45
5.16.2	Recommendation of testing level degree .....	45
Annex A (normative)	Test carriers, levels and intermodulation products.....	46
A.1	Two signal tests for second- and third-order products .....	46
A.1.1	Intermodulation products with test signals at frequencies $f_a$ and $f_b$ , see Table A.1 .....	46
A.1.2	Signal levels .....	46
A.2	Three signal tests for third order products – Intermodulation products with test signals at frequencies $f_a$ , $f_b$ and $f_c$ , see Table A.2 and Figure A.3 .....	47
Annex B (informative)	Test frequency plan for composite triple beat (CTB), composite second order (CSO).....	48
Annex C (informative)	Measurement errors that occur due to mismatched equipment .....	50
Annex D (informative)	Examples of measurement channels .....	51
D.1	Operating frequency range 110 MHz to 1 006 MHz .....	51
D.2	Operating frequency range 110 MHz to 862 MHz .....	51

D.3	Operating frequency range 258 MHz to 1 218 MHz .....	51
	Bibliography.....	52
Figure 1	– Basic arrangement of test equipment for evaluation of the ratio of signal to intermodulation product .....	18
Figure 2	– Connection of test equipment for the measurement of non-linear distortion by composite beat.....	21
Figure 3	– BER measurement test configuration .....	24
Figure 4	– CINR measurement test setup.....	28
Figure 5	– Plot of CINR in dB curve (forward path) versus EUT channel output signal level in dB $\mu$ V .....	29
Figure 6	– Carrier/hum ratio .....	30
Figure 7	– Test set-up for local-powered objects .....	31
Figure 8	– Test set-up for remote-powered objects .....	31
Figure 9	– Oscilloscope display .....	32
Figure 10	– Measurement of noise figure .....	33
Figure 11	– Measurement of crosstalk attenuation for loop through ports of multi-switches.....	36
Figure 12	– Characteristic of the noise filter.....	37
Figure 13	– Test setup for the non-linearity measurement.....	37
Figure 14	– Presentation of the result of <i>NPR</i> .....	39
Figure 15	– Measurement set-up for surge immunity test .....	40
Figure A.1	– An example showing products formed when $2f_a > f_b$ .....	46
Figure A.2	– An example showing products formed when $2f_a < f_b$ .....	47
Figure A.3	– Products of the form $f_a \pm f_b \pm f_c$ .....	47
Figure C.1	– Error concerning return loss measurement .....	50
Figure C.2	– Maximum ripple .....	50
Table 1	– Measurement parameters for full channel load .....	26
Table 2	– Notch filter frequencies .....	37
Table 3	– Example of return loss requirements .....	41
Table 4	– Parameters of surge voltages for different degrees of testing levels .....	45
Table 5	– Recommendations for degree of testing levels .....	45
Table A.1	– Intermodulation products with two signals .....	46
Table A.2	– Intermodulation products with three signals.....	47
Table B.1	– Frequency allocation plan .....	48

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

### **CABLE NETWORKS FOR TELEVISION SIGNALS, SOUND SIGNALS AND INTERACTIVE SERVICES –**

#### **Part 3: Active wideband equipment for cable networks**

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60728-3 has been prepared by technical area 5: Cable networks for television signals, sound signals and interactive services of IEC technical committee 100: Audio, video and multimedia systems and equipment.

This fifth edition cancels and replaces the fourth edition published in 2010. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) extension of upper frequency range limit for cable network equipment in the forward path from 1 000 MHz to 1 218 MHz (optional up to 1 794 MHz);
- b) extension of upper frequency range limit for cable network equipment in the return path from 85 MHz to 204 MHz;
- c) integration and update of IEC 60728-3-1 content;

- d) integration and update of the Technical Specification CLC/TS 50083-3-3 content;
- e) deletion of specifications and test methods for obsolete analogue parameters;
- f) additional normative references;
- g) additional terms and definitions and abbreviations.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
100/2975/FDIS	100/2990/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The list of all the parts of the IEC 60728 series, under the general title *Cable networks for television signals, sound signals and interactive services*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

## INTRODUCTION

Standards and other deliverables of the IEC 60728 series deal with cable networks, including equipment and associated methods of measurement for headend reception, processing and distribution of television and sound signals and for processing, interfacing and transmitting all kinds of data signals for interactive services using all applicable transmission media. These signals are typically transmitted in networks by frequency-multiplexing techniques.

This includes for instance:

- regional and local broadband cable networks,
- extended satellite and terrestrial television distribution systems,
- individual satellite and terrestrial television receiving systems,

and all kinds of equipment, systems and installations used in such cable networks, distribution and receiving systems.

The extent of this standardization work is from the antennas and/or special signal source inputs to the headend or other interface points to the network up to the terminal input of the customer premises equipment.

The standardization work will consider coexistence with users of the RF spectrum in wired and wireless transmission systems.

The standardization of any user terminals (i.e. tuners, receivers, decoders, multimedia terminals, etc.) as well as of any coaxial, balanced and optical cables and accessories thereof is excluded.

# CABLE NETWORKS FOR TELEVISION SIGNALS, SOUND SIGNALS AND INTERACTIVE SERVICES –

## Part 3: Active wideband equipment for cable networks

### 1 Scope

This part of IEC 60728 specifies the measuring methods, performance requirements and data publication requirements for active wideband equipment of cable networks for television signals, sound signals and interactive services.

This document

- applies to all amplifiers used in cable networks;
- covers the frequency range 5 MHz to 3 000 MHz;

NOTE The upper limit of 3 000 MHz is an example, but not a strict value.

- applies to one-way and two-way equipment;
- specifies the basic methods of measurement of the operational characteristics of the active equipment in order to assess the performance of this equipment;
- identifies the performance specifications to be published by the manufacturers;
- states the minimum performance requirements of certain parameters.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-1, *Environmental testing – Part 1: General and guidance*

IEC 60068-2-1, *Environmental testing – Part 2-1: Tests – Tests A: Cold*

IEC 60068-2-2, *Environmental testing – Part 2-2: Tests – Tests B: Dry heat*

IEC 60068-2-6, *Environmental testing – Part 2-6: Tests – Test Fc: Vibration (sinusoidal)*

IEC 60068-2-14, *Environmental testing – Part 2-14: Tests – Test N: Change of temperature*

IEC 60068-2-27, *Environmental testing – Part 2-27: Tests – Test Ea and guidance: Shock*

IEC 60068-2-30, *Environmental testing – Part 2-30: Tests – Test dB: Damp heat, cyclic (12 h + 12 h cycle)*

IEC 60068-2-31, *Environmental testing – Part 2-31: Tests – Test Ec: Rough handling shocks, primarily for equipment-type specimens*

IEC 60068-2-40, *Basic environmental testing procedures – Part 2-40: Tests – Test Z/AM: Combined cold/low air pressure tests*

IEC 60529, *Degrees of protection provided by enclosures (IP Code)*

IEC 60728-2, *Cable networks for television signals, sound signals and interactive services – Part 2: Electromagnetic compatibility for equipment*

IEC 60728-4, *Cable networks for television signals, sound signals and interactive services – Part 4: Passive wideband equipment for coaxial cable networks*

IEC 60728-5, *Cable networks for television signals, sound signals and interactive services – Part 5: Headend equipment*

IEC 60728-11, *Cable networks for television signals, sound signals and interactive services – Part 11: Safety*

IEC 61000-4-5, *Electromagnetic compatibility (EMC) – Part 4-5: Testing and measurement techniques – Surge immunity test*

IEC 61319-1, *Interconnections of satellite receiving equipment – Part 1: Europe*

IEC 61319-2, *Interconnections of satellite receiving equipment – Part 2: Japan*

IEC 62368-1, *Audio/video, information and communication technology equipment – Part 1: Safety requirements*