

REDLINE VERSION



Household and similar electrical appliances – Safety – Part 2-76: Particular requirements for electric fence energizers

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 65.040.99

ISBN 978-2-8322-5859-0

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references.....	8
3 Terms and definitions.....	9
4 General requirement.....	13
5 General conditions for the tests.....	14
6 Classification.....	14
7 Marking and instructions.....	15
8 Protection against access to live parts.....	18
9 Starting of motor-operated appliances.....	18
10 Power input and current.....	18
11 Heating.....	19
12 Void.....	21
13 Leakage current and electric strength at operating temperature.....	21
14 Transient overvoltages.....	21
15 Moisture resistance.....	23
16 Leakage current and electric strength.....	23
17 Overload protection of transformers and associated circuits.....	24
18 Endurance.....	24
19 Abnormal operation.....	25
20 Stability and mechanical hazards.....	28
21 Mechanical strength.....	28
22 Construction.....	28
23 Internal wiring.....	33
24 Components.....	33
25 Supply connection and external flexible cords.....	33
26 Terminals for external conductors.....	34
27 Provision for earthing.....	35
28 Screws and connections.....	35
29 Clearances, creepage distances and solid insulation.....	35
30 Resistance to heat and fire.....	36
31 Resistance to rusting.....	36
32 Radiation, toxicity and similar hazards.....	36
Annexes.....	43
Annex A (informative) Routine tests.....	43
Annex B (normative) Appliances powered by rechargeable batteries that are recharged in the appliance.....	44
Annex S (normative) Battery-operated appliances powered by batteries that are non-rechargeable or not recharged in the appliance.....	46
Annex AA (informative) Circuit for the independent control of the switching speed of the major impulse-switching device.....	50

Annex BB (normative) Instructions for installation and connection of electric fences	51
BB.1 Requirements Instructions for electric animal fences	51
BB.2 Requirements Instructions for electric security fences not supplied from a security energizer group	53
BB.3 Instructions for electric security fences supplied from a security energizer group	56
Annex CC (informative) Installation of electric security fences	60
CC.1 General	60
CC.2 Location of electric security fence	60
CC.3 Prohibited zone for pulsed conductors	60
CC.4 Separation between electric fence and physical barrier	60
CC.5 Prohibited mounting	61
CC.6 Operation of electric security fence	61
Bibliography	64
 Figure 101 – Schematic examples of the different types of battery-operated energizers suitable for connection to the mains type A energizers, type B energizers and type C energizers	38
Figure 102 – Schematic examples of the different types of type D energizers	39
Figure 102 103 – Current limited energizer characteristic limit line	40
Figure 104 – Type R security energizer group test configurations	41
Figure 105 – Type S security energizer group test configurations	42
Figure AA.1 – Circuit for the independent control of the switching speed of the major impulse-switching device	50
Figure BB.1 – Symbol for warning sign	59
Figure CC.1 – Prohibited area for pulse conductors	61
Figure CC.2 – Typical constructions where an electric security fence is exposed to the public	62
Figure CC.3 – Typical fence constructions where the electric security fence is installed in windows and skylights	63
 Table 101 – Battery source impedance	20
Table 102 – Rated supply voltage maximum and minimum value multiplier factors	20
Table 103 – Supply voltage value test settings	21
Table 104 – Test supply sequence for different supply type	21
Table 102 105 – Additional test voltages	24
Table BB.1 – Minimum clearances from power lines for electric animal fences	52
Table BB.2 – Minimum clearances from power lines for electric security fences not supplied from a security energizer group	54
Table BB.3 – Minimum clearances from power lines for electric security fences supplied from a security energizer group	57

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-76: Particular requirements for electric fence energizers

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

DISCLAIMER

This Redline version is not an official IEC Standard and is intended only to provide the user with an indication of what changes have been made to the previous version. Only the current version of the standard is to be considered the official document.

This Redline version provides you with a quick and easy way to compare all the changes between this standard and its previous edition. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

This part of International Standard IEC 60335 has been prepared by subcommittee 61H: Safety of electrically-operated farm appliances, of IEC technical committee 61: Safety of household and similar electrical appliances.

This third edition cancels and replaces the second edition published in 2002, Amendment 1:2006 and Amendment 2:2013. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- the text has been aligned with Edition 5.2 of Part 1;
- additional requirements for security fence energizers have been introduced (Clauses 3, 7, 19, 22, Figures and Annex BB);
- specific requirements for battery operated energizers have been moved to Annex S.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
61H/366/FDIS	61H/367/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60335 series, published under the general title *Household and similar electrical appliances – Safety*, can be found on the IEC website.

This Part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fifth edition (2010) of that standard.

NOTE 1 When “Part 1” is mentioned in this standard, it refers to IEC 60335-1.

This Part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for electric fence energizers.

When a particular subclause of Part 1 is not mentioned in this Part 2, that subclause applies as far as is reasonable. When this standard states “addition”, “modification” or “replacement”, the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional Annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type
- *test specifications: in italic type*
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and associated noun are also in bold.

NOTE 4 The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in

which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

The following differences exist in the countries indicated below:

6.101: Only energy limited energizers are allowed (All EU and EFTA counties).

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

The contents of the corrigendum of November 2018 have been included in this copy.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

NOTE 1 Throughout this publication, when "Part 1" is mentioned, it refers to IEC 60335-1.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 2 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 3 Horizontal and generic standards covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or part 2 standards.

~~An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.~~

~~An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.~~

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-76: Particular requirements for electric fence energizers

1 Scope

This clause of Part 1 is replaced by the following.

This part of IEC 60335 deals with the safety of **electric fence energizers**, the **rated voltage** of which is not more than 250 V and by means of which **fence** wires in agricultural, **domestic** or feral animal control **fences** and **security fences** may be electrified or monitored.

NOTE 101 Examples of **electric fence energizers** coming within the scope of this standard are:

- **mains-operated energizers**;
- **battery-operated electric fence energizers suitable for connection to the mains**, as shown in Figure 101 and Figure 102;
- **electric fence energizers** operated by non-rechargeable batteries either incorporated or separate.

This standard does not in general take into account

- the use of appliances by young children or infirm persons without supervision;
- the playing with appliances by young children.

NOTE 102 Attention is drawn to the fact that

- for appliances intended to be used on board ships or aircraft, additional requirements ~~may~~ can be necessary;
- in many countries, additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour, the national water supply authorities and similar authorities.

NOTE 103 This standard does not apply to

- **electromagnetically coupled animal trainer collars**;
- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas);
- separate battery chargers (IEC 60335-2-29);
- electric fishing machines (IEC 60335-2-86);
- electric animal-stunning equipment (IEC 60335-2-87);
- appliances for medical purposes (IEC 60601).

2 Normative references

This clause of Part 1 is applicable except as follows.

Addition:

IEC 60068-2-52:2017, *Environmental testing – Part 2: Tests – Test Kb: Salt mist, cyclic (sodium chloride solution)*

IEC 60320-3, *Appliance couplers for household and similar general purposes – Part 3: Standard sheets and gauges*

ISO 3864-1, *Graphical symbols – Safety colours and safety signs – Part 1: Design principles for safety signs and safety markings*

INTERNATIONAL STANDARD



**Household and similar electrical appliances – Safety –
Part 2-76: Particular requirements for electric fence energizers**

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references.....	8
3 Terms and definitions	9
4 General requirement.....	13
5 General conditions for the tests.....	13
6 Classification.....	14
7 Marking and instructions	15
8 Protection against access to live parts	18
9 Starting of motor-operated appliances.....	18
10 Power input and current.....	18
11 Heating	18
12 Void	20
13 Leakage current and electric strength at operating temperature	20
14 Transient overvoltages.....	21
15 Moisture resistance	22
16 Leakage current and electric strength.....	22
17 Overload protection of transformers and associated circuits.....	23
18 Endurance.....	23
19 Abnormal operation	24
20 Stability and mechanical hazards	26
21 Mechanical strength.....	26
22 Construction	27
23 Internal wiring.....	31
24 Components	32
25 Supply connection and external flexible cords	32
26 Terminals for external conductors	32
27 Provision for earthing.....	33
28 Screws and connections	33
29 Clearances, creepage distances and solid insulation	33
30 Resistance to heat and fire	33
31 Resistance to rusting	34
32 Radiation, toxicity and similar hazards	34
Annexes	40
Annex A (informative) Routine tests	40
Annex B (normative) Appliances powered by rechargeable batteries that are recharged in the appliance	41
Annex S (normative) Battery-operated appliances powered by batteries that are non-rechargeable or not recharged in the appliance	43
Annex AA (informative) Circuit for the independent control of the switching speed of the major impulse-switching device	47

Annex BB (normative) Instructions for installation and connection of electric fences	48
BB.1 Instructions for electric animal fences	48
BB.2 Instructions for electric security fences not supplied from a security energizer group	50
BB.3 Instructions for electric security fences supplied from a security energizer group	52
Annex CC (informative) Installation of electric security fences	56
CC.1 General	56
CC.2 Location of electric security fence	56
CC.3 Prohibited zone for pulsed conductors	56
CC.4 Separation between electric fence and physical barrier	56
CC.5 Prohibited mounting	57
CC.6 Operation of electric security fence	57
Bibliography	60
 Figure 101 – Schematic examples of type A energizers, type B energizers and type C energizers	35
Figure 102 – Schematic examples of the different types of type D energizers	36
Figure 103 – Current limited energizer characteristic limit line	37
Figure 104 – Type R security energizer group test configurations	38
Figure 105 – Type S security energizer group test configurations	39
Figure AA.1 – Circuit for the independent control of the switching speed of the major impulse-switching device	47
Figure BB.1 – Symbol for warning sign	55
Figure CC.1 – Prohibited area for pulse conductors	57
Figure CC.2 – Typical constructions where an electric security fence is exposed to the public	58
Figure CC.3 – Typical fence constructions where the electric security fence is installed in windows and skylights	59
 Table 101 – Battery source impedance	19
Table 102 – Rated supply voltage maximum and minimum value multiplier factors	19
Table 103 – Supply voltage value test settings	20
Table 104 – Test supply sequence for different supply type	20
Table 105 – Additional test voltages	23
Table BB.1 – Minimum clearances from power lines for electric animal fences	49
Table BB.2 – Minimum clearances from power lines for electric security fences not supplied from a security energizer group	51
Table BB.3 – Minimum clearances from power lines for electric security fences supplied from a security energizer group	54

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –**Part 2-76: Particular requirements for electric fence energizers****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This part of International Standard IEC 60335 has been prepared by subcommittee 61H: Safety of electrically-operated farm appliances, of IEC technical committee 61: Safety of household and similar electrical appliances.

This third edition cancels and replaces the second edition published in 2002, Amendment 1:2006 and Amendment 2:2013. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- the text has been aligned with Edition 5.2 of Part 1;
- additional requirements for security fence energizers have been introduced (Clauses 3, 7, 19, 22, Figures and Annex BB);
- specific requirements for battery operated energizers have been moved to Annex S.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
61H/366/FDIS	61H/367/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60335 series, published under the general title *Household and similar electrical appliances – Safety*, can be found on the IEC website.

This Part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fifth edition (2010) of that standard.

NOTE 1 When “Part 1” is mentioned in this standard, it refers to IEC 60335-1.

This Part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for electric fence energizers.

When a particular subclause of Part 1 is not mentioned in this Part 2, that subclause applies as far as is reasonable. When this standard states “addition”, “modification” or “replacement”, the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional Annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type
- *test specifications: in italic type*
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and associated noun are also in bold.

NOTE 4 The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

The following differences exist in the countries indicated below:

6.101: Only energy limited energizers are allowed (All EU and EFTA counties).

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

The contents of the corrigendum of November 2018 have been included in this copy.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

NOTE 1 Throughout this publication, when "Part 1" is mentioned, it refers to IEC 60335-1.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 2 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 3 Horizontal and generic standards covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or part 2 standards.

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-76: Particular requirements for electric fence energizers

1 Scope

This clause of Part 1 is replaced by the following.

This part of IEC 60335 deals with the safety of **electric fence energizers**, the **rated voltage** of which is not more than 250 V and by means of which **fence** wires in agricultural, domestic or feral animal control **fences** and **security fences** may be electrified or monitored.

NOTE 101 Examples of **electric fence energizers** coming within the scope of this standard are:

- **mains-operated energizers**;
- **battery-operated electric fence energizers suitable for connection to the mains**, as shown in Figure 101 and Figure 102;
- **electric fence energizers** operated by non-rechargeable batteries either incorporated or separate.

This standard does not in general take into account

- the use of appliances by young children or infirm persons without supervision;
- the playing with appliances by young children.

NOTE 102 Attention is drawn to the fact that

- for appliances intended to be used on board ships or aircraft, additional requirements can be necessary;
- in many countries, additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour, the national water supply authorities and similar authorities.

NOTE 103 This standard does not apply to

- electromagnetically coupled animal trainer collars;
- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas);
- separate battery chargers (IEC 60335-2-29);
- electric fishing machines (IEC 60335-2-86);
- electric animal-stunning equipment (IEC 60335-2-87);
- appliances for medical purposes (IEC 60601).

2 Normative references

This clause of Part 1 is applicable except as follows.

Addition:

IEC 60068-2-52:2017, *Environmental testing – Part 2: Tests – Test Kb: Salt mist, cyclic (sodium chloride solution)*

IEC 60320-3, *Appliance couplers for household and similar general purposes – Part 3: Standard sheets and gauges*

ISO 3864-1, *Graphical symbols – Safety colours and safety signs – Part 1: Design principles for safety signs and safety markings*