



Edition 4.0 2019-02

INTERNATIONAL STANDARD



Wind energy generation systems – Part 1: Design requirements

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 27.180

ISBN 978-2-8322-6253-5

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FC	DREWC)RD	10
IN	TRODI	JCTION	12
1	Scop	ре	13
2	Norn	native references	13
3	Term	is and definitions	15
4	Sym	bols and abbreviated terms	23
	4.1	Symbols and units	
	4.2	Abbreviated terms	
5	Princ	sipal elements	
	5.1	General	27
	5.2	Design methods	
	5.3	Safety classes	
	5.4	Quality assurance	27
	5.5	Wind turbine markings	27
6	Exte	rnal conditions	28
	6.1	General	28
	6.2	Wind turbine classes	28
	6.3	Wind conditions	30
	6.3.1	General	30
	6.3.2	Normal wind conditions	31
	6.3.3	Extreme wind conditions	33
	6.4	Other environmental conditions	
	6.4.1		
	6.4.2		
	6.4.3		
	6.5	Electrical power network conditions	
7	Struc	ctural design	
	7.1	General	
	7.2	Design methodology	
	7.3	Loads	
	7.3.1		
	7.3.2		
	7.3.3		
	7.3.4		
	7.3.5		
	7.4	Design situations and load cases	
	7.4.1		
	7.4.2 7.4.3		44
	7.4.3	connection (DLC 2.1 to 2.5)	45
	7.4.4		
	7.4.5	Normal shutdown (DLC 4.1 to 4.2)	47
	7.4.6		
	7.4.7		
	7.4.8		
	7.4.9	Transport, assembly, maintenance and repair (DLC 8.1 and 8.2)	49

	7.5	Load calculations	.49
	7.6	Ultimate limit state analysis	.50
	7.6.1	Method	50
	7.6.2	Ultimate strength analysis	.53
	7.6.3	Fatigue failure	56
	7.6.4	Stability	57
	7.6.5	Critical deflection analysis	.57
	7.6.6	Special partial safety factors	.58
8	Cont	ol system	.58
	8.1	General	
	8.2	Control functions	
	8.3	Protection functions	
	8.4	Control system failure analysis	
	8.4.1	General	
	8.4.2		
	8.4.3	•	
	8.4.4		
	8.4.5		
	8.5	Manual operation	
	8.6	Emergency stop button function	
	8.7	Manual, automatic, and remote restart	
9	8.8 Mooh	Braking systemanical systems	
9		-	
	9.1	General	
	9.2	Errors of fitting	
	9.3	Hydraulic or pneumatic systems	
	9.4	Main gearbox	
	9.5	Yaw system	
	9.6	Pitch system	
	9.7	Protection function mechanical brakes	
	9.8	Rolling element bearings	
	9.8.1	General	
	9.8.2	5	
	9.8.3	5	
	9.8.4	, .	
10	Elect	rical system	.65
	10.1	General	65
	10.2	General requirements for the electrical system	.65
	10.3	Internal environmental conditions	.65
	10.4	Protective devices	67
	10.5	Disconnection from supply sources	.67
	10.6	Earth system	67
	10.7	Lightning protection	67
	10.8	Electrical cables	.68
	10.9	Self-excitation	.68
	10.10	Protection against lightning electromagnetic impulse	.68
	10.11	Power quality	68
	10.12	Electromagnetic compatibility	.69
	10.13	Power electronic converter systems and equipment	.69

	10.14	Twist/drip loop	69
	10.15	Slip rings	69
	10.16	Vertical power transmission conductors and components	70
	10.17	Motor drives and converters	70
	10.18	Electrical machines	71
	10.19	Power transformers	71
	10.20	Low voltage switchgear and controlgear	71
	10.21	High voltage switchgear	71
	10.22	Hubs	72
11	Asse	ssment of a wind turbine for site-specific conditions	72
	11.1	General	72
	11.2	Assessment of the topographical complexity of the site and its effect on	
		turbulence	
	11.2.		
	11.2.		
		Wind conditions required for assessment	
	11.3.		
	11.3.	–	
	11.3.	•	
	11.3.		
	11.4	Assessment of wake effects from neighbouring wind turbines	
	11.5	Assessment of other environmental conditions	
	11.6	Assessment of earthquake conditions	
	11.7	Assessment of electrical network conditions	
	11.8	Assessment of soil conditions	
	11.9	Assessment of structural integrity by reference to wind data	
	11.9.		
	11.9.	5	
	11.9.	5	82
	11.10	Assessment of structural integrity by load calculations with reference to site- specific conditions	82
12	Asse	mbly, installation and erection	83
	12.1	General	83
	12.2	Planning	84
	12.3	Installation conditions	84
	12.4	Site access	84
	12.5	Environmental conditions	84
	12.6	Documentation	84
	12.7	Receiving, handling and storage	85
	12.8	Foundation/anchor systems	
	12.9	Assembly of wind turbine	
	12.10	Erection of wind turbine	
	12.11	Fasteners and attachments	
	12.12	Cranes, hoists and lifting equipment	
13		nissioning, operation and maintenance	
-	13.1	General	
	13.2	Design requirements for safe operation, inspection and maintenance	
	13.3	Instructions concerning commissioning	
	13.3.	v	

13.3.2	Energization	87
13.3.3	Commissioning tests	
13.3.4	Records	
13.3.5	Post commissioning activities	
	erator's instruction manual	
13.4.1	General	
13.4.2	Instructions for operations and maintenance records	
13.4.3	Instructions for unscheduled automatic shutdown	
13.4.4	Instructions for diminished reliability	
13.4.5	Work procedures plan	
13.4.6	Emergency procedures plan	
	intenance manual	
	ate	
	neral	
	v temperature and icing climate	
	ernal conditions for cold climate	
14.3.1	General	
14.3.2	Wind turbine class for cold climate	
	uctural design	
	sign situations and load cases	
14.5.1	General	
14.5.2	Load calculations	
14.5.3	Selection of suitable materials	
	ntrol systems	
	chanical systems	
	ctrical systems	
	native) Design parameters for external conditions	
A.1 De	sign parameters for describing wind turbine class S	93
A.1.1	General	93
A.1.2	Machine parameters	93
A.1.3	Wind conditions	93
A.1.4	Electrical network conditions	93
A.1.5	Other environmental conditions (where taken into account)	94
	ditional design parameters for describing cold climate wind turbine class	
· · · · · · · · · · · · · · · · · · ·	CC-S)	94
,	rmative) Design load cases for special class S wind turbine design or assessment	06
	ver production (DLC 1.1 to 1.9)	
	rmative) Turbulence models	
	neral	
	nn [3] uniform shear turbulence model	
	mal [1] spectrum and exponential coherence model	
	erence documents	
Annex D (info	rmative) Assessment of earthquake loading	106
D.1 Ge	neral	106
D.2 De	sign response spectrum	106
D.3 Str	ucture model	107
D.4 Sei	smic load evaluation	108

D.5	Additional load	109
D.6	Reference documents	110
Annex E	(informative) Wake and wind farm turbulence	111
E.1	Added wake turbulence method	111
E.2	Dynamic wake meandering model	113
E.2.1	General	113
E.2.2	2 Wake deficit	114
E.2.3	3 Meandering	115
E.2.4	4 Wake induced turbulence	116
E.2.5	5 Wake superposition	116
E.2.6	6 Model synthesis	117
E.3	Reference documents	117
	(informative) Prediction of wind distribution for wind turbine sites by correlate-predict (MCP) methods	118
F.1	General	
F.1 F.2	Measure-correlate-predict (MCP)	
F.2 F.3	Application to annual mean wind speed and distribution	
г.з F.4	Application to extreme wind speed and distribution	
F.5	Reference documents	
	(informative) Statistical extrapolation of loads for ultimate strength analysis	
G.1	General	
G.2	Data extraction for extrapolation	
G.3	Load extrapolation methods	
G.3. ⁻		
G.3.2		
G.3.3		
G.3.4	5	
G.4	Convergence criteria	
G.4.1		
G.4.2		
G.4.3		
G.4.4	11 5	
G.4.		
G.5	Inverse first-order reliability method (IFORM)	126
G.6	Reference documents	
Annex H	(informative) Fatigue analysis using Miner's rule with load extrapolation	
H.1	Fatigue analysis	
H.2	Reference documents	133
Annex I (i	informative) Contemporaneous loads	135
I.1	General	135
I.2	Scaling	136
1.3	Averaging	136
	informative) Prediction of the extreme wind speed of tropical cyclones by nte Carlo simulation method	137
J.1	General	
J.2	Prediction of tropical cyclone induced extreme wind speeds	
J.2.1		
J.2.2		
J.2.3		
	, , , , , , , , , , , , , , , , , , , ,	

J.2.4	Prediction of wind speeds in the tropical cyclone boundary	
J.3	Prediction of extreme wind speed in mixed climate regions	
J.3.1	General	
J.3.2	Extreme wind distributions of extratropical cyclones by the MCP method	od139
J.3.3	Extreme wind distributions of tropical cyclones by the MCS method	140
J.3.4	Determination of extreme wind speed in a mixed climate region	140
J.4	Reference documents	
	(informative) Calibration of structural material safety factors and structural	4.40
design as	sisted by testing	
K.1	Overview and field of application	
K.2	Target reliability level	142
K.3	Safety formats	
K.4	Reliability-based calibration	144
K.5	Calibration using the design value format	145
K.6	Partial safety factors for fatigue for welded details in steel structures	145
K.7	Types of tests for materials	

K.8	Planning o	of tests	147
K.8.′	l Gene	ral	147
K.8.2	2 Objec	tives and scope	147
K.8.3	B Predio	ction of test results	147
K.8.4	1 Speci	fication of test specimen and sampling	148
K.8.5	5 Loadi	ng specifications	148
K.8.6	6 Testir	ng arrangement	148
K.8.7	7 Meas	urements	149
K.8.8	B Evalu	ation and reporting the test	149
K.9	General pr	rinciples for statistical evaluations	149
K.10	Derivation	of characteristic values	150
K.11	Statistical	determination of characteristic value for a single property	150
K.12	Statistical	determination of characteristic value for resistance models	151
K.12	.1 Gener	ral	151
K.12	.2 Step	1: Develop a design model	152
K.12	.3 Step 2	2: Compare experimental and theoretical values	152
K.12	.4 Step 3	3: Estimate the mean value correction factor (bias) b	153
K.12	.5 Step 4	4: Estimate the coefficient of variation of the errors	153
K.12	.6 Step !	5: Analyse compatibility	154
K.12	.7 Step 6	6: Determine the coefficients of variation V_{Xi} of the basic variables.	154
K.12	.8 Step 7	7: Determine the characteristic value $r_{\mathbf{k}}$ of the resistance	154
K.13	Reference	documents	156
Annex L (informative) Cold climate: assessment and effects of icing climate	157
L.1	Assessme	nt of icing climate conditions	157
L.1.1	Gene	ral	157
L.1.2	2 Icing	climate	157
L.1.3	8 Rotor	icing	158
			450

L.1.4	Measurement methods	159
L.1.5	Profile coefficients modification for ice	
L.2	Ice mass effects on wind turbine blades	
L.3	Cold climate design situations and load case	
L.3.1	General	
L.3.2	Power production (DLC 1.1 to 1.6)	161

-7-

L.3.	B Parked (standstill or idling) (DLC 6.1 to 6.5)	
L.3.	4 Parked and fault conditions (DLC 7.1)	
L.4	Cold climate load calculations	
L.5	Reference documents and bibliography	
Annex M	(informative) Medium wind turbines	
M.1	Overview	
M.2	External conditions	
M.2	1 General	
M.2	2 Wind shear	
M.3	Assembly, installation and erection	
M.4	Commissioning, operation and maintenance	
M.5	Documentation	
Bibliogra	phy	

Figure 1 – Turbulence standard deviation and turbulence intensity for the normal turbulence model (NTM)	32
Figure 2 – Example of extreme operating gust	34
Figure 3 – Example of extreme direction change magnitude	35
Figure 4 – Example of extreme direction change transient	35
Figure 5 – Example of extreme coherent gust amplitude for ECD	36
Figure 6 – Direction change for ECD	37
Figure 7 – Example of direction change transient	37
Figure 8 – Examples of extreme positive and negative vertical wind shear, wind profile before onset ($t = 0$, dashed line) and at maximum shear ($t = 6$ s, full line)	38
Figure 9 – Example of wind speeds at rotor top and bottom, respectively, which illustrate the transient positive wind shear	38
Figure 10 – Examples of 30° sectors for fitting the terrain data	73
Figure 11 – Terrain variation (Δz) and terrain slope (θ)	74
Figure 12 – Possible combinations of normalized mean wind speed and Weibull shape parameter <i>k</i> (shaded area)	81
Figure D.1 – Structure model for response spectrum method	108
Figure E.1 – Configuration – Inside a wind farm with more than 2 rows	113
Figure E.2 – The three fundamental parts of the DWM model	114
Figure K.1 – r _e -r _t diagram	153
Figure L.1 – Definition of meteorological icing and rotor icing	158
Figure L.2 – Representative ice affected rotor area as defined by rotor icing height	159
Figure L.3 – Iced airfoil lift and drag penalty factors	160
Table 1 – Basic parameters for wind turbine classes	29
Table 2 – Design load cases (DLC)	43
Table 3 – Partial safety factors for loads γ_{f}	54
Table 4 – Minimum safety factor $S_{H,min}$ and $S_{F,min}$ for the yaw gear system	63
Table 5 – Threshold values of the terrain complexity categories L, M and H	
Table 6 – Values of lateral and vertical turbulence standard deviations relative to the longitudinal component depending on terrain complexity category L, M and H	75

Table 7 – Values of turbulence structure correction parameter depending on terraincomplexity category L, M and H	76
Table A.1 – Design parameters for describing cold climate wind turbine class S (CC-S) .	94
Table B.1 – Design load cases	97
Table C.1 – Turbulence spectral parameters for the Kaimal model	104
Table E.1 – Number (N) of neighbouring wind turbines	112
Table G.1 – Parameters needed to establish binomial-based confidence intervals	126
Table G.2 – Short-term load exceedance probabilities as a function of hub-height wind speed for different wind turbine classes for use with the IFORM procedure	128
Table I.1 – Extreme loading matrix	135
Table K.1 – Partial safety factor for model uncertainty, γ_δ	145
Table K.2 – Recommended values for partial safety factor for fatigue strength, γ_{Mf}	146
Table K.3 – Recommended partial safety factor for fatigue stresses, γ_{Ff}	147
Table K.4 – Values of k_n for the 5 % characteristic value	151
Table L.1 – Cold climate design load cases	161
Table L.2 – Blade ice mass and airfoil penalty factors used in different analysis types	162

INTERNATIONAL ELECTROTECHNICAL COMMISSION

WIND ENERGY GENERATION SYSTEMS -

Part 1: Design requirements

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61400-1 has been prepared by IEC technical committee 88: Wind energy generation systems.

This fourth edition cancels and replaces the third edition published in 2005 and Amendment 1:2010. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) general update and clarification of references and requirements;
- b) extension of wind turbine classes to allow for tropical cyclones and high turbulence;
- c) Weibull distribution of turbulence standard deviation for normal turbulence model (NTM);
- d) updated design load cases (DLCs), in particular DLC 2.1 and 2.2;
- e) revision of partial safety factor specifications;
- f) major revision of Clauses 8, 10 and 11;

- g) introduction of cold climate requirements, Clause 14;
- h) new Annex B on design load cases for site-specific or special class S wind turbine design or site suitability assessment;
- i) new Annex J on prediction of the extreme wind speed of tropical cyclones by using Monte Carlo simulation method;
- j) new Annex K on calibration of structural material safety factors and structural design assisted by testing;
- k) new Annex L on assessment and effects of icing climate;
- I) new Annex M on medium wind turbines.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
88/696/FDIS	88/701/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61400 series, published under the general title *Wind energy generation systems*, can be found on the IEC website.

Future standards in this series will carry the new general title as cited above. Titles of existing standards in this series will be updated at the time of the next edition.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This part of IEC 61400 outlines minimum design requirements for wind turbines and is not intended for use as a complete design specification or instruction manual.

Any of the requirements of this document may be altered if it can be suitably demonstrated that the safety of the system is not compromised. This provision, however, does not apply to the classification and the associated definitions of external conditions in Clause 6. Compliance with this document does not relieve any person, organization, or corporation from the responsibility of observing other applicable regulations.

This document is not intended to give requirements for wind turbines installed offshore, in particular for the support structure. For offshore installations, reference is made to the IEC 61400-3 series.

WIND ENERGY GENERATION SYSTEMS –

Part 1: Design requirements

1 Scope

This part of IEC 61400 specifies essential design requirements to ensure the structural integrity of wind turbines. Its purpose is to provide an appropriate level of protection against damage from all hazards during the planned lifetime.

This document is concerned with all subsystems of wind turbines such as control and protection functions, internal electrical systems, mechanical systems and support structures.

This document applies to wind turbines of all sizes. For small wind turbines, IEC 61400-2 can be applied. IEC 61400-3-1 provides additional requirements to offshore wind turbine installations.

This document is intended to be used together with the appropriate IEC and ISO standards mentioned in Clause 2.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60034 (all parts), Rotating electrical machines

IEC 60038, IEC standard voltages

IEC 60071-1, Insulation co-ordination – Part 1: Definitions, principles and rules

IEC 60071-2, Insulation co-ordination – Part 2: Application guidelines

IEC 60076 (all parts), Power transformers

IEC 60204-1, Safety of machinery – Electrical equipment of machines – Part 1: General requirements

IEC 60204-11:2000, Safety of machinery – Electrical equipment of machines – Part 11: Requirements for HV equipment for voltages above 1 000 V AC or 1 500 V DC and not exceeding 36 kV

IEC 60364 (all parts), Low voltage electrical installations

IEC 60529, Degrees of protection provided by enclosures (IP Code)

IEC 60664-1, Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements and tests

IEC 60664-3, Insulation coordination for equipment within low-voltage systems – Part 3: Use of coating, potting or moulding for protection against pollution

IEC 60721 (all parts), Classification of environmental conditions

IEC 61000-6-2, Electromagnetic compatibility (EMC) – Part 6-2: Generic standards – Immunity standard for industrial environments

IEC 61400-3, Wind turbines – Part 3: Design requirements for offshore wind turbines

IEC 61400-4, Wind Turbines – Part 4: Design requirements for wind turbine gearboxes

IEC 61400-24, Wind turbines – Part 24: Lightning protection

IEC 61439 (all parts), Low-voltage switchgear and controlgear assemblies

IEC 61800-4, Adjustable speed electrical power drive systems – Part 4: General requirements – Rating specifications for AC power drive systems above 1 000 V AC and not exceeding 35 kV

IEC 61800-5-1, Adjustable speed electrical power drive systems – Part 5-1: Safety requirements – Electrical, thermal and energy

IEC 62271 (all parts), High-voltage switchgear and controlgear

IEC 62305-3, Protection against lightning – Part 3: Physical damage to structures and life hazard

IEC 62305-4, Protection against lightning – Part 4: Electrical and electronic systems within structures

IEC 62477-1:2012, Safety requirements for power electronic converter systems and equipment – Part 1: General

ISO 76, Rolling bearings – Static load ratings

ISO 281, Rolling bearings – Dynamic load ratings and rating life

ISO 2394, General principles on reliability for structures

ISO 2533, Standard Atmosphere

ISO 4354, Wind actions on structures

ISO 6336-2, Calculation of load capacity of spur and helical gears – Part 2: Calculation of surface durability (pitting)

ISO 6336-3:2006, Calculation of load capacity of spur and helical gears – Part 3: Calculation of tooth bending strength

ISO 12494:2001, Atmospheric icing on structures

ISO 13850, Safety of machinery – Emergency stop function – Principles for design

ISO/TS 16281, Rolling bearings – Methods for calculating the modified reference rating life for universally loaded bearings